



- FLOOR FRAMING NOTES**
- COORDINATE ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS.
  - TYPICAL TOP OF CONCRETE ELEVATION, T.O.C. = 359'-9" UNO FOR EXACT LOCATION OF SLAB ELEVATION CHANGES REFER TO THE ARCHITECTURAL PLANS.
  - TYPICAL TOP OF STEEL ELEVATION, T.O.S. = 359'-3 3/4" UNO [ x'- x"]
  - LB** INDICATES MECHANICAL UNITS. SEE PLAN FOR MAXIMUM ALLOWED WEIGHT
  - I** INDICATES WIDE FLANGE COLUMN LOCATION AND ORIENTATION. SEE SHEET S3.50 FOR COLUMN SCHEDULE.
  - INDICATES SPAN DIRECTION FOR METAL DECK FOR TYPICAL METAL DECK DETAILS SEE S4.40 & S4.41.
  - ⊠** INDICATES PENETRATION IN FLOOR/ROOF STRUCTURE. SEE S4.40 & S4.41 FOR TYP. REQUIREMENTS & PENETRATIONS. FOR SLAB EDGE LOCATION SEE ARCH. FOR ADDITIONAL OPENINGS SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL.
  - SEE SHEETS S4.50 AND S4.51 FOR TYPICAL STEEL DETAILS.
  - NON-STRUCTURAL STUD WALLS ARE NOT SHOWN. FOR LOCATION SEE ARCHITECT.
  - BEAM SPACING ALONG GIRDERS ARE AT EQUAL SPACES BETWEEN COLUMNS, OR DIMENSION POINTS UNO.
  - INDICATES THE TOTAL QTY. OF 3/4" DIA. SHEAR STUDS. FOR SHEAR STUD LENGTH AND SPACING SEE 10/S4.40
  - INDICATES THE BM/GIRDER CAMBER IN INCHES. INDICATES BM/GIRDER SIZE.
  - SC5** TYP. UNO. INDICATES A REQUIRED SPECIAL CONN. DETAIL IF NEEDED. INDICATES BM/GIRDER WEB PENETRATION
  - SC4** TYP. UNO. INDICATES THE BEAM T.O.S. ELEVATION WITH REFERENCE TO THE TYPICAL T.O.S. ELEVATION. DIMENSIONS AT BOTH ENDS OF THE BEAM INDICATES A SLOPING MEMBER.
  - INDICATES STRUCTURAL WALL BELOW EXTENDING TO FLOOR STRUCTURE.
  - FOR CONCRETE CURB & HOUSEKEEPING PAD LOCATIONS AND SIZES SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL. FOR TYP. DETAIL SEE 0/S4.40.
  - SEE SHEET S4.51 FOR TYPICAL ELEVATOR FRAMING DETAILS
  - B** INDICATES CONCRETE BEAM SEE S4.20 FOR SCHEDULE & DETAILS.
  - J** & **HJ** INDICATE CONCRETE JOIST SEE S4.20 FOR SCHEDULE & DETAILS.
  - PT6** INDICATES POST-TENSIONED GIRDER SEE S4.10, S4.11, S4.11A & S4.12 FOR SCHEDULE & DETAILS.
  - A** INDICATES SPECIAL METAL STUD WALL TYPE. FOR SCHEDULE SEE 6/S5.61. ALL WALLS NOTED SHALL BE CONSTRUCTED WITH NO GAP AT TOP OF WALL. FOR SPECIAL METAL STUD WALL TYPICAL DETAILS SEE 7/S5.61 & 8/S5.61.

**1** FOURTH FLOOR FRAMING PLAN - NORTH  
 52.14 1/8" = 1'-0"



811 Pike Avenue, Suite 620  
 Seattle, Washington 98104  
 206.462.0000  
 800 Pacific Avenue, Suite 110  
 Tacoma, Washington 98402  
 253.863.2700



**MultiCare**  
**EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION**  
 TACOMA, WASHINGTON

REVISION	DESCRIPTION	DATE
1	COD #5	01-21-09

Date: 09-26-2008  
 Scale: As indicated  
 Drawn By: RSC  
 Job No.: 4034

**FOURTH FLOOR  
 FRAMING PLAN -  
 NORTH**

**S2  
 14**