© 2009 FKP Architects, Inc. All rights reserved. No part of this document may be reproduced or utilized in any form without prior written authorization of FKP Architects, Inc.

RFI 1146
Revised nurse station alcove wall type typ. to all on flr.

RFI 4107
Screw types and spacing for FR backing on 5th floor headwalls in patient rooms.

RFI 3663
Shade pockets and pony wall detail

RFI 4166
Use vertical cable manager rack in IS room cabinet

RFI 4088
Additional backing is required

RFI 1907

RFI 3687
Projection Screen Location

RFI 3402
Add backing for artwork

RFI 3921
Use cabinet C1730M.1A and counter top SSM-4/P1p7...1"

RFI 734.1
Relocate access door to 4th flr.

RFI 4693
Projector clarifications and support details

RFI 238.2: Key Switch Location for Ceiling Door

RFI 1727.1
Window is not to be built

RFI 5763

RFI 5716

RFI 4156
Ceiling height revised from 9' to 8'-6".

RFI 4972
Remove sill wall

RFI 5378

RFI 1146

RFI 1113

RFI 505

RFI 4758
CASp Item #24
Pull side clearance.

RFI 1113

RFI 1113.4
Align Face

RFI 4175

RFI 5767

RFI 3781
Fur walls added to cover exposed drift joints

RFI 4495
See detail ES/A8.1 for alignment of soffit with exterior metal panels

RFI 5313

RFI 5313.1

RFI 3318: Tube Support Relocation and Wall Framing Changes

RFI 3318.1: Revised Relocation/Tube Centerline Distance

RFI 4980
Conflict with paper towel dispenser and SSM

RFI 2064
24x46 Needed

RFI 3494

Furniture Backing ; D5/S3.1, Elevations - 9" AFF, 36" AFF, 60" AFF

RFI 5313
RFI 5313.1
RFI 5156
RFI 5527

RFI 5588

RFI 2324

RFI 2208
Revised Plan

RFI 2338
RFI 2264

RFI 5588

RFI 3375.1
Typical Toilet dimensions

RFI 5156
RFI 5313
RFI 5313.1

RFI 4374
See detail for moisture board and SSM finish separation

B6 AREA "A"
1/8" = 1'-0"

1. PC monitor, wall mounted. See Equipment drawings and workbook.
2. Electrical power strip @ 24" & 48" A.F.F. See Electrical.
3. Projection screen, recessed ceiling. See detail D3/A11.6 & Telecom drawings.
4. Projector, ceiling mounted. See Telecom drawings.
5. Window treatment, manual roller window shades, typical all exterior glazing.
6. Biohazard waste receptacle, see elevation.
7. Sill wall, 2'-10" A.F.F., typical. See C5/A10.1 for detail.
8. Align finish face of partitions.
9. Fire extinguisher cabinet, wall recessed, paint to match adjacent wall, typical. See A2 or B2/A11.8 for detail.
10. Corner guard, high impact plastic, typical. See B4/A11.8 for detail.
11. Upper shelf, modified to integrate with 2 med's cassettes.
12. See room 5.122 in Sheet A3.5A for typical note designations.
13. Upper shelf
14. Receptacle, see Equipment drawings and workbook.
15. Headwall, medical outlets. See Plumbing and Equipment drawings and workbook.
16. TV monitor, mounted on upper cabinet. See elevation.
17. See enlarged plan A3/A3.5A for typical note designations.
18. Flat panel monitor, wall mounted. See Equipment drawings, workbook, and A2/S3.4.
19. Handrail/crashrail. See detail B4/A11.8.
20. Hamper, see elevation.
21. Pharm waste, see elevation.
22. Sharps container, see elevation.
23. Undercounter refrigerator in cabinet, see elevation.
24. Dashed line indicates bed clearance.
25. For construction requirement this area, see Increment 6, Vol. 2A & 2B.
26. Not used.
27. MicroWave. See Equipment Drawings and Workbook and B2/S1.
28. See room 5.124 on sheet A3.5A for typical note designations.
29. P2 cabinet. See Equipment drawings and workbook.
30. Dialysis drain, see Plumbing drawings.
31. Gel Dispenser, see Equipment drawings and workbook.
32. Soap dispenser, see Equipment drawings and workbook.
33. Paper towel dispenser, see Equipment drawings and workbook.
34. Gloves, see Equipment drawings and workbook.
35. Nurse call-pull station.
36. Toilet, floor mounted. See Plumbing drawings.
37. Shower rod, wall & ceiling mounted 54" x 32"
38. Soap dispenser, counter mounted.
39. Mirror, unframed with 24"W x 46"H.
40. Paper towel dispenser, wall recessed.
41. Grab bar, wall mounted 30" L, stainless steel.
42. Lavatory counter, solid surface finish for top, splash, and front skirt. See A6/A10.6 for detail..
43. Tub shelf, solid surface finish for top & sides.
44. Toilet paper dispenser, wall mounted @ 19" A.F.F.
45. Grab bar, wall mounted 42"L, stainless steel.
46. Overhead ceiling door, fire rated. See door schedule.
47. Accessible shower, see D3/A11.7.
48. Locate center line of DB-1 with center-line of tub wall in room behind.
49. Provide self closing, spring loaded hinge cabinet doors.
50. Floor Box
51. See B2/A3.5A for glazed area of window
52. Low Wall, 3'-6"
53. Refrigerator, undercounter.
54. Robe Hook mount at 4'-6" A.F.F.
55. Towel Bar, 24" wide, mount at 4'-6" A.F.F.
56. Towel Rack, 24" wide, mount at 4'-6" A.F.F.
57. Modified countertop to 25 1/2" deep for entire cabinet length. Detail C5A/A9.0.
58. Lockable cabinet at AV rack per detail C1/A9.0.

A6 NOTES TO SHEET

A. Information shown or referenced on enlarged and/or 1/4" scale drawings will generally not be shown on the smaller scale drawings.
B. Partition types are scheduled on plans by number. See the "General Notes to Partition Types" on B2/A11.3 and Partition Types on Sheet A11.3, A11.3.1, and A11.3.2 for the definition of partition type references.
C. Field coordinate all field routed pipe, conduit runs, etc., with locations of recessed accessories and equipment. In the event of a conflict, accessory locations take precedence.
D. Close all joints between plumbing fixtures/accessories and dissimilar materials w/sealant (i.e. between sinks and countertops, toilet fixtures and accessories to wall, etc.)
E. Cabinet numbers noted on enlarged plans refer to Cabinet component numbers, Cabinet schedules, etc. that are defined or elevated on Sheet A9.0 unless specific detail references are keyed.
F. Plan dimensions – refer to B2/A11.3 (General Notes).
G. For vertical mounting heights of shower accessories, See Detail D6/A11.7.
H. For vertical mounting heights of typical toilet stall accessories, See Detail A4/A11.7.
I. For vertical mounting heights of accessible toilet stall accessories, See Detail A5/A11.7.
J. For vertical mounting heights of typical restroom accessories, See Detail B6/A11.7.
K. For vertical mounting heights of accessible accessories at restrooms, See Detail A6/A11.7.
L. For equipment not identified on plan, see Equipment drawings and workbook–Increment#7, Vol. 2E.
M. For partial enlarged plan at janitor closets, See Detail A3/A11.7.
N. Public/handicapped restroom graphics will be furnished and installed by the Owner graphics supplier.
O. Standard equipment wall mounting heights, see detail A2/A11.9.
P. Medical equipment wall mounting heights, see details A4/A11.9, D3/A11.9 & QO.02–increment #7, Vol. 2E.
Q. Fire Protection equipment wall Mounting Heights, see detail D2/A11.9
R. Communication equipment wall Mounting Heights, see detail A3/A11.9.
S. Equipment mounting heights at Countertops, see detail D3/A11.9.
T. Equipment mounting heights at Desktops, see detail A4/A11.9.
U. A minimum head clearance of 6'–8" must be maintained at all points in stairway including stair and landing framing.
V. For all dashed in equipment not identified, refer to EQ drawing series–Increment Vol. 2E and Equipment workbook. Specific items requiring structural support are cross referenced to structural support details via matrix shown on the Equipment drawings–Increment #7, Vol. 2E.
W. All elevator hoist way entrance frames to have an embossed stainless steel graphic plaque with the floor landing number and Standard Braille markings for the blind. Conform to governing Accessibility codes and standards.
X. All stair floor landings to receive stencil painted, semi-gloss enamel floor landing numerals 12" high adjacent to the door at 5'–0" AFF in a contrasting color to the scheduled wall color unless a graphic plaque is specifically detailed or noted.
Y. Elevator Equipment wall mounting heights, see detail A6/A11.9 and B3/A11.9.
Z. Doors, Frames, Sidelites and Windows: (See Door Schedule). See A11 sheet series.
AA. Provide wall blocking/backing for items weighing 20lbs or less. See A6/A11.3.1.
BB. For personal effects storage unit types and sizes see A4/A11.8.
CC. For typical equipment backing support, see A4/S1.1–increment #5.
DD. For boundaries of alternates and phasing, see the AP drawing series.
EE. Provide 3" grommet, unless otherwise noted at 3'–0" O.C. maximum, field locate at all electrical components at Nurses stations and Reception desks.
FF. For vertical mounting heights of service accessories, See Detail A3/A11.7–increment#7, Vol. 2E.
GG. Provide access panels below the Patient Room countertops to serve as inspect ports for the Patient Room bathtubs.

Access panels shall be 1'-3" AFF, 14"x14"

A5 GENERAL NOTES

A3 TYPICAL TOILET
1/2" = 1'-0"

B2 ACTUAL GLAZING AREA

WALL AREA:
8'–0" X 8'–6" = 68 SQ.FT
68 SQ.FT X 25% = 17 SQ.FT

ALLOWABLE GLAZING AREA = 17 SQ.FT

ACTUAL GLAZING AREA:
3'–0" X 4'–2" = 12.5 SQ.FT

A1 KEY PLAN

P, H, M, G, F, A

FKP Architects

ARCHITECT OF RECORD
Paul C. Gloriod

LICENSED ARCHITECT PAUL L. GLORIOD No. C 20981 STATE OF CALIFORNIA

Changes on these drawings do not consist of materially altered changes to approved drawings and don't require a change order.
OSHPD review ACO _____
OSHPD review FLSO _____
OSHPD review DSE _____

REVISIONS

44	05/28/10	ASI #08
39	12/01/10	ASI #48
24	01/12/11	ASI #45
182	02/10/11	ASI #62
189	03/28/10	CO #174
248	06/07/10	CO #193
342	09/ 02/ 11	ASI 114
33	11/02/11	CO#264

PAD - 2011 - 02522

APPROVAL

Office of Statewide Health Planning & Development/FDD REVIEWED IN ACCORDANCE WITH THE REQUIREMENTS OF 24 CCR APPROVED

CHANGE ORDER# 264
INSTRUCTION BULLETIN#
DEFERRED APPROVAL#
ADDENDUM

PROJECT NAME
CHILDREN'S HOSPITAL OF ORANGE COUNTY
455 S. Main St.
Orange, CA 92868-3874

TOWER II

CHOC SM HOSPITAL

PROJECT NUMBER
12011.00
Increment #7

OSHPD - PROJECT NUMBER
IL 072072-30

ISSUE
OSHPD PERMIT

DATE
01/27/2010

SCALE
1/4" = 1' - 0"

DRAWING TITLE
LEVEL 5 ENLARGED PLAN AREA - A

DRAWING NUMBER
A3.5A

N:\06XXX\06102 CHOC TOWER 2 SHELL BUILDING\FKP CONTRACTED PROJECTS\PROJECT INCREMENTS\INCR_#07_TENANT IMPROVEMENT\OSHPD PERMIT (CONSTRUCTION DOCUMENTS)\100602_C0#_____\A3.5A.DWG
11/21/2011
RULA