IMPROVEMENT PLANS FOR


RUNWAY 16R-34L RECONSTRUCTION PROJECT
RUNWAY 16R-34L
RENO-TAHOE INTERNATIONAL AIRPORT

RENO NEVADA

NEVADA PUBLIC WORKS PROJECT No. WA-2020-084
RTAA DESIGN PROJECT No. R17010A
RTAA CONSTRUCTION PROJECT No. R19005A
AIP DESIGN No. 3-32-0017-103
AIP CONSTRUCTION No. 3-32-0017-105/106

SPONSOR:

RENO-TAHOE AIRPORT AUTHORITY
P.O. BOX 12490
RENO, NV 89510-2490
(775) 328-6400



VICINITY MAP
NOT TO SCALE

CIVIL ENGINEER:

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

AIRFIELD ELECTRICAL:

LEAN ENGINEERING
17752 MITCHELL NORTH SUITE C IRVINE, CA 92614
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: DAB
DESIGNED BY: BAM, MAK
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

TITLE DRAWING

PROJECT NO.
8494.002

DRAWING
G1.1

K:\Data\8494_RNA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPlan.dwg (G010)_16R.dwg 12/9/2019 4:13 PM Megan Kilgore

INDEX OF DRAWINGS

DWG. NO.	DRAWING TITLE
	GENERAL
G1.1	TITLE DRAWING
G2.1	INDEX OF DRAWINGS
G3.1	NOTES, LEGEND AND ABBREVIATIONS
G4.1	HORIZONTAL CONTROL PLAN
	SITE ACCESS AND PHASING
PH0.1–PH0.3	OVERALL PHASING PLAN
PH1.1–PH1.6	16R–34L PHASING & RESTRICTED WORK AREA PLANS
PH1.1E–PH1.6E	16R–34L TEMPORARY ELECTRICAL PHASING PLANS
PH2.1–PH2.3	16L–34R PHASING & RESTRICTED WORK AREA PLANS
PH3.1–PH3.4	7–25 PHASING & RESTRICTED WORK AREA PLANS
PH4.1–PH4.6	PHASING DETAILS
	DEMOLITION LAYOUT
DM1.1–1.16, DM1.25, DM1.26	CIVIL DEMOLITION PLAN
DM2.1	OFFSITE DISPOSAL PLAN
	GRADING AND PAVING
P1.1–1.5	TYPICAL SECTIONS
P2.1–P2.16, P2.25, P2.26	GEOMETRY LAYOUT PLAN
P3.1–P3.16, P3.25, P3.26, P3.27	CONTOUR GRADING PLAN
P4.1–P4.13	RUNWAY PROFILE
P5.1–P5.34	SPOT ELEVATION PLAN . . . . . (NOT INCLUDED W/ BIDDING DOCUMENTS)
P6.1–P6.22W	JOINTING LAYOUT PLAN
P7.1–P7.3	JOINTING DETAILS
P8.1–P8.34	CONTOUR GRADING DETAILS
	PAVEMENT MARKING
ST0.1–ST0.34	PAVEMENT MARKING DEMOLITION LAYOUT PLAN
ST1.1–ST1.34	PAVEMENT MARKING LAYOUT PLAN
ST2.1–ST2.6	PAVEMENT MARKING DETAILS
	UTILITIES
U1.1–U1.15, U1.25	UTILITY LAYOUT PLAN
U2.1–U2.4	UTILITY DETAILS
	ELECTRICAL
E0.01–E0.03	ELECTRICAL GENERAL NOTES
E1.00–E1.29	ELECTRICAL DEMO PLANS
E2.00–E2.29	NEW BASE CAN & CONDUIT LAYOUT
E3.00–E3.29	NEW FIXTURE, CIRCUIT & SIGN LAYOUT
E4.01–E4.02	MALSR PROFILE
E4.11–E4.14, E4.21, E4.22	MALSR EXISTING, DEMO & PROPOSED
E5.00–E5.18	PAVEMENT SENSORS
E6.01–E6.05	ELECTRICAL DETAILS
E6.11–E6.13	SIGN DETAILS
E6.21–E6.23	PAPI DETAILS
E7.01–E7.24	EXISTING AND PROPOSED CIRCUIT MAPS

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SHEET INDEX

PROJECT NO.
8494.002

DRAWING
G2.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\G0201_16R.dwg 12/9/2019 4:13 PM Megan Klinger

GENERAL NOTES

1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY UTILITY LOCATIONS AND TO NOTIFY THE RESPECTIVE UTILITY COMPANIES FOR FIELD VERIFICATION PRIOR TO ANY CONSTRUCTION ACTIVITIES. THE CONTRACTOR SHALL CONTACT ALL UTILITY COMPANIES BEFORE PROCEEDING WITH THE WORK.

2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO EXISTING ROADS, AIRCRAFT PAVEMENT, BUILDINGS, LIGHTING OR OTHER STRUCTURES RESULTING FROM HIS CONSTRUCTION ACTIVITIES. REPAIRS SHALL BE MADE TO THE SATISFACTION OF THE OWNER AT NO ADDITIONAL COST.

3. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER OF DISCREPANCIES BETWEEN THE INFORMATION SHOWN ON THESE DRAWINGS AND THE CONDITIONS EXISTING IN THE FIELD.

4. THE CONTRACTOR SHALL COMPLY WITH THE WASHOE COUNTY DISTRICT HEALTH DEPARTMENT REQUIREMENTS CONCERNING DUST CONTROL. WATER QUALITY REQUIREMENTS SHALL BE IN COMPLIANCE WITH THE NEVADA DIVISION OF ENVIRONMENTAL PROTECTION (NDEP) PERMIT, THE AIRPORT AUTHORITY'S BEST MANAGEMENT PRACTICES AND THE DISTRICT HEALTH DEPARTMENT, WHICHEVER IS MORE STRINGENT.

5. THE CONTRACTOR SHALL BE ACQUAINTED WITH THE AIRPORT SECURITY REQUIREMENTS AND AIRCRAFT OPERATIONS. HIS ACTIVITIES SHALL CONFORM TO THE REQUIREMENTS OF THE AIRPORT AUTHORITY AND THE PROJECT DOCUMENTS.

6. REFER TO VOLUME III "CONSTRUCTION SAFETY PHASING PLAN" AND TO THE SPECIAL PROVISIONS OF THE CONTRACT DOCUMENTS FOR PROJECT SPECIFIC REQUIREMENTS FOR SAFETY, SECURITY, AND LIMITATIONS TO THE CONTRACTOR'S OPERATIONS.

7. BEFORE ANY WORK CAN BEGIN ON THE AIRPORT, THE CONTRACTOR SHALL PREPARE THE PROJECT SPECIFIC SAFETY PLAN COMPLIANCE DOCUMENT (SPCD) IN ACCORDANCE WITH FAA ADVISORY CIRCULAR 150/5370-2G AND SUBMIT TO THE OWNER FOR APPROVAL. UPON APPROVAL THE CONTRACTOR MAY BEGIN FIELD OPERATIONS IN COMPLIANCE WITH HIS SPCD. THE SPCD SHALL BE PREPARED IN SUPPORT OF THE SUPPLIED CONSTRUCTION SAFETY PHASING PLAN (CSPP).

8. THE CONTRACTOR SHALL NOT USE, TERMINATE, OPERATE OR OTHERWISE INTERRUPT THE AIRFIELD CIRCUITRY WITHOUT THE SPECIFIC APPROVAL OF THE OWNER. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING AFFECTED ELECTRICAL CIRCUITS ARE DE-ENERGIZED, AND PROTECTED FROM BEING RE-ENERGIZED DURING CONSTRUCTION BY USING RTAA APPROVED LOCK OUT/TAG OUT PROCEDURES.

9. THE CONTRACTOR SHALL BE RESPONSIBLE TO OBTAIN AND PAY FOR ALL NECESSARY PERMITS AS OUTLINED IN THE PROJECT SPECIFICATIONS.

ABBREVIATIONS

ABAND.	ABANDONED
A.B.	AGGREGATE BASE
A.C.	ASPHALT CONCRETE
AGGR.	AGGREGATE
A.I.P.	AIRPORT IMPROVEMENT PROGRAM
A.O.A.	AIRPORT OPERATIONS AREA
APPROX.	APPROXIMATE
ASPH.	ASPHALT
A.T.P.B.	ASPHALT TREATED PERMEABLE BASE
ATCT	AIR TRAFFIC CONTROL TOWER
AVG.	AVERAGE
@	AT
BC	BASE CAN
B.F.C.	BACKFACE OF CURB
BL	BASELINE
BLDG.	BUILDING
B.M.	BENCH MARK
C.B.	CATCH BASIN
CKT	CIRCUIT
CL	CLASS
C.L. OR ℄	CENTER LINE
CLR.	CLEAR
C.M.P.	CORRUGATED METAL PIPE
CNDT	CONDUIT
C.O.	CLEAN OUT
CONC.	CONCRETE
CONSTR.	CONSTRUCT
COVER	BLANK COVER ON LIGHT BASE
CU. FT. OR C.F.	CUBIC FOOT
CU. YD OR C.Y.	CUBIC YARD
C.V.	CHECK VALVE
D.I.	DROP INLET
DIA., ø OR D.	DIAMETER
DIST.	DISTANCE
DWG.	DRAWING
E	EASTING OR ELECTRIC
(E) OR EXIST.	EXISTING
EA.	EACH
EC	EMPTY CONDUIT
ELEV.	ELEVATION
ELLIP.	ELLIPTICAL
E.P.	EDGE OF PAVEMENT
E.V.C.	END OF VERTICAL CURVE
E.W.	EACH WAY
(F)	FUTURE
F.F.	FINISH FLOOR
F.F.C.	FRONT FACE CURB
F.G.	FINISH GRADE
F.H.	FIRE HYDRANT
FL	FLOW LINE
FOD	FOREIGN OBJECT DEBRIS
FT.	FOOT/FEET
G	GAS LINE
G.B.	GRADE BREAK
GR.	GROUND
HH	HANDHOLE
HORIZ.	HORIZONTAL
I.D.	INSIDE DIAMETER
I.E.	INVERT ELEVATION
INT.	INTERSECTION
ISO	ISOLATED
L.F.	LINEAR FEET
LP	LOW POINT
L.S.	LUMP SUM
L, LT.	LEFT
MAX.	MAXIMUM
MH.	MANHOLE
MIN.	MINIMUM
MISC.	MISCELLANEOUS
N	NORTH OR NORTHING
(N)	NEW
N/A	NOT APPLICABLE
N.D.P.	NO DIRECT PAYMENT
N.I.C.	NOT IN CONTRACT
NO.	NUMBER
N.T.S.	NOT TO SCALE
O.C.	ON CENTER
O.D.	OUTSIDE DIAMETER
P.B.	PULL BOX
P.B.B.	PASSENGER BOARDING BRIDGE
P.C.	POINT OF CURVE
P.C.C.	PORTLAND CEMENT CONCRETE
P.C.C.P.	PORTLAND CEMENT CONCRETE PAVEMENT
P.I.	POINT OF INTERSECTION
P.O.C.	POINT OF CONNECTION
P.P.	POWER POLE
P.P.P.	PERFORATED PLASTIC PIPE
P.S.I.	POUNDS PER SQUARE INCH
P.T.	POINT OF TANGENT
P.V.C.	POLYVINYL CHLORIDE
PVMT.	PAVEMENT
R	RADIUS
(R)	REMOVE
RCP	REINFORCED CONCRETE PIPE
REPL.	REPLACE
RT.	RIGHT
RTAA	RENO-TAHOE AIRPORT AUTHORITY
RTIA	RENO-TAHOE INTERNATIONAL AIRPORT
RTK	REAL TIME KINEMATIC
RWY	RUNWAY
R.O.N.	REMAIN OVER NIGHT
RSA	RUNWAY SAFETY AREA
R.W.	REDWOOD
S	SLOPE OR SOUTH
SCH.	SCHEDULE
S.D.	STORM DRAIN
SDMH	STORM DRAIN MANHOLE
SF.	SQUARE FEET/SQUARE FOOT
SHLD.	SHOULDER
SP	SPACES
S.S.	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STA.	STATION
STD.	STANDARD
T	TELEPHONE
T.C.	TELEPHONE CONDUIT
T.D.	TRENCH DRAIN
TEMP.	TEMPORARY
T.S.	TOE OF SLOPE
TSA	TAXIWAY SAFETY AREA
TYP.	TYPICAL
T.W.	TOP OF WALL
TWY	TAXIWAY
U.D.	UNDERDRAIN
U.N.O	UNLESS NOTED OTHERWISE
V	VALVE
VSR	VEHICLE SERVICE ROAD
VERT.	VERTICAL
W	WATER LINE OR WEST
WWF	WELDED WIRE FABRIC
W/	WITH
XFMR	TRANSFORMER

LEGEND



DETAIL OR SECTION NUMBER
SHEET NUMBER WHERE DETAIL OR SECTION CAN BE FOUND

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

NOTES, LEGENDS AND ABBREVIATIONS

PROJECT NO.
8494.002

DRAWING
G3.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\G0301_16R.dwg 12/9/2019 4:13 PM Megan Klingler



LEGEND

- RADIAL TIE
- 55+00 — ALIGNMENT CENTERLINE
- PROJECT CONTROL STATION
- AIRPORT CONTROL STATION

NOTES

1. BASIS OF BEARINGS: NEVADA STATE PLANE COORDINATE SYSTEM, WEST ZONE, NORTH AMERICAN DATUM OF 1983 (2011), AS DETERMINED USING REAL TIME KINEMATIC (RTK) GPS OBSERVATIONS WITH CORRECTIONS TRANSMITTED BY A BASE RECIEVER OCCUPYING THE RENO–TAHOE AIRPORT PRIMARY CONTROL POINT. THE BEARING BETWEEN NATIONAL GEODETIC SURVEY BENCHMARK "HUBBARD" (PID KR1141) AND "RNO B" (PID AJ3228) IS TAKEN AS NORTH 6°18'39" WEST. ALL DIMENSIONS SHOWN ARE GROUND DISTANCES. COMBINED GRID–TO–GROUND FACTOR = 1.000178672
2. BASIS OF ELEVATION: THE BASIS OF ELEVATION IS BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88) FROM NATIONAL GEODETIC SURVEY BENCHMARK "HUBBARD", PID KR1141. "HUBBARD" IS ALSO DESIGNATED A COOPERATIVE BASE NETWORK CONTROL POINT AS WELL AS A PRIMARY AIRPORT CONTROL POINT, DESCRIBED AS A DISK SET IN CONCRETE FLUSH TO THE GROUND, STAMPED "HUBBARD 1946". ELEVATION = 4398.67
3. REFERENCE DRAWINGS P2.1–P2.29 FOR CONSTRUCTION LIMITS.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING AND PROTECTING EXISTING MONUMENTATION AND BENCHMARKS FROM DAMAGE DURING CONSTRUCTION. IN THE EVENT THAT ANY MONUMENTATION IS DESTROYED THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER IMMEDIATELY AND RESET THE MONUMENT OR BENCHMARK UNDER THE DIRECTION OF A LAND SURVEYOR LICENSED IN THE STATE OF NEVADA. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.

600' 300' 0 600' 1200'

SCALE: 1" = 600'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

HORIZONTAL CONTROL PLAN

PROJECT NO. 8494.002

DRAWING G4.1

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BldPhg2 (G640)_16R.dwg 12/9/2019 4:14 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA (RUNWAY 16R–34L) (REFER TO SHEETS PH1.1–1.6)
- CONSTRUCTION AREA (RUNWAY 16L–34R) (REFER TO SHEETS PH2.1–2.3)
- CONSTRUCTION AREA (RUNWAY 7–25) (REFER TO SHEETS PH3.1–3.4)

NOTES

1. REFER TO SHEETS PH1.1 TO PH4.6 FOR DETAILED PHASING OF WORK WITHIN RUNWAY 16R–34L, 16L–34R, AND 7–25 SAFETY AREAS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

OVERALL PHASING PLAN

PROJECT NO. 8494.002

DRAWING **PH0.1**

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhs2\PH0001_16R.dwg 12/9/2019 4:45 PM Megan Kiergler



LEGEND

- BASE BID
  - MALSR
  - PCC PANELS FOR MALSR
  - MAGVAR STRIPING & SIGNS
- BID ALT #1
  - AC SHOULDERS
  - GRADING
  - EDGE LIGHTS & SIGNS
  - TAXIWAY A – RUNWAY INCURSION MITIGATION
- BID ALT #2
  - PCC PANELS IN KEEL SECTION
  - PCC PANELS FOR TAXIWAY CENTERLINE LIGHTS
  - CENTERLINE LIGHTS
- BID ALT #3
  - PCC PANELS
- BID ALT #4
  - PCC PANELS
- BID ALT #5
  - PCC PANELS
- BID ALT #6
  - PCC PANELS
- BID ALT #7
  - WILDLIFE MITIGATION
- BID ALT #8
  - RIM AREA

NOTES

1. REFER TO GEOMETRY LAYOUT PLAN FOR SPECIFIC BID ALT BOUNDARIES. (TO BE PROVIDED WITH FUTURE SUBMITTALS)

300' 150' 0 300' 600'

SCALE: 1" = 300'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


OVERALL PHASING PLAN

PHASE 2-1

PROJECT NO. 8494.002

DRAWING PH0.2

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\PH0002_16R.dwg 12/9/2019 4:47 PM Megan Klingler



LEGEND

- BASE BID
  - MALSR
  - PCC PANELS FOR MALSR
  - MAGVAR STRIPING & SIGNS
- BID ALT #1
  - AC SHOULDERS
  - GRADING
  - EDGE LIGHTS & SIGNS
  - TAXIWAY A – RUNWAY INCURSION MITIGATION
- BID ALT #2
  - PCC PANELS IN KEEL SECTION
  - PCC PANELS FOR TAXIWAY CENTERLINE LIGHTS
  - CENTERLINE LIGHTS
- BID ALT #3
  - PCC PANELS
- BID ALT #4
  - PCC PANELS
- BID ALT #5
  - PCC PANELS
- BID ALT #6
  - PCC PANELS
- BID ALT #7
  - WILDLIFE MITIGATION
- BID ALT #8
  - RIM AREA

NOTES

1. REFER TO GEOMETRY LAYOUT PLAN FOR SPECIFIC BID ALT BOUNDARIES. (TO BE PROVIDED WITH FUTURE SUBMITTALS)

300' 150' 0 300' 600'

SCALE: 1" = 300'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


OVERALL PHASING PLAN

PHASE 2-1

PROJECT NO.
8494.002

DRAWING
PH0.3

N:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidRfkpt\PH0003_16R.dwg 12/9/2019 4:45 PM Megan Krieger



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2-1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2-1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150-5345-53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 | SCALE: H.: N/A V.: | DRAWN BY: DAB | DESIGNED BY: BAM | CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


OVERALL PHASING & ACCESS PLAN

16R-34L CONSTRUCTION PHASE

PROJECT NO. 8494.002

DRAWING PH1.1

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BldPhg2\PH0101_16R.dwg 12/9/2019 4:48 PM Megan Kingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2–1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2–1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES WITH ROPE AND A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL PLACE CANDLESTICK CONES WITH A RED STEADY BURN LIGHT AT 100' O.C. (SEE DETAIL 2/DRAWING PH4.3). THESE CONES SHALL DESIGNATE THE LIMIT FOR CONSTRUCTION. ALL CONSTRUCTION ACTIVITIES MUCH BE COMPLETED WITHIN THE SHOWN WORK AREA AND WITHIN THE CONED AREA. CONE LIMITS SHALL BE AS SHOWN OR REQUIRED BY AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H: N/A V:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA – BRIAN A. MARTINEZMOLES – Exp. 12-31-21 – CIVIL – No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-A CLOSED

PROJECT NO. 8494.002

DRAWING PH1.2

© \\data\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2.Y\PH0102_16R.dwg 12/9/2019 4:49 PM Megan Kingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2–1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2–1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES WITH ROPE AND A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL PLACE CANDLESTICK CONES WITH A RED STEADY BURN LIGHT AT 100' O.C. (SEE DETAIL 2/DRAWING PH4.3). THESE CONES SHALL DESIGNATE THE LIMIT FOR CONSTRUCTION. ALL CONSTRUCTION ACTIVITIES MUCH BE COMPLETED WITHIN THE SHOWN WORK AREA AND WITHIN THE CONED AREA. CONE LIMITS SHALL BE AS SHOWN OR REQUIRED BY AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-D CLOSED

PROJECT NO. 8494.002

DRAWING PH1.3

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_ON\Civil\Dwg's\16R-34L_PhPlng2\PH0103_16R.dwg 12/9/2019 4:50 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2–1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2–1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES WITH ROPE AND A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL PLACE CANDLESTICK CONES WITH A RED STEADY BURN LIGHT AT 100' O.C. (SEE DETAIL 2/DRAWING PH4.3). THESE CONES SHALL DESIGNATE THE LIMIT FOR CONSTRUCTION. ALL CONSTRUCTION ACTIVITIES MUCH BE COMPLETED WITHIN THE SHOWN WORK AREA AND WITHIN THE CONED AREA. CONE LIMITS SHALL BE AS SHOWN OR REQUIRED BY AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-L CLOSED

PROJECT NO. 8494.002

DRAWING PH1.4

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_03A\Civil\Dwg\2-16R-34L_BldPhg\PH0104_16R.dwg 12/9/2019 4:50 PM Megan Klinger



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2–1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2–1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES WITH ROPE AND A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL PLACE CANDLESTICK CONES WITH A RED STEADY BURN LIGHT AT 100' O.C. (SEE DETAIL 2/DRAWING PH4.3). THESE CONES SHALL DESIGNATE THE LIMIT FOR CONSTRUCTION. ALL CONSTRUCTION ACTIVITIES MUCH BE COMPLETED WITHIN THE SHOWN WORK AREA AND WITHIN THE CONED AREA. CONE LIMITS SHALL BE AS SHOWN OR REQUIRED BY AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA – BRIAN A. MARTINEZMOLES – Exp. 12-31-21 – CIVIL – No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-N CLOSED

PROJECT NO. 8494.002

DRAWING PH1.5

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2\PH01105_16R.dwg 12/9/2019 4:51 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH1.2–1.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH1.2–1.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES WITH ROPE AND A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL PLACE CANDLESTICK CONES WITH A RED STEADY BURN LIGHT AT 100' O.C. (SEE DETAIL 2/DRAWING PH4.3). THESE CONES SHALL DESIGNATE THE LIMIT FOR CONSTRUCTION. ALL CONSTRUCTION ACTIVITIES MUCH BE COMPLETED WITHIN THE SHOWN WORK AREA AND WITHIN THE CONED AREA. CONE LIMITS SHALL BE AS SHOWN OR REQUIRED BY AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER — STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-P CLOSED

PROJECT NO. 8494.002

DRAWING PH1.6

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg\PH0106_16R.dwg 12/9/2019 4:52 PM Megan Kliegel



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION
- ABOVE GROUND TEMPORARY CONDUIT AND CABLE

ELECTRICAL NOTES

1. REFER TO PH1.2 FOR CIVIL PHASING.
2. CONTRACTOR SHALL DE-ENERGIZE AIRFIELD LIGHTING CIRCUITS, OR INSTALL TEMPORARY CONDUIT AND CABLE AROUND WORK AREAS TO MAINTAIN CIRCUIT CONTINUITY OUTSIDE OF THE WORK LIMITS.
3. CONTRACTOR SHALL COVER ANY SIGNAGE GUIDING AIR TRAFFIC INTO THE CLOSED WORK AREAS. SIGNS SHALL BE COVERED AND SECURED IN BLACK WRAPPING. CONTRACTOR SHALL MAINTAIN WRAPPING THROUGHOUT ENTIRE PHASE OF PROJECT. ASSUME APPROXIMATELY 10 SIGNS PER PHASE.
4. AT THE COMPLETION OF EACH PHASE, CONTRACTOR SHALL RE-ESTABLISH LIGHTING CIRCUITS AND SIGNAGE BACK TO EXISTING CONDITIONS.
5. CONTRACTOR MUST COORDINATE WITH AIRPORT OPERATIONS AND FAA CONTROL TOWER FOR TEMPORARY WORK THAT MAY NEED TO TAKE PLACE INSIDE AN ACTIVE RUNWAY OR TAXIWAY SAFETY AREA.
6. CONTRACTOR MUST FIELD VERIFY CIRCUIT ROUTING PRIOR TO TEMPORARY CONDUIT AND CABLE TO ASSURE CIRCUIT CONTINUITY WILL BE MAINTAINED.
7. CONTRACTOR SHALL COVER TWY EDGE LIGHTS WITH PVC SLEEVE PER OPERATIONS AND CONSTRUCTION MANAGER DIRECTION. ASSUME A MINIMUM OF 50 LIGHTS NEED TO BE COVERED PER PHASE.
8. TEMPORARY CONDUIT SHALL BE INSTALLED ON THE TWY SIDE OF THE HOLDBAR.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN


RESTRICTED AREA 16R-A CLOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **PH1.2E**

D:\Dropbox (Lean Photometrics)\Active Projects\U19018014 - Wood Rogers RTIA Rwy 16R-34L Reconst\01 Drawings\Working Drawings\Sheets\PHASING_16R-34L_PH01102_16R.dwg 12/9/2019 6:57 PM LEAN



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION
- ABOVE GROUND TEMPORARY CONDUIT AND CABLE

ELECTRICAL NOTES

1. REFER TO PH1.3 FOR CIVIL PHASING.
2. CONTRACTOR SHALL DE-ENERGIZE AIRFIELD LIGHTING CIRCUITS, OR INSTALL TEMPORARY CONDUIT AND CABLE AROUND WORK AREAS TO MAINTAIN CIRCUIT CONTINUITY OUTSIDE OF THE WORK LIMITS.
3. CONTRACTOR SHALL COVER ANY SIGNAGE GUIDING AIR TRAFFIC INTO THE CLOSED WORK AREAS. SIGNS SHALL BE COVERED AND SECURED IN BLACK WRAPPING. CONTRACTOR SHALL MAINTAIN WRAPPING THROUGHOUT ENTIRE PHASE OF PROJECT. ASSUME APPROXIMATELY 10 SIGNS PER PHASE.
4. AT THE COMPLETION OF EACH PHASE, CONTRACTOR SHALL RE-ESTABLISH LIGHTING CIRCUITS AND SIGNAGE BACK TO EXISTING CONDITIONS.
5. CONTRACTOR MUST COORDINATE WITH AIRPORT OPERATIONS AND FAA CONTROL TOWER FOR TEMPORARY WORK THAT MAY NEED TO TAKE PLACE INSIDE AN ACTIVE RUNWAY OR TAXIWAY SAFETY AREA.
6. CONTRACTOR MUST FIELD VERIFY CIRCUIT ROUTING PRIOR TO TEMPORARY CONDUIT AND CABLE TO ASSURE CIRCUIT CONTINUITY WILL BE MAINTAINED.
7. CONTRACTOR SHALL COVER TWY EDGE LIGHTS WITH PVC SLEEVE PER OPERATIONS AND CONSTRUCTION MANAGER DIRECTION. ASSUME A MINIMUM OF 50 LIGHTS NEED TO BE COVERED PER PHASE.
8. TEMPORARY CONDUIT SHALL BE INSTALLED ON THE TWY SIDE OF THE HOLDBAR.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 16R-D CLOSED

PROJECT NO. 8494.002

DRAWING PH1.3E

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\PHASING_16R\PH0103_16R.dwg 12/9/2019 6:57 PM LEAN



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION
- ABOVE GROUND TEMPORARY CONDUIT AND CABLE

ELECTRICAL NOTES

1. REFER TO PH1.4 FOR CIVIL PHASING.
2. CONTRACTOR SHALL DE-ENERGIZE AIRFIELD LIGHTING CIRCUITS, OR INSTALL TEMPORARY CONDUIT AND CABLE AROUND WORK AREAS TO MAINTAIN CIRCUIT CONTINUITY OUTSIDE OF THE WORK LIMITS.
3. CONTRACTOR SHALL COVER ANY SIGNAGE GUIDING AIR TRAFFIC INTO THE CLOSED WORK AREAS. SIGNS SHALL BE COVERED AND SECURED IN BLACK WRAPPING. CONTRACTOR SHALL MAINTAIN WRAPPING THROUGHOUT ENTIRE PHASE OF PROJECT. ASSUME APPROXIMATELY 10 SIGNS PER PHASE.
4. AT THE COMPLETION OF EACH PHASE, CONTRACTOR SHALL RE-ESTABLISH LIGHTING CIRCUITS AND SIGNAGE BACK TO EXISTING CONDITIONS.
5. CONTRACTOR MUST COORDINATE WITH AIRPORT OPERATIONS AND FAA CONTROL TOWER FOR TEMPORARY WORK THAT MAY NEED TO TAKE PLACE INSIDE AN ACTIVE RUNWAY OR TAXIWAY SAFETY AREA.
6. CONTRACTOR MUST FIELD VERIFY CIRCUIT ROUTING PRIOR TO TEMPORARY CONDUIT AND CABLE TO ASSURE CIRCUIT CONTINUITY WILL BE MAINTAINED.
7. CONTRACTOR SHALL COVER TWY EDGE LIGHTS WITH PVC SLEEVE PER OPERATIONS AND CONSTRUCTION MANAGER DIRECTION. ASSUME A MINIMUM OF 50 LIGHTS NEED TO BE COVERED PER PHASE.
8. TEMPORARY CONDUIT SHALL BE INSTALLED ON THE TWY SIDE OF THE HOLDBAR.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN


RESTRICTED AREA 16R-L CLOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING PH1.4E

C:\Dropbox (Lean Photometrics)\Active Projects\1903801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\PHASING_16R\PH0104_16R.dwg 12/9/2019 6:58 PM LEAN



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION
- ABOVE GROUND TEMPORARY CONDUIT AND CABLE

ELECTRICAL NOTES

1. REFER TO PH1.5 FOR CIVIL PHASING.
2. CONTRACTOR SHALL DE-ENERGIZE AIRFIELD LIGHTING CIRCUITS, OR INSTALL TEMPORARY CONDUIT AND CABLE AROUND WORK AREAS TO MAINTAIN CIRCUIT CONTINUITY OUTSIDE OF THE WORK LIMITS.
3. CONTRACTOR SHALL COVER ANY SIGNAGE GUIDING AIR TRAFFIC INTO THE CLOSED WORK AREAS. SIGNS SHALL BE COVERED AND SECURED IN BLACK WRAPPING. CONTRACTOR SHALL MAINTAIN WRAPPING THROUGHOUT ENTIRE PHASE OF PROJECT. ASSUME APPROXIMATELY 10 SIGNS PER PHASE.
4. AT THE COMPLETION OF EACH PHASE, CONTRACTOR SHALL RE-ESTABLISH LIGHTING CIRCUITS AND SIGNAGE BACK TO EXISTING CONDITIONS.
5. CONTRACTOR MUST COORDINATE WITH AIRPORT OPERATIONS AND FAA CONTROL TOWER FOR TEMPORARY WORK THAT MAY NEED TO TAKE PLACE INSIDE AN ACTIVE RUNWAY OR TAXIWAY SAFETY AREA.
6. CONTRACTOR MUST FIELD VERIFY CIRCUIT ROUTING PRIOR TO TEMPORARY CONDUIT AND CABLE TO ASSURE CIRCUIT CONTINUITY WILL BE MAINTAINED.
7. CONTRACTOR SHALL COVER TWY EDGE LIGHTS WITH PVC SLEEVE PER OPERATIONS AND CONSTRUCTION MANAGER DIRECTION. ASSUME A MINIMUM OF 50 LIGHTS NEED TO BE COVERED PER PHASE.
8. TEMPORARY CONDUIT SHALL BE INSTALLED ON THE TWY SIDE OF THE HOLDBAR.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN


RESTRICTED AREA 16R-N CLOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING PH1.5E

C:\Dropbox (Lean Photometrics)\Active Projects\19008A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\PHASING_16R\PH0105_16R.dwg 12/9/2019 6:08 PM LEAN



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION
- ABOVE GROUND TEMPORARY CONDUIT AND CABLE

ELECTRICAL NOTES

1. REFER TO PH1.6 FOR CIVIL PHASING.
2. CONTRACTOR SHALL DE-ENERGIZE AIRFIELD LIGHTING CIRCUITS, OR INSTALL TEMPORARY CONDUIT AND CABLE AROUND WORK AREAS TO MAINTAIN CIRCUIT CONTINUITY OUTSIDE OF THE WORK LIMITS.
3. CONTRACTOR SHALL COVER ANY SIGNAGE GUIDING AIR TRAFFIC INTO THE CLOSED WORK AREAS. SIGNS SHALL BE COVERED AND SECURED IN BLACK WRAPPING. CONTRACTOR SHALL MAINTAIN WRAPPING THROUGHOUT ENTIRE PHASE OF PROJECT. ASSUME APPROXIMATELY 10 SIGNS PER PHASE.
4. AT THE COMPLETION OF EACH PHASE, CONTRACTOR SHALL RE-ESTABLISH LIGHTING CIRCUITS AND SIGNAGE BACK TO EXISTING CONDITIONS.
5. CONTRACTOR MUST COORDINATE WITH AIRPORT OPERATIONS AND FAA CONTROL TOWER FOR TEMPORARY WORK THAT MAY NEED TO TAKE PLACE INSIDE AN ACTIVE RUNWAY OR TAXIWAY SAFETY AREA.
6. CONTRACTOR MUST FIELD VERIFY CIRCUIT ROUTING PRIOR TO TEMPORARY CONDUIT AND CABLE TO ASSURE CIRCUIT CONTINUITY WILL BE MAINTAINED.
7. CONTRACTOR SHALL COVER TWY EDGE LIGHTS WITH PVC SLEEVE PER OPERATIONS AND CONSTRUCTION MANAGER DIRECTION. ASSUME A MINIMUM OF 50 LIGHTS NEED TO BE COVERED PER PHASE.
8. CONDUIT SHALL BE INSTALLED ON THE TWY SIDE OF THE HOLDBAR.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN


RESTRICTED AREA 16R-P CLOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING PH1.6E

C:\Dropbox (Lean Photometrics)\Active Projects\13903801A - Wood Rogers RWA Rwy 16R-34L Reconst\01 Drawings\Working Drawings\Sheets\PHASING_16R\PH01b6_16R.dwg 12/9/2019 6:08 PM LEAN



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH2.2-2.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH2.2-2.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150-5345-53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


OVERALL PHASING & ACCESS PLAN

16L-34R CONSTRUCTION PHASE

PROJECT NO. 8494.002

DRAWING PH2.1

c:\data\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BldPhs2\PH2201_16R.dwg 12/9/2019 4:52 PM Megan Kingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH2.2–2.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH2.2–2.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150-5345-53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL COORDINATE CLOSURES WITH THE CONSTRUCTION MANAGER TO ALLOW AIRFIELD MAINTENANCE ADEQUATE TIME TO PLACE ALL THERMOPLASTIC MARKINGS. CONTRACTOR SHALL REFER TO PROJECT SPECIFICATIONS FOR REMOVAL AND SURFACE PREPARATION REQUIREMENTS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN
16L PHASE 16L-1

PROJECT NO. 8494.002

DRAWING **PH2.2**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\dwg\2-16R-34L_BidPkg\PH2020_16R.dwg 12/9/2019 4:53 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- GLIDESLOPE CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH2.2–2.6, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH2.2–2.6 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL COORDINATE CLOSURES WITH THE CONSTRUCTION MANAGER TO ALLOW AIRFIELD MAINTENANCE ADEQUATE TIME TO PLACE ALL THERMOPLASTIC MARKINGS. CONTRACTOR SHALL REFER TO PROJECT SPECIFICATIONS FOR REMOVAL AND SURFACE PREPARATION REQUIREMENTS.
11. CONTRACTOR SHALL LIMIT THE CLOSURE OF TAXIWAY C AT TAXIWAY J TO THE DURATION ALLOWED WITHIN THE PROJECT SPECIFICATIONS. DURING PERIODS OUTSIDE THE PERMITTED CLOSURE, THE CONTRACTOR SHALL MOVE THE LOW–LEVEL BARRICADES TO THE HOLD BAR AT TAXIWAY J THUS OPENING TAXIWAY C TO AIRPORT OPERATIONS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PHASING PLAN
PHASE 16L-2

PROJECT NO. 8494.002

DRAWING **PH2.3**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\dwg\2-16R-34L_BidPkg\PH2013_16R.dwg 12/9/2019 4:44 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH3.2–3.4, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH3.2–3.4 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


OVERALL PHASING & ACCESS PLAN

7-25 CONSTRUCTION PHASE

PROJECT NO. 8494.002

DRAWING PH3.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BldPhg2\PH03\PH3.1_16R.dwg 12/9/2019 4:50 PM Megan Kiogler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH3.2–3.4, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH3.2–3.4 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL COORDINATE CLOSURES WITH THE CONSTRUCTION MANAGER TO ALLOW AIRFIELD MAINTENANCE ADEQUATE TIME TO PLACE ALL THERMOPLASTIC MARKINGS. CONTRACTOR SHALL REFER TO PROJECT SPECIFICATIONS FOR REMOVAL AND SURFACE PREPARATION REQUIREMENTS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H: N/A V:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 25-A CLOSED

PROJECT NO. 8494.002

DRAWING **PH3.2**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\PH3302_16R.dwg 12/9/2019 4:51 PM Megan Kögler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH3.2–3.4, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH3.2–3.4 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150–5345–53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL COORDINATE CLOSURES WITH THE CONSTRUCTION MANAGER TO ALLOW AIRFIELD MAINTENANCE ADEQUATE TIME TO PLACE ALL THERMOPLASTIC MARKINGS. CONTRACTOR SHALL REFER TO PROJECT SPECIFICATIONS FOR REMOVAL AND SURFACE PREPARATION REQUIREMENTS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 25-B CLOSED

PROJECT NO. 8494.002

DRAWING PH3.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\PH3303_16R.dwg 12/9/2019 4:52 PM Megan Klingler



LEGEND

- CONSTRUCTION AREA
- RESTRICTED WORK AREA
- CONTRACTOR STAGING AREA
- ILS CRITICAL AREA
- CONTRACTOR HAUL ROUTE
- LOW LEVEL BARRICADE (1 / PH4.3)
- ACTIVE AIRCRAFT AREA
- RUNWAY LIGHTED X (SEE NOTE 9)
- FLAGGER REQUIRED AT LOCATION

NOTES

1. NO CONTRACTOR TRAFFIC OTHER THAN ON DESIGNATED HAUL ROUTES OR WITHIN ACTIVE CONSTRUCTION AREAS WILL BE ALLOWED.
2. ALL CONTRACTOR EMPLOYEE PARKING SHALL OCCUR OFFSITE OR WITHIN THE STAGING AREAS. NO PERSONAL VEHICLES WILL BE ALLOWED WITHIN THE AIRPORT OPERATIONS AREA.
3. CONTRACTOR SHALL MAINTAIN:
   - 3.1. ON PAVEMENT: A DEDICATED FULL TIME MANNED POWER VACUUM TRUCK ON ANY PAVED HAUL ROUTES AT ALL TIMES WHEN HAULING MATERIALS.
   - 3.2. ON DIRT HAUL ROADS: A DEDICATED FULL TIME MANNED CONTINUOUSLY OPERATED WATER TRUCK BEFORE AND DURING HAULING OPERATIONS IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
4. CONTRACTOR SHALL COORDINATE FINAL FLAGGER LOCATIONS, AS SHOWN ON SHEETS PH3.2–3.4, WITH AIRSIDE OPERATIONS, THROUGH THE CONSTRUCTION MANAGER, PRIOR TO THE START OF EACH PHASE OF WORK.
5. CONTRACTOR WILL BE REQUIRED TO COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGE IN PHASING.
6. CONTRACTOR SHALL REFER TO SPECIAL PROVISION 10 OF THE PROJECT SPECIFICATIONS AND SHEETS PH3.2–3.4 FOR RESTRICTED WORK AREA REQUIREMENTS.
7. ANY DAMAGE TO EXISTING AIRFIELD LIGHTING, SIGNAGE, OR PAVEMENT AS A RESULT OF CONTRACTOR ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE SOLE EXPENSE OF THE CONTRACTOR AND TO THE COMPLETE SATISFACTION OF THE THE AIRPORT AUTHORITY.
8. IN ORDER TO REDUCE FOD POTENTIAL, THE CONTRACTOR SHALL RESTRICT HAUL ROUTES TO A SINGLE ALIGNMENT AND DELINEATE THE HAUL ROAD WITH 42" TALL DOUBLE BASE CANDLESTICK CONES, WITH A RED SOLAR STEADY BURN LIGHT, AT 20' O.C. (SEE DETAIL 2/SHEET PH4.3)
9. RUNWAY LIGHTED X SHALL EACH BE FAA APPROVED PER AC 150-5345-53, LIGHTED RUNWAY CLOSURE MARKERS ARE REQUIRED AT BOTH ENDS OF RUNWAY. CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL LIGHTED X'S AND SHALL POSITION, AT THE DIRECTION OF THE AIRPORT OPERATIONS, AND MAINTAIN FOR THE DURATION OF THE PROJECT.
10. CONTRACTOR SHALL COORDINATE CLOSURES WITH THE CONSTRUCTION MANAGER TO ALLOW AIRFIELD MAINTENANCE ADEQUATE TIME TO PLACE ALL THERMOPLASTIC MARKINGS. CONTRACTOR SHALL REFER TO PROJECT SPECIFICATIONS FOR REMOVAL AND SURFACE PREPARATION REQUIREMENTS.

500' 250' 0 500' 1000'

SCALE: 1" = 500'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING PLAN

RESTRICTED AREA 25-C CLOSED

PROJECT NO. 8494.002

DRAWING PH3.4

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BldPhg2\PH3304_16R.dwg 12/9/2019 4:52 PM Megan Klingler



LEGEND

- CONTRACTOR HAUL ROUTE
- TEMPORARY AOA FENCE (NO DIRECT PAYMENT)
- TEMPORARY GATE WIDTH VARIES (NO DIRECT PAYMENT)
- CONTRACTOR STAGING AREA
- CONSTRUCTION YARD ENTRANCE

NOTES

1. REFER TO SHEET PH1.1 FOR SITE ACCESS REQUIREMENTS.
2. CONTRACTOR SHALL COORDINATE FINAL TEMPORARY GATE AND TEMPORARY AOA FENCE LOCATIONS WITH THE CONSTRUCTION MANAGER AND AIRPORT OPERATIONS AT LEAST 14 DAYS PRIOR TO PLACEMENT OF ANY FENCING.
3. ALL TEMPORARY FENCING MUST BE IN PLACE AND ACCEPTED BY AIRSIDE OPERATIONS PRIOR TO ALTERING THE EXISTING AOA FENCE, INCLUDING PLACING THE 24' WIDE CONTRACTOR GATE.
4. CONTRACTOR SHALL COORDINATE ALL SCHEDULING AND GATE OPERATION WITH THE CONSTRUCTION MANAGER AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES OR CHANGES IN PHASING.
5. CONTRACTOR SHALL LOCK THE CONTRACTOR SWING GATE (ON MILL STREET) WHEN THE CONTRACTOR STAGING AREA IS UNOCCUPIED. A FULL TIME GATE GUARD IS REQUIRED, AS OUTLINED WITHIN THE CONSTRUCTION SAFETY PHASING PLAN, WHEN THE TEMPORARY AOA GATE IS IN USE.
6. CONTRACTOR SHALL COORDINATE WITH THE CONSTRUCTION MANAGER AND AIRSIDE OPERATIONS FOR ADDITIONAL FENCING REQUIREMENTS AT CORNERS AND INTERSECTIONS WHERE ADJACENT FENCE HEIGHTS VARY. CONTRACTOR WILL BE REQUIRED TO ADD RAZOR WIRE 5' ON EACH SIDE OF VARIABLE FENCE HEIGHT OR OTHER MEANS AS DIRECTED BY AIRSIDE OPERATIONS.
7. CONTRACTOR SHALL RESTORE AOA FENCING (PER DETAIL 1/PH4.6) PRIOR TO REMOVING TEMPORARY AOA FENCE AT THE CONCLUSION OF CONSTRUCTION STAGING AREA USE. (NO DIRECT PAYMENT)
8. CONTRACTOR SHALL REPAIR ANY DAMAGE TO EXISTING VEHICLE SERVICE ROAD RESULTING FROM CONSTRUCTION OPERATIONS ANTICIPATED TO INCLUDE FULL DEPTH REMOVAL/REPLACEMENT (NO DIRECT PAYMENT)
9. CONTRACTOR SHALL RESTORE THE STORAGE AREA TO PRECONSTRUCTION CONDITION PRIOR TO CONCLUSION OF THE 16R PHASE OF WORK AND PRIOR TO OPENING RUNWAY 16R–34L TO AIRPORT TRAFFIC. RESTORATION TO INCLUDE GRADING, REMOVAL OF CONSTRUCTION ENTRANCES/DEBRIS, ROCK RESTORATION/DISTRIBUTION, AND IMPORT OF ADDITIONAL ROCK IF NECESSARY. (NO DIRECT PAYMENT)

30' 15' 0 30' 60'

SCALE: 1" = 30'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H: N/A V:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING DETAILS

MILL STREET AOA FENCING/GATE

PROJECT NO. 8494.002

DRAWING PH4.1

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2\PH0401_16R.dwg 12/9/2019 4:53 PM Megan Klingler



LEGEND

CONTRACTOR HAUL ROUTE

MATERIAL STORAGE AREA

NOTES

1. CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE ANY AND ALL NECESSARY SECURITY INCLUDING BUT NOT LIMITED TO TEMPORARY FENCING.
2. CONTRACTOR WILL BE REQUIRED TO OBTAIN AND COMPLY WITH ANY NECESSARY PERMITS ASSOCIATED WITH USE OF THIS AREA FOR MATERIAL STORAGE.
3. CONTRACTOR SHALL RESTORE THE MATERIAL STORAGE AREA AT THE CONCLUSION OF USE BY CLEANING UP ANY CONSTRUCTION DEBRIS INCLUDING AND LEFT OVER AGGREGATE BASE, SURFACE ROCK, OR OTHER MATERIAL NOT CURRENTLY FOUND ONSITE. ONCE THE SITE IF FOUND TO HAVE BEEN RESTORED TO THE SATISFACTION OF THE CONSTRUCTION MANAGER A DUST PALLIATIVE SHALL BE APPLIED.

100' 50' 0 100' 200'

SCALE: 1" = 100'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H: N/A V:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PHASING DETAILS

MATERIAL STORAGE AREA

PROJECT NO. 8494.002

DRAWING PH4.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg\PH0402_16R.dwg 12/9/2019 4:53 PM Megan Klingler




FRONT VIEW
N.T.S.

SIDE VIEW
N.T.S.


NOTES

1. BARRICADES SHALL BE CONNECTED CONTINUOUSLY WITH NO SPACE IN BETWEEN BARRICADES.
2. BARRICADES SHALL BE WATER FILLED AND MAINTAINED THROUGHOUT CONSTRUCTION.
3. EACH BARRICADE SHALL BE SUPPLIED WITH AT LEAST ONE WORKING LIGHT.
4. ALL BARRICADES AND LIGHTS WILL BE SUPPLIED BY THE CONTRACTOR.
5. CONTRACTOR SHALL INSPECT AND REPLACE BARRICADES AND LIGHTS DAILY DURING THE CONSTRUCTION PERIOD. ALL WORK WILL BE SUSPENDED BY THE CONSTRUCTION MANAGER OR AIRPORT OPERATIONS IF MORE THAN 10% OF THE LIGHTS IN A CONTINUOUS BARRICADE LINE OR (3) THREE BARRICADE LIGHTS IN A ROW ARE FOUND TO BE UNLIT DURING LOW LIGHT CONDITIONS. NO WORK MAY PROCEED UNTIL THE BARRICADE LIGHTS ARE RESTORED TO WORKING ORDER AND ACCEPTED BY THE CONSTRUCTION MANAGER AND/OR AIRPORT OPERATIONS.


1 PH4.3 LOW PROFILE CONSTRUCTION BARRICADE
N.T.S.



2 PH4.3 CANDLESTICK CONE
N.T.S.



PLAN
N.T.S.



SECTION
N.T.S.

3 PH4.3 RUMBLE GRATE
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A -V-
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PHASING DETAILS

PROJECT NO.
8494.002


DRAWING
PH4.3

J:\Jobs\8494_RTIA Runways\RTIA Runways 16R_34L\civil\Dwg\2-16R-34L_BidPhg2-PH0403_16R.dwg 12/9/2019 4:54 PM Megan Klingler




1 PH4.4 TEMPORARY AOA SECURITY FENCE

N.T.S.




2 PH4.4 PRECAST K-RAIL

N.T.S.



3 PH4.4 EXTENSION ARM DETAIL

N.T.S.



4 PH4.4 BENT PLATE DETAIL

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PHASING DETAILS

PROJECT NO. 8494.002

DRAWING PH4.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L Con\Dwg\2-16R-34L_BidPhg2\PH0404_16R.dwg 12/9/2019 4:54 PM Megan Klingler




1 PH4.5 — 24' SWING GATE

N.T.S.


NOTES

1. INSTALLATION SHALL INCLUDE ALL HARDWARE INCLUDING DROP RODS, PLUNGING ROD MATERIAL, LATCH ASSEMBLY AND GATE KEEPERS.
2. GATE FRAMES SHALL MEET THE MINIMUM REQUIREMENT OF ASTM F900 1.90" NOMINAL (ROUND). GATE FRAMES SHALL BE OF WELDED CONSTRUCTION OR ASSEMBLED USING HEAVY FITTINGS. AT CONTRACTOR'S OPTION A WELDED HORIZONTAL BRACE MAY BE USED IN LIEU OF TRUSS RODS TO BRACE ALL-WELDED GATE FRAMES.




3 PH4.5 — SWING GATE PAD

N.T.S.



2 PH4.5 — 12' TEMPORARY SWING GATE

N.T.S.



4 PH4.5 — DROP ROD FOUNDATION

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION


PHASING DETAILS

PROJECT NO. 8494.002


DRAWING PH4.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\PH0405_16R.dwg 12/9/2019 4:54 PM Megan Kingler





LINE POST



EXTENSION ARM
& BARBED WIRE

NOTES

1. ALL POSTS SHALL BE SET IN CONCRETE.
2. ALL POST TOPS SHALL BE FITTED WITH SUITABLE FINIALS.
3. DEPTH OF EXCAVATION SHALL BE INSPECTED AND APPROVED BY THE ENGINEER PRIOR TO PLACEMENT OF WILDLIFE DETERRENT CHAIN LINK FENCE FABRIC.
4. END JOINTS BETWEEN ADJACENT SECTIONS OF WILDLIFE DETERRENT CHAIN LINK FENCE. FABRIC SHALL BE LAPPED 4" AND TIED WITH GALVANIZED WIRE TIES A 2' O.C. AND AT EDGES.
5. REFER TO TECHNICAL SPECIFICATIONS FOR FENCING REQUIREMENTS.

1 PH4.6 PERMANENT AOA FENCE

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H:_N/A_ V:_____
DRAWN BY:_DAB_
DESIGNED BY:_BAM_
CHECKED BY:_MAC_

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PHASING DETAILS

PROJECT NO.
8494.002

DRAWING
PH4.6

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\civil\Dwg\2-16R-34L_BldPhg2-PH0406_16R.dwg 12/9/2019 4:50 PM Megan Kingler




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_DMPlan2.DWG101_16R.dwg 12/9/2019 4:11 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 | SCALE: H.: N/A V.: | DRAWN BY: DAB | DESIGNED BY: MAK, BAM | CHECKED BY: MAC

PROFESSIONAL ENGINEER · STATE OF NEVADA · BRIAN A. MARTINEZMOLES · Exp. 12-31-21 · CIVIL · NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **DM1.2**

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R-34L\civil\Dwg\2-16R-34L_BidPhase1DM0102_16R.dwg 12/9/2019 4:12 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.3

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase1DM0103_16R.dwg 12/9/2019 4:13 PM Megan Klingler




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.4

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\c-16R-34L_BidPkg1\DM0104_16R.dwg 12/9/2019 4:13 PM Megan Klinger




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE-H: N/A V: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

PROFESSIONAL ENGINEER STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.5

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\DM0105_16R.dwg 12/9/2019 4:14 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE EXISTING CONCRETE (15"–20") (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- REMOVE IMPROVEMENT
- BID OPTION/PROJECT BOUNDARY
- PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.22 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.6

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_22A\Civil\Dwg\c-16R-34L_BidPkg1\DM0506_16R.dwg 12/9/2019 4:15 PM Megan Klinger




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.7

C:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DM\Civil\Dwg\c-16R-34L_BidPhg2_DM0107_05R.dwg 12/9/2019 4:16 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES, PROFESSIONAL ENGINEER - STATE OF NEVADA, Exp. 12-31-21, CIVIL, NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.8

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\DM0108_16R.dwg 12/9/2019 4:16 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **DM1.9**

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase2_DM0109_16R.dwg 12/9/2019 4:17 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\DM0110_16R.dwg 12/9/2019 4:18 PM Megan Klingler

MATCH LINE

TAXIWAY B

TAXIWAY A

RUNWAY HOLDING POSITION (PROTECT IN PLACE)

RUNWAY HOLDING POSITION (PROTECT IN PLACE)

RUNWAY HOLDING POSITION (PROTECT IN PLACE)

RUNWAY HOLDING POSITION (PROTECT IN PLACE)

REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY DEMOLITION (TYP.)

TAXIWAY L

RUNWAY 7-25

43 42 41 40 39 38 37

(SEE SHEET DM1.6)

(STA 100+25, SEE SHEET DM1.12)

MATCH LINE

NO WORK ON THIS SHEET
FOR REFERENCE ONLY

MATCH LINE


(SEE SHEET DM1.32)

LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: STH, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.11

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhase1DM0111_16R.dwg 12/9/2019 4:19 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: STH, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.12

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhase1DM0112_16R.dwg 12/9/2019 4:19 PM Megan Klingler




LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.13

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase2_DM0113_16R.dwg 12/9/2019 4:20 PM Megan Klingler




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — STATE OF NEVADA — PROFESSIONAL ENGINEER — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **DM1.14**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\DM0114_16R.dwg 12/9/2019 4:21 PM Megan Klingler




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE H.: N/A V.:
DRAWN BY: DAB DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.15

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\DM0115_16R.dwg 12/9/2019 4:21 PM Megan Klingler

MATCH LINE (SEE SHEET DM1.14)

MATCH LINE (SEE SHEET DM1.15)


CLEAR & GRUB (TYP.)

LEGEND

- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING DM1.16

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\civil\Dwg\2-16R-34L_BidPhg2_DM0116_16R.dwg 12/9/2019 4:22 PM Megan Klingler




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 — PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE: H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **DM1.25**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\DM0125_16R.dwg 12/9/2019 4:23 PM Megan Kilgore




LEGEND


- FULL DEPTH SAWCUT LINE (DOUBLE SAWCUT)
- REMOVE PAVEMENT SECTION (15"–20" PCCP & 6"–8" ATPB/CTB) (SEE NOTES 6 & 7)
- REMOVE EXISTING AC PAVEMENT (SEE NOTE 6)
- REMOVE & STOCKPILE EXISTING SURFACE ROCK
- CLEAR & GRUB
- REMOVE IMPROVEMENT
- 55 PROJECT CONTROL STATION
- BID OPTION/PROJECT BOUNDARY

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE EXISTING ELECTRICAL UTILITIES MAY BE LOCATED WITHIN CONCRETE DEMOLITION AREA. ELECTRICAL UTILITIES WILL NEED TO BE POTHOLED PRIOR TO DEMOLITION. REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL UTILITY INFORMATION.
5. SAWCUT LIMITS SHOWN ARE INTENDED TO BE TO THE NEAREST JOINT. REMOVAL LIMITS SHOULD BE ADJUSTED AS NECESSARY TO TIE INTO ADJACENT JOINT. IN LOCATIONS WHERE PAVEMENT DEMOLITION IS AT OR NEAR AN EXISTING JOINT, THE ACTUAL PAVEMENT DEMOLITION LIMITS SHALL BE 2" BEYOND EXISTING PAVEMENT JOINT.
6. CONTRACTOR SHALL REFER TO GEOTECHNICAL INVESTIGATION FOR EXISTING CONCRETE AND PAVEMENT THICKNESS. CONTRACTOR SHOULD NOTE THAT VARIED PAVEMENT THICKNESSES MAY BE ENCOUNTERED DURING PAVEMENT REMOVAL.
7. THICKENED EDGES MAY EXIST WITH PAVEMENT DEMOLITION AREA. THESE EDGES MAY BE UP 1.5 TIMES THICKER THAN THE EXISTING JOINT, NO ADDITIONAL COMPENSATION WILL BE MADE FOR THICKENED EDGES.
8. REFER TO P2.1–P2.34 FOR LIMITS OF DEMOLITION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CIVIL DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
DM1.26

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OAK\Civil\Dwg\2-16R-34L_BidPkg2\DM0126_16R.dwg 12/9/2019 4:24 PM Megan Klingler




MATERIAL DISPOSAL SITE VICINITY MAP

NOT TO SCALE

NOTES

1. AT LEAST 14 DAYS BEFORE COMMENCING MATERIAL DISPOSAL ACTIVITIES AT THE RENO–STEAD AIRPORT, THE CONTRACTOR SHALL ATTEND A PRE–ACTIVITY CONFERENCE TO REVIEW PROJECT REQUIREMENTS.
2. THE CONTRACTOR SHALL PROVIDE 48 HOURS OF NOTICE BEFORE ACCESSING THE MATERIAL DISPOSAL AREA.
3. THE MATERIAL DISPOSAL AREA WILL BE CLOSED DURING TRAINING EXERCISES, THE WEEK PRIOR TO, DURING, AND FOR THREE DAYS FOLLOWING THE RENO AIR RACES AND AS COORDINATED BY THE CONSTRUCTION MANAGER.
4. ALL HAULING TRUCKS SHALL BE ESCORTED BY PILOT CAR TO THE MATERIAL DISPOSAL AREA AFTER ENTERING THE RENO–STEAD AIRPORT.
5. VEHICLE SPEEDS AT THE RENO–STEAD AIRPORT SHALL BE LIMITED SO AS TO PREVENT DUST FORMATION AND IN NO CASES SHALL EXCEED 25 MPH.
6. THE CONTRACTOR SHALL CONTINUOUSLY OPERATE WATER TRUCKS BEFORE AND DURING HAULING OPERATIONS AT THE RENO–STEAD AIRPORT IN ORDER TO PREVENT DUST FORMATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
7. THE MATERIAL DISPOSAL AREA SHOWN IS APPROXIMATE, THE CONTRACTOR TO COORDINATE ACTUAL LOCATION AND GRADE WITH THE CONSTRUCTION MANAGER PRIOR TO HAULING.
8. THE CONTRACTOR SHALL KEEP STRIPPING AND GRADING ACTIVITIES TO A MINIMUM AND SHALL ONLY STRIP AND GRADE AREAS AS DIRECTED BY THE CONSTRUCTION MANAGER.
9. TOP 6"–8" NATIVE MATERIAL TO BE STRIPPED AND STORED ON SITE PRIOR TO FILLING OPERATIONS. IMMEDIATELY AFTER GRADING OPERATION IS COMPLETED NATIVE MATERIAL SHALL BE PLACED OVER FILL MATERIAL AND THEN TREATED WITH TERRA–SORB OR APPROVED EQUAL WATER ABSORBING BINDER.
10. DISPOSED MATERIAL SHALL BE FREE FROM TRASH, ASPHALT CONCRETE, PORTLAND CEMENT CONCRETE, STEEL, AS WELL AS ANY OTHER EXTRANEOUS MATERIAL TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
11. CONTRACTOR TO PROVIDE SITE GRADING OF MATERIAL DISPOSAL AREA IMMEDIATELY AFTER HAULING OPERATION TO THE SATISFACTION OF THE CONSTRUCTION MANAGER. DISPOSED MATERIAL SHALL BE GRADED TO DRAIN AT THE END OF SHIFT.
12. FINAL GRADING SHALL PROVIDE POSITIVE DRAINAGE TO THE SATISFACTION OF THE CONSTRUCTION MANAGER.
13. THE CONTRACTOR SHALL OBTAIN A WASHOE COUNTY DUST CONTROL PERMIT IF GRADING AND STRIPPING ACTIVITIES DISTURB MORE THAN ONE ACRE.
14. CONTRACTOR SHALL LIMIT HAULING OF MATERIAL TO THE HOURS OF 0700 TO 1900 DAILY UNLESS OTHERWISE APPROVED BY THE CONSTRUCTION MANAGER.



LOCATION MAP

NOT TO SCALE

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

OFF-SITE DISPOSAL PLAN

PROJECT NO.
8494.002

DRAWING
DM2.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\civil\Dwg\2-16R-34L_BidPlan2.DWG201_16R.dwg 12/9/2019 4:11 PM Megan Klingler



NOTE:

1. REFER TO SHEETS P2.1 TO P2.26 FOR LIMITS OF PCCP REPLACEMENT. FULL WIDTH AND PARTIAL PAVING AS SHOWN PER PLAN AND WILL VARY PENDING WHICH BID ALTERNATE(S) ARE AWARDED.

1/P1.1

RUNWAY 16R-34L
TYPICAL CROSS SECTION
STATION 30+00± TO 130+00±

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION


TYPICAL SECTIONS


PROJECT NO. 8494.002

DRAWING P1.1

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhase\P01\01_16R.dwg 12/9/2019 4:14 PM Megan Krieger







NOTE:

1. REFER TO SHEETS P2.1 TO P2.26 FOR LIMITS OF PCCP REPLACEMENT. FULL WIDTH AND PARTIAL PAVING AS SHOWN PER PLAN AND WILL VARY PENDING WHICH BID ALTERNATE(S) ARE AWARDED.

1 / P1.2

RUNWAY 16R-34L
TYPICAL CROSS SECTION
STATION 130+00± TO 140+00±

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION


TYPICAL SECTIONS

PROJECT NO. 8494.002

DRAWING P1.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhase\P1P02_16R.dwg 12/9/2019 4:14 PM Megan Kilgore





NOTE:

1. REFER TO SHEETS P2.1 TO P2.26 FOR LIMITS OF PCCP REPLACEMENT. FULL WIDTH AND PARTIAL PAVING AS SHOWN PER PLAN AND WILL VARY PENDING WHICH BID ALTERNATE(S) ARE AWARDED.

1 / P1.3

TAXIWAY
TYPICAL CROSS SECTION

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION


TYPICAL SECTIONS


PROJECT NO.
8494.002

DRAWING
P1.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_BidPhase2\P1P1P03_16R.dwg 12/9/2019 4:14 PM Morgan Kidger







NOTE:

1. REFER TO SHEETS P2.1 TO P2.26 FOR LIMITS OF PCCP REPLACEMENT. FULL WIDTH AND PARTIAL PAVING AS SHOWN PER PLAN AND WILL VARY PENDING WHICH BID ALTERNATE(S) ARE AWARDED.

1 / P1.4

TAXIWAY
TYPICAL CROSS SECTION

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

TYPICAL SECTIONS

PROJECT NO.
8494.002

DRAWING
P1.4


J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_BidPhase2\P1004_16R.dwg 12/9/2019 4:14 PM Megan Kidger



1
P1.5


BLAST PAD
TYPICAL CROSS SECTION

STATION 28+00± TO 30+00±
STATION 140+00± TO 142+00±



2
P1.5

TAXIWAY A - SHOULDER ROCK
TYPICAL CROSS SECTION



3
P1.5

VEHICLE SERVICE ROAD - SHOULDER ROCK
TYPICAL CROSS SECTION

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

TYPICAL SECTIONS

PROJECT NO.
8494.002

DRAWING
P1.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Reconstruction\Dwg\2-16R-34L_BrkPlg2\P01105_16R.dwg 12/9/2019 4:12 PM Megan Klingler




LEGEND:


- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P2021_16R.dwg 12/9/2019 4:15 PM Megan Klingler




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING P2.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPhase2-P2020_16R.dwg 12/9/2019 4:16 PM Megan Klinger




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P0203_16R.dwg 12/9/2019 1:16 PM Megan Klinger




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES, PROFESSIONAL ENGINEER - STATE OF NEVADA, Exp. 12-31-21, CIVIL, No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **P2.4**

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2-P0204_16R.dwg 12/9/2019 4:17 PM Megan Klinger



LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.

KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2-P0025_16R.dwg 12/9/2019 1:18 PM Megan Klinger




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER · STATE OF NEVADA · BRIAN A. MARTINEZMOLES · Exp. 12-31-21 · CIVIL · NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **P2.6**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPhase2-P0206_16R.dwg 12/9/2019 4:16 PM Morgan Klinger




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.7

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\c-16R-34L_BidPhase_P2207_16R.dwg 12/9/2019 4:19 PM Megan Kilgore

"16R" 116+29.09, 385' L
"16R" 116+29.09, 355' L
"16R" 118+61.92, 386' L
"16R" 118+97.28, 274.75' L
"16R" 118+62.16, 275' L
"16R" 119+99.63, 274.78' L
"16R" 120+71.53, 275' L
"16R" 118+97.23, 204.73' L
"16R" 118+95.20, 204.66' L
"16R" 118+95.34, 189.23' L
"16R" 118+71.60, 200.17' L
"16R" 119+99.73, 204.71' L
"16R" 120+01.73, 204.68' L
"16R" 120+01.80, 189.29' L
"16R" 120+26.53, 197.48' L
"16R" 121+26.53, 200.00' L
"16R" 123+80.95, 185' L
"16R" 126+11.17, 185' L
"16R" 117+71.60, 200.00' L
"16R" 121+26.50, 100.00' L
"16R" 123+80.95, 145' L
"16R" 126+11.17, 145' L
"16R" 115+50.05, 75.00' L
"16R" 117+71.60, 100.00' L
"16R" 117+50.09, 75.00' L
"16R" 123+83.63, 75.00' L
"16R" 121+50.46, 75.00' L
"16R" 115+50.05, 25.00' L
"16R" 117+50.09, 37.50' L
"16R" 121+50.47, 37.50' L
"16R" 123+83.63, 25.00' L
"16R" 117+50.09, 37.63' R
"16R" 123+83.63, 25.00' R
"16R" 123+83.63, 37.63' R
"16R" 117+50.09, 75.00' R
"16R" 117+67.66, 75.00' R
"16R" 120+51.05, 37.63' R
"16R" 123+83.63, 75.00' R
"16R" 117+72.01, 100' R
"16R" 120+51.05, 75.00' R
"16R" 121+62.82, 100.00' R
"16R" 123+45.14, 165' R
"16R" 117+72.02, 200' R
"16R" 121+62.82, 210' R
"16R" 118+72.02, 200' R
"16R" 120+52.82, 209' R
"16R" 118+71.95, 250' R
"16R" 121+17.60, 249' R
"16R" 123+45.14, 275' R
"16R" 118+25.39, 256' R
"16R" 118+88.23, 287.41' R
"16R" 120+36.62, 287.52' R

TAXIWAY P
RUNWAY 16R-34L
MATCH LINE
(STA 114+00, SEE SHEET P2.7)
(STA 127+75, SEE SHEET P2.9)
(SEE SHEET P2.13)
BID ALT 1
BID ALT 2
BID ALT 4
BID ALT 6
R100'
R110'
255'
175'
85'
65'
60'
45'
25'±

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.

KEY MAP

P2.1 P2.2 P2.3 P2.4 P2.5 P2.6 P2.7 P2.8 P2.9 P2.10 P2.11 P2.12 P2.13 P2.14 P2.15 P2.16 P2.25 P2.26

50' 25' 0 50' 100'
SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER · STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.8

\\Data\8494_RTIA Runways\RTIA Runway 16R_DATA\Civil\Dwg\2-16R-34L_BidPkg2\P2028_16R.dwg 12/9/2019 4:20 PM Megan Klingler



LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.

KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER · STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **P2.9**

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase_V2020_16R.dwg 12/9/2019 4:20 PM Megan Klingler


"16R" 143+18.73, 278' L
"16R" 143+99.43, 277' L
"16R" 144+49.89, 300' L
"16R" 145+31.21, 300' L
"16R" 144+17.15, 259' L
R18'
"16R" 145+31.21, 250' L
LIMITS OF GRADING
"16R" 150+01.21, 250' L
36'
RIP RAP (REFER TO DRAINAGE PLANS)
"16R" 144+17.32, 251' L
"16R" 143+18.30, 250' L
PLACE SURFACE ROCK (TYP)
PLACE SURFACE ROCK ON NATIVE GROUND (TYP)
MATCH LINE
BID ALT 7
BASE BID
"16R" 142+01.21, 100' L
"16R" 151+85.62, 110' L
"16R" 150+01.21, 75' L
"16R" 151+59.64, 75' L
BASE BID
BID ALT 7
200'
142 143 144 145 146 147 148 149 150 151 152 153 154 155
"16R" 142+01.21, 0'
"16R" 151+59.64, 0'
"16R" 150+01.21, 75' R
"16R" 142+01.21, 100' R
"16R" 151+59.64, 75' R
36'
BASE BID
BID ALT 7
"16R" 143+50.00, 105' R
"16R" 151+85.62, 110' R
(STA 141+50, SEE SHEET P2.9)
BASE BID
BID ALT 7
"16R" 150+01.21, 250' R
"16R" 143+50.00, 250' R
"16R" 145+31.21, 250' R
36'
8'
8'
"16R" 145+30.31, 343' R
MATCH LINE
(SEE SHEET P2.15)

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **P2.10**

a:\jobs\8494_RTIA Runways\RTIA Runways 16R_DATA\Civil\Dwg\2-16R-34L_BidPkg2\P2210_16R.dwg 12/9/2019 4:21 PM Megan Klingler

MATCH LINE

TAXIWAY B

TAXIWAY A

TAXIWAY L

RUNWAY 7-25

43

42

41

40

39

38

37

(STA 43+50, SEE SHEET P2.6)

(SEE SHEET P2.12)

MATCH LINE

NO WORK ON THIS SHEET
FOR REFERENCE ONLY

MATCH LINE


(STA 36+50, SEE SHEET P2.32)

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.11

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase2-V2021_16R.dwg 12/9/2019 4:22 PM Megan Kilgore

MATCH LINE

(SHEET P2.7)

TAXIWAY B

MATCH LINE

TAXIWAY A

(SEE SHEET P2.13)

(SEE SHEET P2.11)

2
P1.5

"16R" 107+96.45, 731' R

PLACE SURFACE ROCK (TYP)

LIMITS OF GRADING

10'

20'

10'

20'

10'

"16R" 108+30.29, 793' R

"16R" 112+76.65, 847' R

15'

LIMITS OF GRADING

15'

MATCH LINE

"16R" 112+78.50, 978' R

15'


"16R" 113+22.13, 1009' R

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.12

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase1P2212_16R.dwg 12/9/2019 4:22 PM Megan Klingler




LEGEND:


- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.13

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase2_P0213_16R.dwg 12/9/2019 4:23 PM Megan Klingler

MATCH LINE

TAXIWAY B

TAXIWAY A

"16R" 134+49.45, 362.17' R
"16R" 134+49.42, 374.66' R
"16R" 134+49.31, 424.97' R
"16R" 134+46.52, 513' R
"16R" 137+04.32, 364.77' R
"16R" 137+04.36, 374.77' R
"16R" 137+04.27, 434.82' R
"16R" 137+46.04, 473.75' R
BID ALT 8
"16R" 137+30.33, 522' R
"16R" 137+46.57, 563.58' R
"16R" 137+46.47, 599.87' R
"16R" 138+06.40, 364.77' R
"16R" 138+06.36, 434.76' R
"16R" 138+06.47, 454.79' R
"16R" 138+31.30, 454.78' R
"16R" 138+31.28, 464.75' R
"16R" 138+39.36, 513.13' R
"16R" 138+81.37, 464.75' R
"16R" 138+54.29, 502.29' R
"16R" 138+56.90, 512.18' R
"16R" 138+81.40, 494.76' R
"16R" 138+56.91, 524.94' R
"16R" 138+54.21, 535.15' R
"16R" 138+43.95, 584.77' R
"16R" 138+06.45, 585.00' R
"16R" 138+93.94, 494.79' R
"16R" 138+93.96, 539.76' R
"16R" 138+81.48, 539.83' R
"16R" 140+26.36, 510.14' R
"16R" 140+26.36, 513.31' R
"16R" 139+81.41, 554.79' R
"16R" 139+81.47, 584.74' R
"16R" 139+68.90, 584.70' R
"16R" 138+81.44, 555.60' R
"16R" 139+68.93, 609.83' R
"16R" 137+76.55, 586.60' R
"16R" 139+18.94, 637.33' R
"16R" 138+93.97, 649.86' R
"16R" 139+31.59, 637.32' R
"16R" 139+31.57, 646.03' R
"16R" 139+18.96, 649.85' R
"16R" 138+31.52, 674.93' R
"16R" 138+81.46, 662.36' R
"16R" 138+81.50, 669.42' R
"16R" 139+93.94, 662.36' R
"16R" 135+80.47, 731' R
"16R" 135+74.41, 793' R
"16R" 134+70.98, 848' R
"16R" 134+75.23, 940' R

(SHEET P2.9)
(SEE SHEET P2.15)
(SEE SHEET P2.13)

BID ALT 8
BID ALT 7

PLACE SURFACE ROCK (TYP)
LIMITS OF GRADING (TYP.)

20.0'
30.0'
10.0'
10.1'
15.0'
106.4'
25'±
50'
R25
R187.0'
30.0
12.5'

2 P1.5
3 P1.5

MATCH LINE
MATCH LINE


(SEE SHEET P2.16)

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING P2.14

\\Data\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P2214_16R.dwg 12/9/2019 4:24 PM Megan Klingler




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING P2.15

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase2-P0215_16R.dwg 12/9/2019 4:24 PM Megan Klingler

MATCH LINE (SEE SHEET P2.14)

MATCH LINE (SEE SHEET P2.15)

MATCH LINE (SEE SHEET P2.14)

MATCH LINE (SEE SHEET P2.16)

10.0'

10.0'


PLACE SURFACE ROCK (TYP)

LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING P2.16

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhase1P0216_16R.dwg 12/9/2019 4:25 PM Megan Klingler




LEGEND:


- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING P2.25

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P0225_16R.dwg 12/9/2019 4:26 PM Megan Kilgore




LEGEND:

- CONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- PLACE SURFACE ROCK (4" THICK)
- BID OPTION/PROJECT BOUNDARY

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR HORIZONTAL CONTROL INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

GEOMETRY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
P2.26

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg\P2026_16R.dwg 12/9/2019 4:14 PM Megan Klingler

MATCH LINE

(SEE SHEET P3.17)

MILL STREET

TAXIWAY A

LIMITS OF GRADING (TYP)

1 / P8.1 16R BLAST PAD (EAST) DETAILED GRADING PLAN

1 / P1.3

(STA 31+50, SEE SHEET P3.2)

RUNWAY 16R-34L

18 19 20 21 22 23 24 25 26 27 28 29 30 31

1 / P8.2 16R BLAST PAD (WEST) DETAILED GRADING PLAN


MATCH LINE

LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

N

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO.
8494.002

DRAWING
P3.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg\P3101_16R.dwg 12/9/2019 4:17 PM Megan Klingler




LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — STATE OF NEVADA — PROFESSIONAL ENGINEER — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P3302_16R.dwg 12/9/2019 4:18 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO.
8494.002

DRAWING
P3.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P3053_16R.dwg 12/9/2019 4:19 PM Megan Klinger




LEGEND:

- STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\P0804_16R.dwg 12/9/2019 4:20 PM Megan Klinger




LEGEND:

- STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO.
8494.002

DRAWING
P3.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P3505_16R.dwg 12/9/2019 4:21 PM Megan Klinger




LEGEND:

- STORM DRAIN PIPE (SD)
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING **P3.6**

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase\P3306_16R.dwg 12/9/2019 4:22 PM Megan Klingler




LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — No. 21202 — Exp. 12-31-21 CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING **P3.7**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPlng2\P3307_16R.dwg 12/9/2019 4:23 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE (SD)
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE-H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.8

\\data\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\L2-16R-34L_BidPkg1\P3308_16R.dwg 12/9/2019 4:25 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE (SD)
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE: H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.9

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_BidPlan2-P3359_16R.dwg 12/9/2019 4:26 PM Megan Klingler

MATCH LINE

(SEE SHEET P3.26)

INFIELD AREA NORTH TWY Q DETAILED GRADING PLAN — 2 / P8.22

34L BLAST PAD (EAST) DETAILED GRADING PLAN — 1 / P8.29

INFIELD AREA EAST 34L BLAST PAD DETAILED GRADING PLAN — 1 / P8.33

34L BLAST PAD (WEST) DETAILED GRADING PLAN — 1 / P8.30

INFIELD AREA WEST 34L BLAST PAD DETAILED GRADING PLAN — 1 / P8.34

142 143 144 145 146 147 148 149 150 151 152 153 154 155

MATCH LINE (STA 141+50, SEE SHEET P3.9)

MATCH LINE


(SEE SHEET P3.15)

LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\CAD\Dwg\2-16R-34L_BidPkg\P0310_16R.dwg 12/9/2019 4:27 PM Megan Klinger




LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING **P3.11**

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase1P3311_16R.dwg 12/9/2019 4:28 PM Megan Kilgore

MATCH LINE

TAXIWAY B

TAXIWAY A

(SHEET P3.7)

(SEE SHEET P3.13)

MATCH LINE

(SEE SHEET P3.11)

MATCH LINE

403 402 401 402 403 403 404 403 404 404 405 406

406 405 406 405 404 405 404 403 403 402

2 P1.5

3 P1.5

RPU RPU


SD

LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO.
8494.002

DRAWING
P3.12

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\P3512_16R.dwg 12/9/2019 4:29 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — STATE OF NEVADA — PROFESSIONAL ENGINEER — No. 21202 — Exp. 12-31-21 — CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.13

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg2\P3513_16R.dwg 12/9/2019 4:30 PM Megan Klingler

MATCH LINE

(SHEET P3.9)

MATCH LINE

TAXIWAY B

TAXIWAY A

1 P8.28 TWY A/TWY B DETAILED GRADING PLAN

TAXIWAY A

2 P1.5

3 P1.5

"16R" 135+65.12, 842.94' R FG=411.39

"16R" 134+79.75, 841.19' R FG=411.07

"16R" 134+70.98, 847.59' R FG=411.41

"16R" 135+84.19, 847.45' R FG(e)=412.24

1 P8.35 INFIELD AREA SOUTH TWY A DETAILED GRADING PLAN

"16R" 135+25.72, 847.52' R FG=412.09

"16R" 135+85.11, 939.68' R FG(e)=412.07

"16R" 134+75.23, 940.31' R FG=411.81

"16R" 135+26.24, 940.01' R FG=411.93

(SEE SHEET P3.13)

(SEE SHEET P2.15)

MATCH LINE


MATCH LINE (SEE SHEET P3.15)

LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.14

\\Vboise\8494_RTIA Runways\RTIA Runway 16R_20A\Civil\Dwg\2-16R-34L_BidReg2\P0314_16R.dwg 12/9/2019 4:31 PM Megan Klingler

MATCH LINE

(SHEET P3.9)

MATCH LINE

(SEE SHEET P3.14)




MATCH LINE (SEE SHEET P3.16)

LEGEND:


- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.15

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPkg\P3315_16R.dwg 12/9/2019 4:16 PM Megan Klingler




LEGEND:

- SD — STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO.
8494.002

DRAWING
P3.16

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_BidPlng2-P0316_16R.dwg 12/9/2019 4:27 PM Morgan Kilgore




LEGEND:

- STORM DRAIN PIPE (SD)
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.25

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPkg2\P3325_165.dwg 12/9/2019 4:28 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING P3.26

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPhase\P03Z6_16R.dwg 12/9/2019 1:29 PM Megan Klingler




LEGEND:

- STORM DRAIN PIPE (SD)
- TAXIWAY EDGE OF PAVEMENT
- LIMITS OF GRADING
- 1.0 FINISHED GRADE CONTOUR
- 0.5 FINISHED GRADE CONTOUR
- ELEV / FG — FINISHED GRADE SPOT ELEVATION
- 1.0 EXISTING GROUND CONTOUR
- 0.5 EXISTING GROUND CONTOUR
- PLACE SURFACE ROCK
- PLACE ROCK ON NATIVE GROUND

NOTES:

1. CONTRACTOR TO MATCH EXISTING GROUND AT THE LIMITS OF GRADING.
2. CONTRACTOR SHALL MATCH EXISTING GRADE OF UTILITIES SHOWN TO BE PROTECTED IN PLACE AND PROVIDE UTILITY GRADING TAPER AS SHOWN IN DETAIL 5/SHEET U2.2.
3. REFER TO SPOT ELEVATION PLAN (P5.1–P5.34) FOR PCC GRADES.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING PLAN

PROJECT NO. 8494.002

DRAWING **P3.27**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPlgs\P0327_16R.dwg 12/9/2019 1:26 PM Megan Klingler



16R-34L CENTERLINE PROFILE

NOTES:


1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'

HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'

VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.1

E:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BldPhg2\P0401_16R.dwg 12/9/2019 4:30 PM Morgan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — STATE OF NEVADA — PROFESSIONAL ENGINEER — CIVIL — No. 21202 — Exp. 12-31-21

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.2

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P0402_16R.dwg 12/9/2019 4:31 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_BidPkg2\P0403_16R.dwg 12/9/2019 4:31 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.4

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPhase\P0404_16R.dwg 12/9/2019 4:32 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPhase\P04P05_16R.dwg 12/9/2019 4:32 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.6

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPhase\P0406_16R.dwg 12/9/2019 4:33 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.7

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_BidPkg2\P0407_16R.dwg 12/9/2019 4:33 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.5–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.8

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_BldPhg2\P0408_16R.dwg 12/9/2019 4:34 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING **P4.9**

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhs2\P0409_16R.dwg 12/9/2019 4:34 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg2\P0410_16R.dwg 12/9/2019 4:35 PM Megan Klinger




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.11

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg2\P0411_16R.dwg 12/9/2019 4:55 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO. 8494.002

DRAWING P4.12

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Ph2\Civil\Dwg\c-16R-34L_RwPh2-YP0412_16R.dwg 12/9/2019 4:36 PM Megan Klingler




16R-34L CENTERLINE PROFILE

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.

40' 20' 0 40' 80'
HORIZONTAL SCALE: 1" = 40'

4' 2' 0 4' 8'
VERTICAL SCALE: 1" = 4'



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: MAK
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

RUNWAY PROFILE

PROJECT NO.
8494.002

DRAWING
P4.13

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2\P8413_16R.dwg 12/9/2019 4:39 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P1501_16R.dwg 12/9/2019 4:33 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P05\02_16R.dwg 12/9/2019 4:35 PM Megan Klinger

MATCH LINE



MATCH LINE


(SEE SHEET P5.2)

LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO.
8494.002

DRAWING
P5.2E

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\civil\Dwg\2-16R-34L_BidPhase2-P5SOSE_16R.dwg 12/9/2019 4:35 PM Megan Klingler

MATCH LINE

(SEE SHEET P5.2)




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.2W

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPkg2\P5\P5W_16R.dwg 12/9/2019 4:35 PM Megan Klingler




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.3

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BkPkg\P5P53_16R.dwg 12/9/2019 4:37 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.4W

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P5504_16R.dwg 12/9/2019 4:38 PM Megan Albright




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — No. 21202 — Exp. 12-31-21 — CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO. 8494.002

DRAWING P5.4E

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPhx2\P5SHEET_16R.dwg 12/9/2019 4:39 PM Megan Kingler

MATCH LINE

(SEE SHEET P5.4)




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.4W

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhs2-VPSOWN_168.dwg 12/9/2019 4:40 PM Megan Kingler




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.5

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BkPkg\P5505_16R.dwg 12/9/2019 4:41 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING **P5.6**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P5506_16R.dwg 12/9/2019 4:42 PM Megan Klinger




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING P5.7

G:\Jobs\8494_RTIA Runway 16R-34L Reconstruction\Design\Sheets\16R-34L_BidPhase\P5507_16R.dwg 12/9/2019 4:44 PM Megan Klingler




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.8

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhs2\P5P5P8_16R.dwg 12/9/2019 4:45 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.9

S:\Jobs\8494_RTIA Runway\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BkPlng2\P5509_16R.dwg 12/9/2019 1:46 PM Megan Kollgard




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.9E

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPkg\P5509EL_16R.dwg 12/9/2019 4:47 PM Megan Klinger

MATCH LINE

(SEE SHEET P5.9)

(SEE SHEET P5.10W)


MATCH LINE

LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
STATE OF NEVADA
PROFESSIONAL ENGINEER
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.9W

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R-DATA\Civil\Dwg\2-16R-34L_BldPkg2\P5509W_16R.dwg 12/9/2019 4:48 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING P5.10

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\civil\Dwg\2-16R-34L_BidPhase2\P5510_16R.dwg 12/9/2019 4:49 PM Morgan Kilgore




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.10W

\\Data\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidPkg2\P10510W_16R.dwg 12/9/2019 4:51 PM Megan Klinger




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.11

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPkg\P5511_16R.dwg 12/9/2019 4:32 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING P5.12

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg\P5512_16R.dwg 12/9/2019 4:53 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.13

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg's 16R-34L_BidPhase\P5513_16R.dwg 12/9/2019 4:54 PM Megan Klingler

MATCH LINE



MATCH LINE


(SEE SHEET P5.13)

LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO.
8494.002

DRAWING
P5.13E

\\data\8494_RTIA Runways\RTIA Runway 16R_34L\Civil\Dwg\2-16R-34L_BidRdy\P5\P5.13E_16R.dwg 12/9/2019 4:55 PM Megan Klinger

MATCH LINE

(SEE SHEET P5.13)




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.13W

C:\Users\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhase2\P5513W_16R.dwg 12/9/2019 4:56 PM Megan Klingler




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.14

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P5514_16R.dwg 12/9/2019 4:53 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING **P5.15**

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R-DA\Civil\Dwg\2-16R-34L_BkPlng2\P5515_16R.dwg 12/9/2019 4:31 PM Megan Klinger




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.16

C:\Jobs\8494_RTIA Runways\RTIA Runways 16R-34L\Civil\Dwg\c-16R-34L_BidPhase_P5516_16R.dwg 12/9/2019 4:34 PM Megan Kilgore



MATCH LINE


(SEE SHEET P5.16)

LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO.
8494.002

DRAWING
P5.16E

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P5516E_16R.dwg 12/9/2019 4:35 PM Megan Kilgore

MATCH LINE

(SEE SHEET P5.16)




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.16W

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_EleProj2-P5thru9_16R.dwg 12/9/2019 4:36 PM Megan Klingler




LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.17

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg\P5517_16R.dwg 12/9/2019 4:37 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.18

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BkPkg\P5518_16R.dwg 12/9/2019 4:38 PM Megan Klinger

MATCH LINE



MATCH LINE


(SEE SHEET P5.18, 5.19)

LEGEND


- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE INTERNATIONAL

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO. 8494.002

DRAWING P5.18E

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhs2-P5STSE_16R.dwg 12/9/2019 4:39 PM Megan Klingler

MATCH LINE

(SEE SHEET P5.18, 5.19)




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING **P5.18W**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P5181W_16R.dwg 12/9/2019 4:40 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.19

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P5519_16R.dwg 12/9/2019 4:41 PM Megan Klinger




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO.
8494.002

DRAWING
P5.20

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P5520_16R.dwg 12/9/2019 4:42 PM Megan Klingler

MATCH LINE

(SEE SHEET P5.20)




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.20W

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P5520W_16R.dwg 12/9/2019 4:43 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO. 8494.002

DRAWING P5.21

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPlng2\P5521_16R.dwg 12/9/2019 4:45 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN


PROJECT NO.
8494.002

DRAWING
P5.22

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\P5522_16R.dwg 12/9/2019 1:46 PM Megan Klinger

MATCH LINE

(SEE SHEET P5.22)




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.22W

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhg2-PHS22W_16R.dwg 12/9/2019 4:47 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.23

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_BidPlng2\P5523_16R.dwg 12/9/2019 1:48 PM Megan Klingler




LEGEND

- RECONSTRUCT PCC PAVEMENT
- CONSTRUCT AC PAVEMENT
- EROSION CONTROL PAVING
- 55+00 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING X.XX FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PHX.X–PHX.X FOR PHASING LIMITATIONS.
3. REFERENCE DRAWINGS C6.1–C6.24 FOR JOINT LOCATIONS.
4. MATCH EXISTING SURFACE ELEVATION AT ALL BID OPTION/PROJECT LIMITS. (VERIFY PRIOR TO PCCP PLACEMENT)
5. ADD 4,000' TO ALL ELEVATIONS.
6. ELEVATIONS ARE SHOWN AT JOINT LOCATIONS BASED ON FINISH GRADE PROFILE. REFERENCE DRAWINGS C3.1–C3.29.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SPOT ELEVATION PLAN

PROJECT NO.
8494.002

DRAWING
P5.24

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase_V19224_16R.dwg 12/9/2019 4:33 PM Megan Klingler

MATCH LINE

(STA 26+50, SEE SHEET P6.2)

MATCH LINE


NO WORK ON THIS SHEET
FOR REFERENCE ONLY

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO.
8494.002

DRAWING
P6.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPkg2\P6601_16R.dwg 12/9/2019 4:42 PM Trevor Shomblin



LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.

KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.2

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPlng2\P6602_16R.dwg 1/29/2020 10:59 AM Megan Klingler

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE

(STA 26+50, SEE SHEET P6.1)

BID ALT 1

BASE BID

BASE BID

BID ALT 1

27 28 29 30

2' WIDE GRADE BEAM 1/P7.3

2'

7.5'

3 PANELS @11.5'

10 PANELS @ 16.67'

15.7'

(STA 32+00, SEE SHEET P6.2)

BASE BID

BID ALT 5

CONTINUOUS PANELS @12.5'

BID ALT 5

BID ALT 2

BID ALT 2

BID ALT 3

BASE BID

BID ALT 3

BID ALT 3

BID ALT 5

BID ALT 5

11.5' 11.5' 11.5'

12.7'

2' WIDE GRADE BEAM 1/P7.3

10.7'

15.8'

2'


MATCH LINE

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\12-16R-34L_BidPkg2\P6602_16R.dwg 12/9/2019 4:43 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING **P6.3**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P0603_16R.dwg 1/29/2020 10:40 AM Megan Klingler

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE (STA 32+00, SEE SHEET P6.2)

MATCH LINE (STA 37+50, SEE SHEET P6.4)

BID ALT 1

BID ALT 2

BASE BID

17.7'

CONTINUOUS PANELS @ 16.67'

3 PANELS @ 12.5' = 37.5'

3 PANELS @ 12.9' = 38.7'

16.67'

12.5'

12.3'

12.4'


33 34 35 36 37

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P0603_16R.dwg 12/9/2019 4:44 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP


20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	1/30/20
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.4

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P6604_16R.dwg 1/29/2020 10:59 AM Megan Klingler




SUPERSEDED
FOR BIDDING PURPOSES ONLY

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — BRIAN A. MARTINEZ — No. 21202 — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.4

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P6604_16R.dwg 1/9/2020 8:45 AM Megan Klingler




SUPERSEDED
FOR BIDDING PURPOSES ONLY

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0604_16R.dwg 12/9/2019 4:44 PM Trevor Shomblin




MATCH LINE

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.4E

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P6E04E_16R.dwg 12/9/2019 4:45 PM Trevor Shomblin




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING **P6.5**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P6605_16R.dwg 12/9/2019 4:46 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.6

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P6606_16R.dwg 12/9/2019 4:47 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.7

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P6607_16R.dwg 12/9/2019 4:47 PM Trevor Stombin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.8

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P6608_16R.dwg 12/9/2019 4:48 PM Trevor Shamblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.9

e:\jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P6099_16R.dwg 12/9/2019 4:49 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.9W

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2 - 16R-34L_BidPkg2\P0609W_16R.dwg 12/9/2019 4:50 PM Trevor Stombolin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.10

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidRdy\P06010_16R.dwg 1/9/2020 9:46 AM Megan Klingler




SUPERSEDED
FOR BIDDING PURPOSES ONLY

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'
SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0610_16R.dwg 12/9/2019 4:59 PM Trevor Stompkin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.11

C:\Jobs\8494_RTIA Runways\RTIA Runways 16R_DA\Civil\Dwg\2-16R-34L_BidPhase\P6611_16R.dwg 1/9/2020 9:46 AM Megan Klinger

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE

CONTINUOUS PANELS @ 16.67'

CONTINUOUS PANELS @ 12.5'

CONTINUOUS PANELS @ 12.5'

(STA 76+00, SEE SHEET P6.10)

(STA 81+50, SEE SHEET P6.12)

10.2'

BID ALT 1

BID ALT 3

BID ALT 3

BID ALT 2

BID ALT 2

BID ALT 3

BID ALT 3

BID ALT 5

BID ALT 3

BID ALT 1

MATCH LINE


77 78 79 80 81

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.11

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0611_16R.dwg 12/9/2019 4:51 PM Trevor Shomblin




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO.
8494.002

DRAWING
P6.12

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6612_16R.dwg 12/9/2019 4:52 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.13

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhg2\P6613_16R.dwg 12/9/2019 4:53 PM Trevor Stombin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — MARTINEZ — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.14

\\Vdbb\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidReg\P0614_16R.dwg 1/9/2020 9:46 AM Megan Klingler




SUPERSEDED
FOR BIDDING PURPOSES ONLY

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.14

e:\jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6614_16R.dwg 12/9/2019 4:54 PM Trevor Shomblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.15

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6615_16R.dwg 12/9/2019 4:54 PM Trevor Shanblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.16

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6616_16R.dwg 12/9/2019 4:55 PM Trevor Shanidan



MATCH LINE


(SEE SHEET P6.16)

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO.
8494.002

DRAWING
P6.16E

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P6616E_16R.dwg 12/9/2019 4:56 PM Trevor Stombolin


MATCH LINE

(SEE SHEET P6.16)

TAXIWAY N

BID ALT 2

12.9'
12.4'
12.5'
12.5'
12.5




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.17

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P0617_16R.dwg 12/9/2019 4:57 PM Trevor Shamblin




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO.
8494.002

DRAWING
P6.18

J:\Jobs\8494_RTIA Runways\RTIA Runways 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6618_16R.dwg 12/9/2019 4:58 PM Trevor Shomblin



MATCH LINE


(SEE SHEET P6.18)

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING **P6.18E**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P6618E_16R.dwg 12/9/2019 4:59 PM Trevor Stombin




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO.
8494.002

DRAWING
P6.19

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P0619_16R.dwg 12/9/2019 4:59 PM Trevor Shanblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING **P6.20**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0620_16R.dwg 12/9/2019 5:09 PM Trevor Shamblin




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — 12/4/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.21

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg2\P6621_16R.dwg 1/9/2020 8:45 AM Megan Klingler

SUPERSEDED
FOR BIDDING PURPOSES ONLY

MATCH LINE


2' WIDE GRADE BEAM
7 PANELS @ 16.67'
1 P7.3
12.1' 12.1'
28 CONTINUOUS PANELS @15'
2 PANELS @10' 2 PANELS @15'
(STA 135+00, SEE SHEET P6.22)
BID ALT 1
BASE BID
BID ALT 2
CONTINUOUS PANELS @ 12.5'
CONT. PANELS @12.5'
130
131
132
133
134
(STA 129+50, SEE SHEET P6.20)
2' WIDE GRADE BEAM (BID ALT 2)
1 P7.3
BID ALT 1
MATCH LINE

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'
SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN


PROJECT NO. 8494.002

DRAWING P6.21

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6621_16R.dwg 12/9/2019 5:01 PM Trevor Shomblin

MATCH LINE

(SEE SHEET P5.22)




LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — MARTINEZ, BRIAN — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.21W

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P6211W_16R.dwg 1/29/2020 10:59 AM Megan Klinger

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE

(SEE SHEET P5.22)


12.49'
13.07'
13.65'
14.24'
14.82'
5.41'
5.97'
6.54'
7.1'
7.66'
8.23'
8.79'
9.36'
9.92'
10.38'
11.05'
11.61'
12.18'
12.64'
13.2'
13.78'
3.95'
7.16'
11.08'
5.17'
9.09'
12.36'
15.83'
7.17'
10.44'
12.73'
12.56'
14.99'
12.76'
12.5'
12.18'
9.85'
9.98'
9.83'
12.5'
12.5'
12.5'
12.35'
2.26'
15'
15'
15'
15'
15'
14.82'
15.02'
14.84'
15'
15'
15'
15'
15.13'
14.87'
15'
15'
15'
15'
15'
12.2'
17.88'
14.99'
15.01'
11.72'
3.42'
7.35'
11.3'
12.54'
6.58'
12.36'
10.57'
14.51'
14.97'
15'
15.02'
14.95'
14.99'
15.05'
14.99'
14.99'
14.99'
15'
15'
15'
15'
15

MATCH LINE

(STA 135+00, SEE SHEET P6.21)

27 PANELS @ 15'

6 PANELS @ 12.5'

15' 12.5' 12.5' 10' 10'

5 13.1' 3 PANELS @ 12.5'

3 13.1' 3 PANELS @ 12.5'

4 12.5' 4 PANELS @ 12.5'

4 13.1' 4 PANELS @ 12.5'

2.5' 12.5' 12.5' 12.5' 12.5' 12.5' 12.5' 12.5' 10' 9.5'

BID ALT 1

BID ALT 2

BID ALT 4

BID ALT 6

BASE BID

136 137 138 139 140

1 / P7.3 2' WIDE GRADE BEAM (BID ALT 4)

MATCH LINE


(SEE SHEET P6.21W)

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.22

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P6622_16R.dwg 12/9/2019 5:02 PM Trevor Shomblin




LEGEND


- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — MARTINEZ — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.22W

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P6221W_16R.dwg 1/29/2020 10:59 AM Megan Klingler

SUPERSEDED
FOR BIDDING PURPOSES ONLY

MATCH LINE


(SEE SHEET P6.21W)

LEGEND

- PAVEMENT RECONSTRUCTION AREA
- REINFORCED PANEL (J / P7.1)
- BID OPTION/PROJECT BOUNDARY
- (E) PCCP JOINT TYPE (SEE DRAWING C5.1)
- EXISTING PCCP JOINT
- 55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. REFER TO DRAWINGS DM1.1–DM1.34 FOR PAVING LIMITS.
4. MATCH JOINTS AT BID OPTION/PROJECT LIMITS.
5. CONTRACTOR TO PLACE TYPE "E" JOINT AT THE END OF EACH PAVING AREA IN LIEU OF "D" JOINT AS NECESSARY.
6. JOINTING SUBJECT TO CHANGE PENDING BID ALTERNATE AWARDS.



KEY MAP

20' 10' 0 20'

SCALE: 1" = 20'

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


JOINTING PLAN

PROJECT NO. 8494.002

DRAWING P6.22W


NO.	DESCRIPTION	DATE

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P6221W_16R.dwg 12/9/2019 4:41 PM Trevor Shomblin




A P7.1 THICKENED EDGE ISOLATION JOINT

N.T.S.




B P7.1 HINGED CONTRACTION JOINT

N.T.S.




C P7.1 DOWELED CONTRACTION JOINT

N.T.S.




D P7.1 DUMMY CONTRACTION JOINT

N.T.S.




E P7.1 DOWELED CONSTRUCTION JOINT

N.T.S.




F P7.1 DOWELED CONNECTION TO EXISTING

N.T.S.




G P7.1 PCC PAVEMENT TO AC SHOULDER JOINT

N.T.S.




H P7.1 DOWELED EXISTING PANEL INTO GRADE BEAM

N.T.S.



J P7.1 REINFORCED PANEL DETAIL

N.T.S.



1 P7.1 DOWEL / TIE BAR BASKET ANCHOR DETAIL

DOWEL BAR REQUIREMENTS TABLE

PAVEMENT THICKNESS	DIAMETER	LENGTH	SPACING
>7" TO 12"	1"	18"	12" O.C.
>12" TO 16"	1–1/4"	20"	15" O.C.
>16" TO 20"	1–1/2"	20"	18" O.C.

JOINTING NOTES

1. T* IS THE THICKNESS OF THE THINNER SLAB WHEN INDICATED.
2. FIRST DOWEL AND TIE BAR TO BE SPACED FROM PAVEMENT JOINT PER DETAILS 4/P7.2
3. DOWEL AND TIE BAR INSTALLATION SHALL BE APPROVED BY THE ENGINEER.
4. INITIAL SAWCUT SHALL BE PER DETAIL 5/P7.2.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINT DETAILS

PROJECT NO. 8494.002

DRAWING P7.1


J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0701_16R.dwg 12/9/2019 4:43 PM Trevor Shomblin




NOTES

1. RESERVOIR SHALL BE CLEANED OF DUST, MOISTURE AND BLOWN FREE OF DEBRIS PRIOR TO SEALING.
2. USE MANUFACTURER'S RECOMMENDED JOINT DETAIL.

1 / P7.2 PCC SEALANT
N.T.S.




4 / P7.2 DOWEL BAR EDGE PLACEMENT
N.T.S.



NOTES

1. CRACK INDUCER FOR USE WHEN PCC THICKNESS IS GREATER THAN 16"


7 / P7.2 CRACK INDUCER DETAIL
N.T.S.



NOTES

1. RESERVOIR SHALL BE CLEANED OF DUST, MOISTURE AND BLOWN FREE OF DEBRIS PRIOR TO SEALING.
2. USE MANUFACTURER'S RECOMMENDED JOINT DETAIL.
3. REFER TO SPECIFICATION SECTION 604–4–3 FOR PREPARATION OF PREFORMED SEALED PCC JOINTS.


2 / P7.2 PCC PREFORMED JOINT SEALANT
N.T.S.




NOTES

1. T = THICKNESS OF SLAB

5 / P7.2 INITIAL SAWCUT DETAIL
N.T.S.




8 / P7.2 BEVELED EDGE DETAIL
N.T.S.



NOTES

1. RESERVOIR SHALL BE CLEANED OF DUST, MOISTURE AND BLOWN FREE OF DEBRIS PRIOR TO SEALING.
2. USE MANUFACTURER'S RECOMMENDED JOINT DETAIL.

3 / P7.2 PCC / AC SEALANT
N.T.S.



NOTES

1. CRACK INDUCER SHALL BE PLACED AT ALL TYPE B AND C JOINTS WHEN PCCP THICKNESS IS GREATER THAN 16".
2. CRACK INDUCERS SHALL BE FASTENED TO THE GROUND USING A 40d COMMON WIRE NAIL AS SHOWN AT APPROXIMATELY 5' O.C.

6 / P7.2 TRANSVERSE AND LONGITUDINAL CRACK INDUCER PLACEMENT
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINT DETAILS

PROJECT NO.
8494.002


DRAWING
P7.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0702_16R.dwg 12/9/2019 4:43 PM Trevor Shomblin




1 P7.3 — 24" WIDE GRADE BEAM

N.T.S.



2 P7.3 — 5' WIDE GRADE BEAM

N.T.S.



NOTES:

1. "W" INDICATES THE WIDTH OF THE LIMITS OF REPAIR
2. ALL AREAS TO BE CLEAN, DRY AND CLEAR OF LOOSE DEBRIS AND DUST PRIOR TO APPLICATION OF SPALL REPAIR MATERIAL, APPLIED PER MANUFACTURER'S RECOMMENDATIONS.
3. SPALL REPAIR MATERIAL AT THE EXISTING JOINT AREA SHALL NOT BE ALLOWED TO TOUCH OR BOND TO THE EXISTING CONCRETE IN THE ADJOINING SLAB.

3 P7.3 — JOINT SPALL REPAIR

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

JOINTING DETAILS

PROJECT NO. 8494.002


DRAWING **P7.3**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0703_216R.dwg 1/29/2020 10:55 AM Megan Klinger




1 P7.3 24" WIDE GRADE BEAM

N.T.S.



2 P7.3 5' WIDE GRADE BEAM

N.T.S.



NOTES:

1. "W" INDICATES THE WIDTH OF THE LIMITS OF REPAIR
2. ALL AREAS TO BE CLEAN, DRY AND CLEAR OF LOOSE DEBRIS AND DUST PRIOR TO APPLICATION OF SPALL REPAIR MATERIAL, APPLIED PER MANUFACTURER'S RECOMMENDATIONS.
3. SPALL REPAIR MATERIAL AT THE EXISTING JOINT AREA SHALL NOT BE ALLOWED TO TOUCH OR BOND TO THE EXISTING CONCRETE IN THE ADJOINING SLAB.

3 P7.3 JOINT SPALL REPAIR

N.T.S.

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

JOINTING DETAILS

PROJECT NO.
8494.002

DRAWING
P7.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0703_P16R.dwg 12/9/2019 4:43 PM Trevor Shamblin

TAXIWAY A

LIMITS OF GRADING (TYP)

"16R" 26+00.68, 250.00' L
FG(e)=414.97

"16R" 28+90.11, 250.00' L
FG(e)=413.58

"16R" 29+64.91, 161.93' L
FG=413.58

EXISTING ELEC VAULT
RIM=413.97
(PROTECT IN PLACE)

???

EXISTING ELEC VAULT
RIM=413.44
(PROTECT IN PLACE)

"16R" 29+52.15, 161.90' L
FL=413.39

"16R" 28+19.88, 161.67' L
FL=413.10

"16R" 26+93.80, 181.15' L
FL=413.62

"16R" 27+99.88, 161.63' L
FL=413.25

"16R" 28+89.86, 161.79' L
FL(e)=412.57

"16R" 29+99.88, 162.00' L
FG(e)=414.58

"16R" 27+22.04, 166.55' L
FL=413.38

"16R" 27+53.43, 161.55' L
FL=413.30

0.81%
0.10%
0.75%
0.75%
1.32%
1.5%
5%
414.08
FG
1.50%
414.20
EP
1.90%
1.60%
2.61%
1.26%

EXISTING ELEC VAULT
RIM=413.23
(PROTECT IN PLACE)

"16R" 28+19.95, 110.00' L
FG=413.92

"16R" 28+89.86, 110.00' L
FG=413.92

"16R" 29+65.00, 110.00' L
FG=413.72

414.42
FG
5%
414.54
EP
414.42
FG
414.54
EP
414.42
FG
5%
414.54
EP
414.42
FG
5%
414.54
EP

0.31%

25 26 27 0.30% 28 29 0.00% 30

414.73
FG
414.86
EP

RUNWAY 16R-34L

"16R" 26+00.68, 0.00'
FG(e)=415.33

1
P8.1

RUNWAY 16R BLAST PAD (EAST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R BLAST PAD (EAST)

PROJECT NO.
8494.002

DRAWING
P8.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BldPlng2\P8801_16R.dwg 12/9/2019 4:44 PM Trevor Stompkin



1 / P8.2 RUNWAY 16R BLAST PAD (WEST) DETAILED GRADING PLAN

1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R BLAST PAD (WEST)

PROJECT NO. 8494.002

DRAWING P8.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BlstPlng2\P8802_16R.dwg 12/9/2019 1:46 PM Trevor Shamblin

TAXIWAY A

"16R" 31+02.67, 274.97' L
FG(e)=414.29

"16R" 31+37.92, 275.06' L
FG(e)=413.55

"16R" 32+02.66, 275.27' L
FG(e)=412.02

"16R" 32+27.88, 250.00' L
FG(e)=411.60

"16R" 32+77.69, 250.00' L
FG(e)=411.04

"16R" 33+50.02, 250.00' L
FG(e)=410.97

REFER TO SHEET P8.1

"16R" 31+37.88, 199.73' L
FG=413.31

"16R" 32+27.86, 200.00' L
FG=411.65

LIMITS OF GRADING (TYP)

"16R" 31+04.51, 199.64' L
FG(e)=414.28

413.93
EP

1.50%

5%

413.80
FG

1.84%

EXISTING ELEC VAULT
RIM=413.42
(PROTECT IN PLACE)

2.02%

"16R" 33+50.02, 175.00' L
FG(e)=412.06

"16R" 31+06.83, 168.44' L
FG(e)=414.28

413.90
EP

3.1%

"16R" 31+41.03, 176.41' L
FG=413.46

1.50%

413.78
FG

1.31%

"16R" 29+99.88, 162.00' L
FG(e)=414.58

1.5%

5%

414.08
FG

1.50%

414.20
EP

EXISTING ELEC VAULT
RIM=413.35
(PROTECT IN PLACE)

"16R" 31+64.33, 136.27' L
FG=412.83

413.45
EP

5%

413.32
FG

1.50%

"16R" 29+65.00, 110.00' L
FG=413.72

5%

414.42
FG

414.54
EP

"16R" 31+39.22, 111.08' L
FG(e)=413.83

"16R" 32+27.88, 110.00' L
FG=413.00

"16R" 33+50.02, 110.00' L
FG=412.99

413.50
FG

413.62
EP

413.49
FG

413.61
EP

"16R" 32+27.88, 75.00' L
FG(e)=414.00

"16R" 33+50.02, 75.00' L
FG(e)=413.99

0.10%

0.85%

1.50%

1.43%

1.50%

1.50%

1
P1.1

30 31 32 RUNWAY 16R-34L 33 34 35

1
P8.3
RUNWAY 16R/ TAXIWAY A (EAST) DETAILED GRADING PLAN
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202
ON PROFESSIONAL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY A (EAST)

PROJECT NO.
8494.002

DRAWING
P8.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P8803_16R.dwg 12/9/2019 4:47 PM Trevor Shamblin



1 P8.4 RUNWAY 16R/ TAXIWAY A (WEST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
ON PROFESSIONAL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY A (WEST)

PROJECT NO.
8494.002

DRAWING
P8.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P8P4_16R.dwg 12/9/2019 4:49 PM Trevor Shomblin



1 P8.5 RUNWAY 16R/ TAXIWAY D (EAST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY D (EAST)

PROJECT NO.
8494.002

DRAWING
P8.5

J:\Jobs\8494_RTIA Runways\RTIA Runways 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P08B5_16R.dwg 12/9/2019 4:50 PM Trevor Shamblin

"16R" 40+90.04, 429.96' L
FG(e)=409.96

"16R" 41+37.43, 430.00' L
FG(e)=409.33

"16R" 42+46.59, 383.82' L
FG(e)=409.94

"16R" 40+89.84, 342.82' L
FG(e)=410.31

409.81 FG
1.50%
0.7%
409.94 EP

"16R" 41+36.95, 342.88' L
FG=409.65

"16R" 41+43.71, 336.[illegible]' L
FG=409.90

TAXIWAY F

LIMITS OF GRADING (TYP)

"16R" 41+24.97, 310.89' L
FG=409.99

"16R" 40+89.94, 310.68' L
FG(e)=410.71

1.50%
2.2%
5%
3.7%
410.50 FG
410.61 EP
1.50%
1.50%

"16R" 41+71.81, 308.25' L
FG(e)=410.66

"16R" 41+49.73, 286.09' L
FG(e)=410.86

"16R" 41+05.50, 263.53' L
FG(e)=411.23

"16R" 43+47.61, 285.61' L
FG(e)=409.99

"16R" 43+82.62, 250.38' L
FG(e)=409.95

"16R" 42+90.60, 229.71' L
FG(e)=410.78

"16R" 42+79.96, 218.93' L
FG(e)=411.04

"16R" 42+70.57, 209.41' L
FG(e)=411.25

"16R" 42+59.14, 197.82' L
FG(e)=411.52

410.65 EP
410.53 FG
410.85 FG
410.98 EP
411.12 EP
411.00 FG
411.39 EP
411.26 FG
412.17 EP
412.04 FG
412.21 EP
412.09 FG
412.77 FG
412.90 EP
412.79 FG
412.91 EP
412.80 FG
412.92 EP

"16R" 43+07.71, 191.77' L
FG=410.83

"16R" 43+25.99, 194.10' L
FG=410.39

"16R" 43+15.65, 183.80' L
FG=410.50

"16R" 43+05.98, 174.17' L
FG=410.72

"16R" 44+03.77, 229.10' L
FG(e)=410.64

"16R" 44+81.17, 170.01' L
FG(e)=412.24

"16R" 42+30.41, 168.69' L
FG(e)=412.29

"16R" 42+55.36, 143.94' L
FG=411.96

"16R" 42+19.22, 157.34' L
FG(e)=412.59

"16R" 42+49.34, 130.89' L
FG=411.71

"16R" 42+42.68, 118.84' L
FG=412.28

"16R" 42+94.45, 162.68' L
FG=410.98

"16R" 42+85.37, 171.80' L
FG=411.05

"16R" 42+65.45, 133.81' L
FG=411.65

"16R" 42+55.90, 124.30' L
FG=411.87

"16R" 42+55.90, 110.00' L
FG=412.30

"16R" 43+44.31, 110.00' L
FG=412.92

"16R" 44+81.17, 110.00' L
FG=412.65

"16R" 42+07.76, 105.70' L
FG(e)=413.58

"16R" 42+50.51, 111.05' L
FG=412.29

413.54 EP
413.41 FG
413.27 EP
413.15 FG

RUNWAY 16R-34L

"16R" 42+35.76, 74.79' L
FG(e)=413.93

"16R" 42+56.07, 74.92' L
FG(e)=413.92

"16R" 43+44.31, 75.00' L
FG(e)=413.91

"16R" 44+81.17, 75.00' L
FG(e)=413.65

ELECTRIC VAULT KEY NOTES:

1. EXISTING ELEC VAULT
RIM(e)=411.96
(PROTECT IN PLACE)

2. EXISTING ELEC VAULT
RIM(e)=411.05
(PROTECT IN PLACE)

3. EXISTING ELEC VAULT
RIM(e)=410.82
(PROTECT IN PLACE)

4. EXISTING ELEC VAULT
RIM(e)=410.86
(PROTECT IN PLACE)

5. EXISTING ELEC VAULT
RIM(e)=409.90
(PROTECT IN PLACE)

1 / P8.6 RUNWAY 16R/ TAXIWAY F DETAILED GRADING PLAN
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY F

PROJECT NO.
8494.002

DRAWING
P8.6

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BkPkg\2-P8B6_16R.dwg 12/9/2019 4:52 PM Trevor Shomblin

RUNWAY 16R-34L

36 37 38 39 40

LIMITS OF GRADING (TYP)

"16R" 37+35.90, 75.00' R
FG(e)=414.02

"16R" 38+37.51, 75.00' R
FG(e)=414.00

"16R" 38+24.73, 75.00' R
FG(e)=414.00

"16R" 38+69.80, 75.00' R
FG(e)=414.01

"16R" 39+63.11, 75.00' R
FG(e)=414.11

"16R" 40+00.70, 75.00' R
FG(e)=414.18

EXISTING ELEC VAULT
RIM(e)=414.14
(PROTECT IN PLACE)

413.65 EP
413.52 FG
1.50%
5%

413.63 EP
413.50 FG
1.50%
1.50%

413.63 EP
413.51 FG
1.50%

413.36 EP
413.23 FG
3.00%
2.14%
5%
5%

413.38 EP
413.25 FG
2.40%

413.36 EP
413.24 FG
2.00%

413.33 EP
413.21 FG

413.18 EP
413.06 FG
1.50%

"16R" 37+36.08, 110.00' R
FG=413.03

"16R" 39+63.11, 110.00' R
FG=412.74

"16R" 39+99.69, 110.94' R
FG(e)=413.99

"16R" 39+98.68, 131.41' R
FG(e)=413.83

"16R" 41+15.26, 124.23'
FG(e)=413.5

EXISTING ELEC VAULT
RIM(e)=413.37
(PROTECT IN PLACE)

"16R" 38+69.80, 110.00' R
FG=413.01

1.34%
0.20%
5%

"16R" 39+57.71, 128.00' R
FG=412.70

"16R" 39+63.75, 128.38' R
FG=412.71

"16R" 41+

5 / U2.2

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=412.72
(PROTECT IN PLACE)

"16R" 37+36.26, 144.17' R
FG(e)=412.57

"16R" 38+37.51, 210.21' R
FG=412.48

0.84%
0.93%
0.50%

"16R" 39+31.79, 176.13' R
FG=412.59

"16R" 39+90.43, 187.12' R
FG(e)=413.56

1.36%

"16R" 38+24.73, 200.48' R
FG=412.66

5 / U2.2

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=412.90
(PROTECT IN PLACE)

0.20%

"16R" 39+06.01, 203.87' R
FG=412.51

"16R" 41+15.15, 236.96'
FG=412.4

0.79%

"16R" 38+24.73, 242.99' R
FG=412.32

0.42%

"16R" 40+80.32, 241.66' R
FG(e)=413.49

0.20%
0.20%
0.20%

"16R" 38+69.80, 228.51' R
FG=412.42

"16R" 39+74.38, 253.20' R
FG(e)=413.35

"16R" 37+36.78, 243.39' R
FG(e)=412.14

"16R" 38+37.51, 240.97' R
FG=412.35

413.03 FG

"16R" 38+30.26, 253.74' R
FG(e)=412.29

"16R" 39+49.23, 253.29' R
FG(e)=413.15

"16R" 37+36.95, 275.70' R
FG(e)=411.66

J "16R" 38+30.09, 275.70' R
FG(e)=412.08

TAXIWAY D

1 / P8.7 **RUNWAY 16R/ TAXIWAY D (NORTHWEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY D (NORTHWEST)

PROJECT NO.
8494.002

DRAWING
P8.7

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P08P7_16R.dwg 12/9/2019 4:53 PM Trevor Shamblin



1 / P8.8 **RUNWAY 16R/ TAXIWAY J (EAST) DETAILED GRADING PLAN**

1" =20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY J (EAST)


PROJECT NO.
8494.002

DRAWING
P8.8

\\Vboise\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P08b8_16R.dwg 12/9/2019 4:55 PM Trevor Shomblin



1 P8.9 **RUNWAY 16R/ TAXIWAY D (SOUTHWEST) DETAILED GRADING PLAN**
1"=20'



2 P8.9 **RUNWAY 16R/ TAXIWAY J (NORTHWEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY D (SOUTHWEST)
RUNWAY 16R/ TAXIWAY J (NORTHWEST)

PROJECT NO.
8494.002

DRAWING
P8.9

c:\jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P8899_16R.dwg 12/9/2019 4:57 PM Trevor Shomblin



1 P8.10 RUNWAY 16R/ TAXIWAY J (SOUTHWEST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY J (SOUTHWEST)

PROJECT NO.
8494.002

DRAWING
P8.10

J:\Jobs\8494_RTIA Runways\RTIA Runways 16R_04\Civil\Dwg\2-16R-34L_BrkPlg2\P08110_16R.dwg 12/9/2019 4:43 PM Trevor Shamblin



1 P8.11 INFIELD AREA SOUTH OF J DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA SOUTH OF J

PROJECT NO.
8494.002

DRAWING
P8.11

a:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P8811_16R.dwg 12/9/2019 4:44 PM Trevor Shomblin


ELECTRIC VAULT KEY NOTES:

1. EXISTING ELEC VAULT
RIM(e)=400.52
(PROTECT IN PLACE)

2. EXISTING ELEC VAULT
RIM(e)=400.67
(PROTECT IN PLACE)

3. EXISTING ELEC VAULT
RIM(e)=400.68
(PROTECT IN PLACE)

4. EXISTING ELEC VAULT
RIM(e)=4100.75
(PROTECT IN PLACE)



1 P8.12 RUNWAY 16R/ TAXIWAY L (EAST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY L (EAST)

PROJECT NO.
8494.002

DRAWING
P8.12

J:\Jobs\8494_RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P8812_16R.dwg 12/9/2019 1:45 PM Trevor Stompfen



1 P8.13 RUNWAY 16R/ RUNWAY 7-25 (EAST) DETAILED GRADING PLAN

1" =20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ RUNWAY 7-25 (EAST)

PROJECT NO.
8494.002

DRAWING
P8.13

\\Vboise\8494_RTIA Runways\RTIA Runway 16R_25A\Civil\Dwg\2-16R-34L_BirdPlot\P08113_16R.dwg 12/9/2019 4:47 PM Trevor Shomblin

RUNWAY 16R-34L

ELECTRIC VAULT KEY NOTES:

1. EXISTING ELEC VAULT RIM(e)=400.94 (PROTECT IN PLACE)
2. EXISTING ELEC VAULT RIM(e)=399.69 (PROTECT IN PLACE)
3. EXISTING ELEC VAULT RIM(e)=399.38 (PROTECT IN PLACE)
4. EXISTING ELEC VAULT RIM(e)=399.72 (PROTECT IN PLACE)
5. EXISTING ELEC VAULT RIM(e)=399.58 (PROTECT IN PLACE)

"16R" 87+49.98, 75.00' R FG(e)=402.40
"16R" 88+50.14, 77.03' R FG(e)=402.41
"16R" 91+66.47, 76.96' R FG(e)=402.81
REFER TO SHEET P8.15
"16R" 89+25.57, 107.38' R FG(e)=401.69
"16R" 90+92.33, 106.74' R FG(e)=402.02
"16R" 87+49.98, 110.17' R FG=401.40
"16R" 88+50.04, 109.99' R FG=401.44
"16R" 91+66.12, 110.00' R FG=401.49
"16R" 87+49.98, 145.17' R FG(e)=400.88
"16R" 88+50.11, 144.98' R FG(e)=400.85
"16R" 91+66.12, 145.00' R FG(e)=400.63
"16R" 91+18.17, 131.12' R FG=401.01
LIMITS OF GRADING (TYP)
"16R" 88+72.86, 155.36' R FG(e)=400.78
"16R" 89+12.44, 185.87' R FG=399.69
"16R" 91+01.81, 185.65' R FG=399.72
"16R" 91+43.99, 154.75' R FG(e)=400.64
"16R" 89+49.47, 189.78' R FG(e)=400.51
"16R" 88+79.55, 182.11' R FG(e)=399.95
"16R" 91+36.68, 182.56' R FG(e)=400.02
"16R" 90+66.17, 188.82' R FG(e)=400.53
"16R" 91+07.99, 225.69' R FG=399.58
"16R" 89+07.42, 227.47' R FG=399.38
"16R" 91+40.25, 222.82' R FG(e)=399.62
"16R" 89+44.81, 231.58' R FG(e)=400.30
"16R" 88+74.79, 223.75' R FG(e)=399.28
"16R" 90+70.39, 229.60' R FG(e)=400.30
"16R" 91+41.83, 240.66' R FG(e)=399.37
"16R" 89+42.70, 251.51' R FG(e)=400.32
"16R" 88+72.54, 243.51' R FG(e)=399.31
"16R" 90+72.13, 246.81' R FG(e)=400.28
"16R" 91+45.86, 253.23' R FG(e)=399.22
"16R" 88+69.25, 253.34' R FG(e)=399.42
"16R" 89+07.31, 247.48' R FG=399.52
"16R" 91+06.97, 243.76' R FG=399.48

TAXIWAY L

1 P8.14 **RUNWAY 16R/ TAXIWAY L (WEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ TAXIWAY L (WEST)

PROJECT NO. 8494.002

DRAWING P8.14

J:\jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\c-16R-34L_BidPlng2-V1801-16R.dwg 12/9/2019 4:49 PM Trevor Stombolin



1 P8.15 **RUNWAY 16R/ RUNWAY 7-25 (WEST) DETAILED GRADING PLAN**

1" =20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 16R/ RUNWAY 7-25 (WEST)

PROJECT NO.
8494.002

DRAWING
P8.15

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BirdPkg2\P8315_16R.dwg 12/9/2019 4:50 PM Trevor Shomblin

TAXIWAY N

"16R" 100+30.65, 232.20' L
FL(e)=399.42

LIMITS OF GRADING (TYP)

"16R" 100+03.24, 185.00' L
FG(e)=400.01

EXISTING ELEC VAULT
RIM(e)=400.51
(PROTECT IN PLACE)

0.4%

400.73
EP

1.50%

400.60
FG

"16R" 101+98.35, 175.26' L
FG=400.31

"16R" 102+15.86, 205.47' L
FG(e)=401.11

"16R" 102+79.17, 166.83' L
FG(e)=401.63

1.7%

3%

0.5%

"16R" 101+80.77, 172.67' L
FL=400.06

"16R" 101+92.93, 165.90' L
FG=400.13

401.28
EP

401.15
FG

1.50%

0.5%

"16R" 102+62.55, 137.97' L
FG=400.66

"16R" 102+69.69, 121.87' L
FG=400.89

401.51
EP

401.38
FG

2.00%

1.7%

2.0%

EXISTING ELEC VAULT
RIM(e)=401.15
(PROTECT IN PLACE)

"16R" 102+55.37, 125.60' L
FL=400.50

1.1%

2.6%

5%

"16R" 100+04.03, 110.00' L
FG=401.31

"16R" 101+80.77, 110.00' L
FG=401.30

"16R" 102+55.02, 110.00' L
FG=400.97

3.0%

"16R" 103+04.65, 114.43' L
FG(e)=402.02

401.81
FG

401.79
FG

401.46
FG

5%

2.5%

2.5%

401.93
EP

401.92
EP

401.58
EP

1.50%

1.50%

3.34%

"16R" 100+04.03, 75.00' L
FG(e)=402.30

"16R" 101+80.77, 75.00' L
FG(e)=402.30

"16R" 102+55.40, 77.44' L
FG(e)=402.34

99 100 101 102 103 104

RUNWAY 16R-34L

1
P8.16

RUNWAY 34L/ TAXIWAY N (NORTHEAST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING DETAIL
RUNWAY 34L/ TAXIWAY N (NORTHEAST)

PROJECT NO.
8494.002

DRAWING
P8.16

J:\jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\c-16R-34L_BidPlng2.VP8816_16R.dwg 12/9/2019 4:52 PM Trevor Shimbalin



1 / P8.17 **RUNWAY 34L/ TAXIWAY N (SOUTHEAST) DETAILED GRADING PLAN**

1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY N (SOUTHEAST)


PROJECT NO.
8494.002

DRAWING
P8.17

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\P8817_16R.dwg 12/9/2019 4:53 PM Trevor Shamblin



1 P8.18 **INFIELD AREA SOUTH OF RUNWAY 7-25 DETAILED GRADING PLAN**
1"=20'



2 P8.18 **RUNWAY 34L/ TAXIWAY N (NORTHWEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA SOUTH OF RUNWAY 7-25
RUNWAY 34L/ TAXIWAY N (NORTHWEST)

PROJECT NO.
8494.002

DRAWING
P8.18

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BigRwy2\P8818_16R.dwg 12/9/2019 4:55 PM Trevor Shomblin

RUNWAY 16R-34L

107 108 109 110 111 112

"16R" 108+35.75, 85.31' R
FG(e)=403.10

"16R" 109+69.53, 75.00' R
FG(e)=403.44

402.74 EP
402.61 FG

403.07 EP
402.94 FG

1.50%
5%
5.0%

"16R" 108+42.47, 119.10' R
FG=402.10

"16R" 109+69.53, 110.00' R
FG=402.45

2.2%

"16R" 107+60.52, 131.42' R
FG(e)=402.25

1.50%
5%
401.85 EP
401.72 FG
2.0%

"16R" 109+69.53, 145.15' R
FG(e)=401.69

LIMITS OF GRADING (TYP)

"16R" 107+93.21, 147.60' R
FG=401.23

0.5%

"16R" 109+69.53, 177.39' R
FG(e)=401.14

"16R" 108+53.13, 178.46' R
FG(e)=400.89

"16R" 107+95.14, 196.79' R
FG=400.97

0.1%
5%
401.27 FG
401.40 EP
1.50%

"16R" 107+64.79, 215.55' R
FG(e)=401.78

"16R" 108+90.52, 243.15' R
FG(e)=400.92

TAXIWAY N

EXISTING ELEC VAULT
RIM(e)=401.41
(PROTECT IN PLACE)

1
P1.1

1 P8.19 **RUNWAY 34L/ TAXIWAY N (SOUTHWEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY N (SOUTHWEST)

PROJECT NO.
8494.002

DRAWING
P8.19

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P8819_16R.dwg 12/9/2019 4:56 PM Trevor Shamblin

"16R" 110+17.77, 355.00' L
FG(e)=399.43

"16R" 111+49.35, 355.00' L
FG(e)=400.03

"16R" 112+20.35, 355.00' L
FG(e)=399.14

LIMITS OF GRADING (TYP)

"16R" 114+22.98, 355.00' L
FG(e)=400.36

(STA 115+10, SEE SHEET P8.21)

0.8%

1.6%

0.9%

"16R" 111+48.68, 250.00' L
FG=400.82

"16R" 112+20.35, 250.00' L
FG=400.77

"16R" 114+22.98, 250.00' L
FG=401.32

1.5%

"16R" 110+17.77, 195.00' L
FG(e)=400.87

"16R" 111+48.19, 173.41' L
FG=401.97

5
U2.2

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=402.19
(PROTECT IN PLACE)

1.6%

1.5%

2.0%

1.4%

"16R" 110+17.77, 110.00' L
FG=402.54

"16R" 111+48.19, 110.00' L
FG=402.84

"16R" 112+20.35, 110.00' L
FG=402.98

"16R" 114+22.98, 110.00' L
FG=403.42

5%

403.03
FG

403.16
EP

5%

403.33
FG

403.46
EP

5%

403.48
FG

403.60
EP

5%

403.92
FG

404.04
EP

1.50%

1.50%

1.50%

1.50%

"16R" 110+17.77, 75.00' L
FG(e)=403.53

"16R" 111+48.19, 75.00' L
FG(e)=403.83

"16R" 112+20.35, 75.00' L
FG(e)=403.98

"16R" 114+22.98, 75.00' L
FG(e)=404.42

MATCH LINE

RUNWAY 16R-34L

110 111 112 113 114 115

20' 10' 0 20'

SCALE: 1" = 20'


1 P8.20 INFIELD AREA NORTH OF P DETAILED GRADING PLAN

1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA NORTH OF P

PROJECT NO.
8494.002

DRAWING
P8.20

a:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P08P20_16R.dwg 12/9/2019 4:58 PM Trevor Shamblin



1/P8.21 RUNWAY 34L/ TAXIWAY P (NORTHEAST) DETAILED GRADING PLAN

1"=20'

ELECTRIC VAULT KEY NOTES:

1. EXISTING ELEC VAULT RIM(e)=403.04 (PROTECT IN PLACE)
2. EXISTING ELEC VAULT RIM(e)=403.31 (PROTECT IN PLACE)
3. EXISTING ELEC VAULT RIM(e)=405.00 (PROTECT IN PLACE)

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY P (NORTHEAST)

PROJECT NO.
8494.002


DRAWING
P8.21

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg's-16R-34L.dwg%2-P8821_16R.dwg 12/9/2019 4:59 PM Trevor Shomblin



1 P8.22 **RUNWAY 34L/ TAXIWAY P (SOUTHEAST) DETAILED GRADING PLAN**

1"=20'



1 P8.22 **INFIELD AREA NORTH OF Q DETAILED GRADING PLAN**

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY P (SOUTHEAST)
INFIELD AREA NORTH OF Q

PROJECT NO.
8494.002

DRAWING
P8.22

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\P8822_16R.dwg 12/9/2019 4:43 PM Trevor Shamblin



ELECTRIC VAULT KEY NOTES:

1. EXISTING ELEC VAULT RIM(e)=405.04 (PROTECT IN PLACE)
2. EXISTING ELEC VAULT RIM(e)=403.21 (PROTECT IN PLACE)
3. EXISTING ELEC VAULT RIM(e)=403.19 (PROTECT IN PLACE)
4. EXISTING ELEC VAULT RIM(e)=405.66 (PROTECT IN PLACE)
5. EXISTING ELEC VAULT RIM(e)=403.27 (PROTECT IN PLACE)
6. EXISTING ELEC VAULT RIM(e)=403.32 (PROTECT IN PLACE)
7. EXISTING ELEC VAULT RIM(e)=403.14 (PROTECT IN PLACE)

1 P8.23 **RUNWAY 34L/ TAXIWAY P (WEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY P (WEST)

PROJECT NO.
8494.002

DRAWING
P8.23

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPkg2.VP8823_16R.dwg 12/9/2019 4:46 PM Trevor Shomblin



1 P8.24 RUNWAY 34L/ TAXIWAY Q (EAST) DETAILED GRADING PLAN

1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY Q (EAST)

PROJECT NO.
8494.002

DRAWING
P8.24

a:\jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P0824_16R.dwg 12/9/2019 4:47 PM Trevor Shamblin



1 P8.25 **INFIELD AREA SOUTH OF P DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA SOUTH OF P

PROJECT NO.
8494.002

DRAWING
P8.25

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BirdPlot2\P8825_16R.dwg 12/9/2019 4:49 PM Trevor Shamblin

FOR BIDDING PURPOSES ONLY

RUNWAY 16R-34L

MATCH LINE (STA 127+00, SEE SHEET P8.25)

"16R" 127+40.12, 75.00' R FG(e)=408.49
"16R" 128+04.37, 75.00' R FG(e)=408.84
"16R" 130+38.94, 75.00' R FG(e)=409.66
"16R" 130+00.65, 75.00' R FG(e)=409.55
"16R" 131+22.32, 75.00' R FG(e)=410.05
"16R" 132+01.06, 75.00' R FG(e)=410.42
EXISTING ELEC VAULT RIM(e)=410.00 (PROTECT IN PLACE)

408.12 EP, 407.99 FG
408.47 EP
408.65 EP
408.53 FG
409.28 EP, 409.16 FG
409.14 EP, 409.01 FG
409.67 EP, 409.55 FG
410.05 EP, 409.92 FG
409.16 FG, 409.28 EP
409.51 EP, 409.38 FG
409.59 EP, 409.46 FG

"16R" 127+40.10, 110.00' R FG=407.50
"16R" 128+04.37, 110.00' R FG=407.85
"16R" 128+62.56, 100.68' R FG(e)=409.00
"16R" 128+39.70, 124.62' R FG=408.03
EXISTING ELEC VAULT RIM(e)=407.91 (PROTECT IN PLACE)
"16R" 128+54.37, 159.94' R FG=408.10
"16R" 130+04.47, 113.66' R FG(e)=409.65
"16R" 131+22.32, 110.00' R FG=409.05
"16R" 132+01.06, 110.00' R FG=409.43
"16R" 130+38.94, 110.00' R FG=408.66
"16R" 130+52.53, 174.77' R FG=408.98
"16R" 128+04.37, 160.00' R FG=407.10
"16R" 128+89.54, 158.87' R FG(e)=409.22
"16R" 127+94.76, 173.46' R FG=406.84
"16R" 128+89.85, 173.39' R FG(e)=409.24
"16R" 130+11.68, 179.24' R FG(e)=409.87
EXISTING ELEC VAULT RIM(e)=408.22 (PROTECT IN PLACE)
"16R" 132+01.06, 145.00' R FG(e)=408.85
"16R" 131+22.32, 185.00' R FG(e)=407.91
"16R" 132+01.06, 185.00' R FG(e)=408.24
EXISTING ELEC VAULT TRANSITION TO PROP GRADE RIM(e)=407.54 (PROTECT IN PLACE)
5 U2.2
"16R" 128+54.39, 173.38' R FG=408.03
"16R" 130+53.96, 251.47' R FG=408.97
"16R" 128+54.47, 242.04' R FL=408.32
"16R" 128+19.47, 242.08' R FL=407.43
"16R" 128+89.71, 246.51' R FG(e)=409.32
"16R" 130+19.91, 255.08' R FG(e)=409.95
"16R" 131+28.24, 240.72' R FG(e)=408.09
"16R" 127+40.10, 250.00' R FL=405.40
LIMITS OF GRADING (TYP)

TAXIWAY Q

1.50% 2.00% 2.30% 2.40% 1.13% 1.49% 2.0% 1.5% 2.5% 5% 0.5% 0.7% 1.2% 1.6%

1 P8.26 **RUNWAY 34L/ TAXIWAY Q (WEST) DETAILED GRADING PLAN**
1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066


Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

CONTOUR GRADING DETAIL
RUNWAY 34L/ TAXIWAY Q (WEST))

PROJECT NO. 8494.002
DRAWING P8.26

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\P8826_16R.dwg 12/9/2019 4:50 PM Trevor Shomblin



1 P8.27 **RUNWAY 34L/ TAXIWAY A (NORTH) DETAILED GRADING PLAN**
1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L/ TAXIWAY A (NORTH)

PROJECT NO.
8494.002

DRAWING
P8.27

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg's\e-16R-34L_BidPkg2\P8827_16R.dwg 12/9/2019 4:52 PM Trevor Stombolin



1 P8.28 TAXIWAY A/ TAXIWAY B DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'

SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
TAXIWAY A/ TAXIWAY B

PROJECT NO.
8494.002

DRAWING
P8.28

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg2\P08828_16R.dwg 12/9/2019 4:53 PM Trevor Shamblin

4' WIDE FLAT BOTTOM CHANNEL
WITH 3:1 SIDE SLOPES

"16R" 141+42.32, 250.00' L
FG=411.22

"16R" 142+08.35, 250.00' L
FG=412.00

"16R" 142+76.36, 250.00' L
FG=412.48

"16R" 143+76.51, 258.17' L
FL=408.23

"16R" 144+77.44, 250.00' L
FG=412.18

"16R" 145+21.21, 250.00' L
FG=413.16

0.17%
1.17%
0.71%
0.15%
2.25%

1.50%
1.50%
1.50%
0.25%

"16R" 140+01.21, 177.14' L
FG=412.07

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=412.32
(PROTECT IN PLACE)

5 / U2.2

"16R" 142+08.38, 179.77' L
FG=413.05

"16R" 141+42.32, 171.44' L
FG=412.40

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=412.65
(PROTECT IN PLACE)

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=413.30
(PROTECT IN PLACE)

0.56%

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=413.77
(PROTECT IN PLACE)

"16R" 142+76.36, 180.52' L
FG=413.52

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=412.59
(PROTECT IN PLACE)

"16R" 144+77.44, 184.63' L
FG=412.34

1.35%
1.51%
0.53%
1.15%
2.40%
2.45%

"16R" 140+01.21, 110.00' L
FG=412.98

413.48 FG
413.60 EP

"16R" 141+42.32, 100.00' L
FG=413.60

413.48 FG
413.60 EP

5%

1.00%

RUNWAY 16R-34L

140 141 142 143 144 145

0.00%
REFER TO SHEET P8.30

1.50%
1.50%

414.48 FG
414.60 EP

"16R" 142+76.36, 0.00'
FG=415.60

"16R" 145+21.21, 0.00'
FG=419.28

20' 10' 0 20'
SCALE: 1" = 20'

1 / P8.29 RUNWAY 34L BLAST PAD (EAST) DETAILED GRADING PLAN

1"=20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
STATE OF NEVADA
PROFESSIONAL ENGINEER

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L BLAST PAD (EAST)

PROJECT NO.
8494.002

DRAWING
P8.29

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BlstPad2\P8829_16R.dwg 12/9/2019 4:55 PM Trevor Shamblin

RUNWAY 16R-34L

140 | 141 | 142 | 143 | 144 | 145

0.00% | 1.50% | 1.50%

"16R" 142+76.36, 0.00'
FG=415.60

"16R" 145+21.21, 0.00'
FG=419.28

414.48
FG
414.60
EP

REFER TO SHEET P8.29

"16R" 140+26.63, 100.00' R
FG=413.98

413.85
FG

"16R" 140+36.22, 100.00' R
FG=413.98

"16R" 141+81.26, 100.00' R
FG=413.98

413.98
EP

413.85
FG

"16R" 140+36.22, 110.00' R
FG=413.35

"16R" 141+81.27, 110.01' R
FG=413.35

"16R" 142+01.27, 110.00' R
FG=413.35

413.98
EP

413.85
FG

413.68
EP

413.87
FG

413.55
FG

414.00
EP

"16R" 140+65.72, 135.00' R
FG=412.91

"16R" 140+01.25, 135.04' R
FG(e)=414.06

"16R" 140+95.89, 160.56' R
FG=412.46

"16R" 140+36.25, 135.03' R
FG=413.07

"16R" 140+01.38, 250.02' R
FG(e)=414.29

"16R" 140+36.38, 250.01' R
FG=413.30

413.91
EP

413.78
FG

"16R" 140+42.00, 249.98' R
FG=413.21

"16R" 141+81.43, 233.04' R
FG=411.17

"16R" 142+01.46, 250.00' R
FG=410.87

"16R" 143+75.22, 258.15' R
FL=409.52

"16R" 144+02.31, 250.02' R
FL=414.12

"16R" 143+85.34, 278.57' R
FL=409.99

"16R" 140+95.89, 249.63' R
FG=410.88

"16R" 143+93.29, 278.60' R
FL=410.13

"16R" 145+21.21, 250.00' R
FG=414.23

"16R" 140+96.17, 293.48' R
FL=410.77

"16R" 142+01.51, 291.88' R
FL=410.65

"16R" 144+03.26, 288.82' R
FL=410.41

"16R" 140+86.33, 303.48' R
FL=411.30

"16R" 140+86.34, 329.02' R
FL=411.86

"16R" 141+19.26, 329.02' R
FG=412.23

"16R" 143+82.36, 329.04' R
FG=415.44

"16R" 144+01.55, 365.48' R
FL(e)=411.64

4' WIDE FLAT BOTTOM CHANNEL
WITH 3:1 SIDE SLOPES

0.63% | 1.8% | 1.8% | 1.1% | 1.1% | 1.8% | 0.01% | 4.3% | 1.61% | 0.10% | 0.54% | 0.12% | 0.12% | 2.20% | 1.14% | 1.22%

1 P8.30 RUNWAY 34L BLAST PAD (WEST) DETAILED GRADING PLAN

1"=20'

20' 10' 0 20'
SCALE: 1" = 20'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
RUNWAY 34L BLAST PAD (WEST)

PROJECT NO.
8494.002

DRAWING
P8.30

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\c-16R-34L_BldPhs2\P8830_16R.dwg 12/9/2019 4:56 PM Trevor Shomblin



1 P8.31 **INFIELD AREA SOUTH OF TAXIWAY Q DETAILED GRADING PLAN**

1"=40'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H: 1"=20' V:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA SOUTH OF Q

PROJECT NO.
8494.002

DRAWING
P8.31

e:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BldPlnQ2(P8331_16R.dwg 12/9/2019 4:58 PM Trevor Shomblin

VSR

LIMITS OF GRADING (TYP)

142+00 143+00 144+00 145+00 146+00 147+00 148+00 149+00 150+00 151+00 152+00

1.5%

4' WIDE FLAT BOTTOM CHANNEL
WITH 3:1 SIDE SLOPES

"16R" 141+45.50, 376.87' L
FG=413.02

"16R" 143+85.28, 454.51' L
FG=416.82

"16R" 141+98.18, 364.18' L
FG=413.59

1.9%

2.5%

0.25%

"16R" 143+76.51, 258.17' L
FL=408.23

0.25%

0.28%

"16R" 145+21.21, 250.00' L
FG=413.16

"16R" 145+53.18, 250.00' L
FG=414.12

"16R" 145+91.32, 250.00' L
FG=414.31

"16R" 147+96.56, 250.00' L
FG=415.38

EXISTING ELEC VAULT
RIM(e)=416.31
(PROTECT IN PLACE)

1.00%

1.00%

"16R" 145+53.18, 192.08' L
FG=414.70

"16R" 145+91.32, 188.69' L
FG=414.92

1.00%

"16R" 147+96.56, 196.00' L
FG=415.92

REFER TO SHEET P8.31

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=415.17
(PROTECT IN PLACE)

5
U2.2

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=414.95
(PROTECT IN PLACE)

5
U2.2

EXISTING ELEC VAULT
TRANSITION TO PROP GRADE
RIM(e)=416.17
(PROTECT IN PLACE)

5
U2.2

EXISTING ELEC VAULT
RIM(e)=416.81
(PROTECT IN PLACE)

2.45%

2.31%

2.16%

1.13%

"16R" 150+01.21, 81.48' L
FG=418.36

"16R" 151+59.64, 81.48
FG=418.57

REFER TO SHEET P8.29

RUNWAY 16R-34L

"16R" 145+53.18, 0.00' L
FG=419.14

"16R" 145+21.21, 0.00'
FG=419.28

"16R" 145+91.32, 0.00'
FG=418.99

EXISTING ELEC VAULT
RIM(e)=419.01
(PROTECT IN PLACE)

"16R" 147+96.56, 0.00' L
FG=418.14

"16R" 151+59.64, 0.00'
FG=419.59

142 143 144 145 0.41% 0.41% 146 147 0.41% 148 149 0.40% 150 151

EXISTING ELEC VAULT
RIM(e)=418.14
(PROTECT IN PLACE)

EXISTING ELEC VAULT
RIM(e)=411.75
(PROTECT IN PLACE)

40' 20' 0 40'
SCALE: 1" = 40'

1 / P8.32 **INFIELD AREA EAST OF RUNWAY 34L BLAST PAD**
1"=40'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA WEST OF 34L BLAST PAD

PROJECT NO.
8494.002

DRAWING
P8.32

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BlstPad2 VP8332_16R.dwg 12/9/2019 4:59 PM Trevor Shamblin

FOR BIDDING PURPOSES ONLY

REFER TO SHEET P8.29

REFER TO SHEET P8.32

REFER TO SHEET P8.30

RUNWAY 16R-34L

2.45%

2.31%

2.16%

1.13%

0.41%

0.41%

0.41%

0.40%

142 143 144 145 146 147 148 149 150 151 152

"16R" 145+21.21, 0.00' FG=419.28

"16R" 145+53.18, 0.00' L FG=419.14

"16R" 145+91.32, 0.00' FG=418.99

"16R" 147+96.56, 0.00' L FG=418.14

"16R" 150+01.21, 81.48' L FG=418.36

"16R" 151+59.64, 81.4 FG=418.57

"16R" 151+59.64, 0.00' FG=419.59

"16R" 150+01.21, 75.55' R FG=418.27

"16R" 151+59.64, 75.55' R FG=419.03

"16R" 145+21.21, 250.00' R FG=414.23

"16R" 150+01.21, 250.00' R FG=416.67

EXISTING ELEC VAULT
RIM(e)=416.81
(PROTECT IN PLACE)

140+86.45, 513.02' R
13.26

40' 20' 0 40'

SCALE: 1" = 40'

1 P8.34 **INFIELD AREA WEST OF RUNWAY 34L BLAST PAD**

1"=40'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA WEST OF 34L BLAST PAD

PROJECT NO.
8494.002

DRAWING
P8.33

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\P8833_16R.dwg 12/9/2019 5:01 PM Trevor Shomblin

TAXIWAY B

TAXIWAY A

TAXIWAY A

414.43
EP
414.31
FG

"16R" 140+00.97, 513.09' R
FG(e)=414.81

"16R" 140+35.97, 513.05' R
FG=413.83

"16R" 140+45.97, 513.03' R
FG=413.68

"16R" 139+74.53, 601.81' R
FG(e)=414.91

414.53
EP
414.41
FG

"16R" 138+39.00, 675.10' R
FG(e)=414.14

"16R" 140+03.82, 620.97' R
FG=413.93

"16R" 140+12.17, 626.43' R
FG=413.78

"16R" 138+39.85, 710.10' R
FG=413.15

413.77
EP
413.64
FG

"16R" 138+39.91, 720.10' R
FG=413.00

"16R" 136+24.26, 764.76' R
FL(e)=412.27

"16R" 138+39.08, 764.28' R
FL=412.61

LIMITS OF GRADING (TYP)

"16R" 140+86.45, 513.02' R
FL=413.26

"16R" 140+48.99, 650.51' R
FL=413.45

"16R" 141+68.50, 710.74' R
FL=416.08

REFER TO SHEET P8.30

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: 1"=20' V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DETAILED GRADING PLAN
INFIELD AREA SOUTH OF TAXIWAY A


PROJECT NO.
8494.002

DRAWING
P8.34

1
P8.34 INFIELD AREA SOUTH OF TAXIWAY A DETAILED GRADING PLAN
1"=40'

40' 20' 0 40'
SCALE: 1" = 40'

I:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidRdy\P08X4_16R.dwg 12/9/2019 4:44 PM Trevor Shomblin




LEGEND

REMOVE PAVEMENT MARKING

55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.1

K:\Data\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2- 16R-34L_BidPhase2\ST0001_16R.dwg 12/9/2019 4:56 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.2

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg\ST0002_16R.dwg 12/9/2019 4:56 PM Megan Klinger




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\ST0003_16R.dwg 12/9/2019 4:56 PM Megan Klinger




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE: H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.4

G:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\ST0004_16R.dwg 12/9/2019 4:57 PM Megan Klingler



LEGEND

REMOVE PAVEMENT MARKING

55 + PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.

KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.5

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DVA\Civil\Dwg\c-16R-34L_BidPhg2\ST0005_16R.dwg 12/9/2019 4:57 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE: H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.6

\\Data\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg\ST0006_16R.dwg 12/9/2019 4:38 PM Megan Klinger




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.7

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_CA\Civil\Dwg\2-16R-34L_BidPkg2\ST0007_16R.dwg 12/9/2019 4:58 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.8

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BldPkg2\ST0008_16R.dwg 12/9/2019 4:59 PM Megan Klingler

MATCH LINE

(STA 20+00, SEE SHEET ST0.25)

MATCH LINE

(STA 127+75, SEE SHEET ST0.8)

(STA 141+50, SEE SHEET ST0.10)

REMOVE RUNWAY LANDING DESIGNATOR MARKING (TYP)

REMOVE RUNWAY DISPLACED THRESHOLD BAR (TYP)

REMOVE RUNWAY EDGE LINE (TYP)

REMOVE ARROW MARKING (TYP)

REMOVE ARROW MARKING (TYP)

128 129 130 131 132 133 134 135 136 137 138 139 140 141

RUNWAY 16R-34L

REMOVE RUNWAY THRESHOLD MARKINGS (TYP)

REMOVE TAXIWAY CENTERLINE (TYP)

REMOVE TAXIWAY EDGE LINE (TYP)

TAXIWAY Q

16R-34L

RUNWAY HOLDING POSITION (PROTECT IN PLACE)

REMOVE SURFACE PAINTED SIGN

REMOVE RUNWAY EDGE LINE (TYP)

REMOVE TAXIWAY CENTERLINE (TYP)

REMOVE TAXIWAY EDGE LINE (TYP)

REMOVE TAXIWAY CENTERLINE (TYP)

REMOVE TAXIWAY EDGE LINE (TYP)

REMOVE TAXIWAY CENTERLINE (TYP)

34L

REMOVE RUNWAY HOLDING POSITION MARKING

REMOVE SURFACE PAINTED SIGN

MATCH LINE

(SEE SHEET ST0.14)


LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.9

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\ST0009_16R.dwg 12/9/2019 4:59 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\ST0010_16R.dwg 12/9/2019 5:00 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: STH, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.11

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg\ST0011_16R.dwg 12/9/2019 5:00 PM Megan Klingler

MATCH LINE

(SEE SHEET ST0.7)

TAXIWAY B

MATCH LINE

(SEE SHEET ST0.11)

TAXIWAY A

(SEE SHEET ST0.13)

MATCH LINE

NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: STH, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.12

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhs2\ST0012_16R.dwg 12/9/2019 5:01 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.13

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhg2\ST0013_16R.dwg 12/9/2019 3:01 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE-H: N/A V:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.14

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhg2\ST0014_16R.dwg 12/9/2019 5:02 PM Megan Klingler

MATCH LINE

(SEE SHEET ST0.10)

MATCH LINE

(SEE SHEET ST0.14)

NO WORK THIS SHEET - FOR REFERENCE ONLY

MATCH LINE

(SEE SHEET ST0.16)


LEGEND

REMOVE PAVEMENT MARKING

55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.15

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhg2\ST0015_16R.dwg 12/9/2019 5:02 PM Megan Klingler

MATCH LINE (SEE SHEET ST0.14)

MATCH LINE (SEE SHEET ST0.15)

NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **ST0.16**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_BidPlng2\ST0016_16R.dwg 12/9/2019 5:03 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE-H: N/A V: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.17

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2\ST0017_16R.dwg 12/9/2019 5:03 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.18

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BMPlog2.ST0018_16R.dwg 12/9/2019 5:04 PM Megan Klingler



LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.

KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.19

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0019_16R.dwg 12/9/2019 5:04 PM Megan Klingler



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.20

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_34L\civil\Dwg\2-16R-34L_BidPlng2\ST0020_16R.dwg 12/9/2019 5:05 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

(SEE SHEET ST0.5)

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.21

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\ST0021_16R.dwg 12/9/2019 5:05 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.22

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0022_16R.dwg 12/9/2019 5:06 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.23

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0023_16R.dwg 12/9/2019 3:08 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.24

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0024_16R.dwg 12/9/2019 5:07 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.25

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0025_16R.dwg 12/9/2019 5:07 PM Megan Klingler



NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.26

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\ST0026_16R.dwg 12/9/2019 5:07 PM Megan Klingler



NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND

REMOVE PAVEMENT MARKING


55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST0.27

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\ST0027_16R.dwg 12/9/2019 5:08 PM Megan Klingler



MATCH LINE (STA 78+50, SEE SHEET ST0.29)


LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **ST0.28**

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\ST0028_16R.dwg 12/9/2019 5:08 PM Megan Klingler

MATCH LINE

(STA 78+50, SEE SHEET ST0.28)

TAXIWAY L

RUNWAY 7-25

78 77 76 75 74 73 72

1/ST2.6 REMOVE RUNWAY LANDING DESIGNATION MARKING

REMOVE RUNWAY CENTERLINE (TYP) 1/ST2.6

CLEAN & RESTRIPE RUNWAY EDGE LINE (TYP)

CLEAN & RESTRIPE RUNWAY EDGE LINE (TYP)

MATCH LINE

(STA 71+50, SEE SHEET ST0.30)


LEGEND

REMOVE PAVEMENT MARKING

55 + PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019 SCALE H.: N/A V.: DRAWN BY: DAB DESIGNED BY: MAK, BAM CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — CIVIL — No. 21202 — Exp. 12-31-21

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.29

C:\Jobs\8494_RTIA Runways\RTIA Runways 16R-34L\Civil\Dwg\c-16R-34L_BldPhg2\ST0029_16R.dwg 12/9/2019 5:09 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.30

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_DemPlng01\S10030_16R.dwg 12/9/2019 5:09 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — Exp. 12-31-21 — CIVIL — No. 21202 — PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.31

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BkPkg\ST0031_16R.dwg 12/9/2019 5:10 PM Megan Klingler

MATCH LINE

(SEE SHEET ST0.11)

TAXIWAY L

RUNWAY 7-25

CLEAN & RESTRIPE RUNWAY EDGE LINE (TYP)

REMOVE RUNWAY CENTERLINE (TYP) (1/ST2.6)

CLEAN & RESTRIPE RUNWAY EDGE LINE (TYP)

(1/ST2.6) REMOVE RUNWAY AIMING POINT MARKING

REMOVE RUNWAY AIMING POINT MARKING (1/ST2.6)

36 35 34 33 32 31 30

MATCH LINE

(SEE SHEET ST0.33)


LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.32

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_StrPlngCn\S10032_16R.dwg 12/9/2019 5:10 PM Megan Klingler




LEGEND

REMOVE PAVEMENT MARKING

55 PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN


PROJECT NO. 8494.002

DRAWING ST0.33

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Con\Dwg\2-16R-34L_DemPlng01\180053_16R.dwg 12/9/2019 5:11 PM Megan Klingler

MATCH LINE

(SEE SHEET ST0.33)




LEGEND

REMOVE PAVEMENT MARKING

55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFER TO DRAWING G4.1 FOR ALIGNMENT INFORMATION.
3. ALL EXISTING UTILITIES ARE TO BE PROTECTED IN PLACE UNLESS OTHERWISE NOTED.
4. CONTRACTOR TO NOTE THAT SURFACE PAINTED SIGN REMOVALS REQUIRE THERMOPLASTIC PAINT REMOVAL.
5. CONTRACTOR SHALL SURVEY HIGH SPEED TAXIWAY CENTER LINE AND EDGE LINES PRIOR TO DEMOLITION. CONTRACTOR SHALL PROVIDE SURVEY TO ENGINEER FOR VERIFICATION PRIOR TO DEMOLITION.
6. REFER TO SHEET ST2.6 FOR PAVEMENT MARKING REMOVAL DETAILS.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

STRIPING DEMOLITION LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST0.34

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const\Dwg\2-16R-34L_DemPlng01\S10034_16R.dwg 12/9/2019 4:55 PM Megan Klingler

MATCH LINE

MILL STREET

(SEE SHEET ST1.17)

(STA 31+50, SEE SHEET ST1.2)

MATCH LINE

TAXIWAY A

RUNWAY 17R-35L

35L-17R

17R-35L

18 19 20 21 22 23 24 25 26 27 28 29 30 31

"16R" 31+02.18, 257.74'
"16R" 30+37.69, 257.43'
"16R" 30+00.37, 257.26'
"16R" 31+02.51, 193.41'
"16R" 30+37.68, 205.03'
"16R" 30+37.66, 75.00'
"16R" 30+00.53, 75.00'
"16R" 30+00.00
"16R" 29+97.00
"16R" 31+20.00
"16R" 30+00.27, 75.00'
"16R" 30+37.44, 75.00'
"16R" 30+00.63, 109.13'
"16R" 29+58.20, 183.62'
"16R" 28+69.84, 234.73'
"16R" 28+37.75, 254.96'
"16R" 28+37.74, 258.25'
"16R" 30+37.28, 199.75'
"16R" 31+01.75, 194.06'
"16R" 30+37.21, 258.22'
"16R" 31+01.65, 245.44'
"16R" 31+02.61, 258.71'

R1 R2 R3 R4 R5 R6 R7

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN
3/ST2.4 TAXIWAY EDGE LINE (TYP)
4/ST2.4 TAXIWAY CENTERLINE (TYP)
2/ST2.1 RUNWAY EDGE LINE (TYP)
1/ST2.3 BLAST PAD MARKING (TYP)
1/ST2.2 ARROWHEAD & TAIL MARKING
7/ST2.2 RUNWAY DEMARCATION BAR MARKING
1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

STRIPING RADIUS TABLE

#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	200.00'	TAXIWAY CENTERLINE	"16R" 32+37.68, 205.00'
R2	200.00'	TAXIWAY CENTERLINE	"16R" 32+37.27, 205.00'
R3	120.00'	TAXIWAY EDGE LINE	"16R" 32+21.75, 194.29'
R4	85.00'	TAXIWAY EDGE LINE	"16R" 29+15.64, 110.04'
R5	120.00'	TAXIWAY EDGE LINE	"16R" 32+22.51, 194.03'
R6	90.00'	TAXIWAY EDGE LINE	"16R" 31+91.65, 245.62'
R7	500.00'	TAXIWAY EDGE LINE	"16R" 31+20.19, 667.54'


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

N

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.1

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const Dwg's\2- 16R-34L Bid Proj\2\ST0101_16R.dwg 12/9/2019 3:02 PM Megan Klingler




LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4066
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.2

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\ST01D2_16R.dwg 12/9/2019 5:03 PM Megan Klingler

MATCH LINE

(SEE SHEET ST1.19)

MATCH LINE

(STA 59+00, SEE SHEET ST1.4)

(STA 45+25, SEE SHEET ST1.2)

RUNIWAY TOUCHDOWN ZONE MARKING (TYP) 5/ST2.1

RUNWAY CENTERLINE (TYP) 2/ST2.1

RUNWAY AIMING POINT MARKING (TYP) 6/ST2.1

RUNWAY EDGE LINE 2/ST2.1

RUNWAY TOUCHDOWN ZONE MARKING (TYP) 5/ST2.1

"16R" 45+95.00, 36.00' L

"16R" 47+90.00

"16R" 45+90.00

"16R" 50+20.00, 36.00' L

"16R" 49+90.00

"16R" 51+70.00, 36.00' L

"16R" 55+20.00, 36.00' L

"16R" 55+95.00, 36.00' L

"16R" 51+90.00

"16R" 53+90.00

"16R" 55+90.00

"16R" 57+90.00

46 47 48 49 50 51 52 53 54 55 56 57 58 5

"16R" 47+10.00

"16R" 49+10.00

"16R" 51+10.00

"16R" 53+10.00

"16R" 55+10.00

"16R" 57+10.00

RUNWAY 17R-35L

"16R" 45+95.00, 36.00' R

"16R" 50+20.00, 36.00' R

"16R" 51+70.00, 36.00' R

"16R" 55+20.00, 36.00' R

"16R" 55+95.00, 36.00' R

RUNWAY EDGE LINE 2/ST2.1


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

N

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.3

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPlng2\ST0103_16R.dwg 12/9/2019 5:03 PM Megan Klingler

MATCH LINE

MATCH LINE

STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	120.00'	TAXIWAY EDGE LINE	"16R" 68+43.69, 195.01' L
R2	120.00'	TAXIWAY EDGE LINE	"16R" 71+58.26, 195.28' L
R3	NOT USED		
R4	NOT USED		
R5	NOT USED		
R6	80.00'	TAXIWAY EDGE LINE	"16R" 66+70.78, 166.81' R
R7	150.00'	TAXIWAY CENTERLINE	"16R" 68+50.97, 155.00' L
R8	150.00'	TAXIWAY CENTERLINE	"16R" 71+50.97, 155.00' L
R9	150.00'	TAXIWAY CENTERLINE	"16R" 66+87.68, 155.00' R
R10	75.00'	TAXIWAY CENTERLINE	"16R" 69+25.80, 59.07' R

(SEE SHEET ST1.20)

(STA 72+75, SEE SHEET ST1.5)

(STA 59+00, SEE SHEET ST1.3)

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

3/ST2.4 TAXIWAY EDGE LINE (TYP)

5/ST2.1 RUNWAY TOUCHDOWN ZONE MARKING (TYP)

3/ST2.1 RUNWAY CENTERLINE (TYP)

2/ST2.1 RUNWAY EDGE LINE

6/ST2.4 RUNWAY/TAXIWAY EDGE LINE JUNCTION (TYP)

2/ST2.1 RUNWAY EDGE LINE

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGNS (TYP 2)

3/ST2.4 TAXIWAY EDGE LINE (SEE NOTE 7)

4/ST2.4 TAXIWAY CENTERLINE (TYP)

HIGH SPEED EXIT TAXIWAY CENTERLINE (SEE NOTE 7)

"16R" 70+01.05, 255.08' L
"16R" 69+63.89, 255.38' L
"16R" 70+38.26, 257.92' L
"16R" 69+63.69, 194.62' L
"16R" 70+38.26, 195.27' L
"16R" 70+00.97, 155.12' L
"16R" 70+00.90, 75.00' L
"16R" 68+62.48, 76.49' L
"16R" 71+38.49, 76.92'
"16R" 71+44.09, 75.99
"16R" 70+20.00, 36.00' L
"16R" 70+95.00, 36.00' L
"16R" 71+50.97, 5.00'
"16R" 65+20.00, 36.00' L
"16R" 65+95.00, 36.00' L
"16R" 64+86.64, 5.00' R
"16R" 66+50.97, 5.00' L
"16R" 67+10.00
"16R" 67+90.00
"16R" 69+10.00
60+20.00, 36.00' L
"16R" 60+95.00, 36.00' L
"16R" 59+10.00
"16R" 61+10.00
"16R" 63+10.00
"16R" 65+10.00
"16R" 59+90.00
"16R" 61+90.00
"16R" 63+90.00
"16R" 65+90.00
"16R" 66+86.64, 5.00' R
"16R" 68+50.97, 5.00' L
"16R" 69+90.00, 0.00'
"16R" 71+10.00
"16R" 71+90.00
60+20.00, 36.00' R
"16R" 60+95.00, 36.00' R
"16R" 65+20.00, 36.00' R
"16R" 65+95.00, 36.00' R
"16R" 66+63.62, 75.00' R
"16R" 70+20.00, 36.00' R
"16R" 70+95.00, 36.00' R
"16R" 67+07.09, 97.50' R
"16R" 68+00.90, 254.90' R
"16R" 67+36.62, 213.32' R
"16R" 67+01.08, 265.94' R
"16R" 69+99.09, 75.00' R
"16R" 69+63.08, 124.15' R
"16R" 69+85.21, 256.26' R
"16R" 68+02.86, 256.25' R

9 60 61 62 63 64 65 66 67 68 69 70 71 72

R1 R2 R6 R7 R8 R9 R10

35L-17R

17R-35L 17R-35L

TAXIWAY J

TAXIWAY J

RUNWAY 17R-35L


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER – STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd Tel 775.823.4068
Reno, NV 89502 Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2- 16R-34L_BidPhase\SS0104_16R.dwg 12/9/2019 5:04 PM Megan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **ST1.5**

N:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\191005_16R.dwg 12/9/2019 5:04 PM Megan Klingler



STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	120.00'	TAXIWAY EDGE LINE	"16R" 88+51.47, 195.00' L
R2	120.00'	TAXIWAY EDGE LINE	"16R" 91+65.74, 195.00' L
R3	96.00'	TAXIWAY EDGE LINE	"16R" 91+60.17, 172.00' R
R4	96.00'	TAXIWAY EDGE LINE	"16R" 88+55.31, 171.80' R
R5	150.00'	TAXIWAY CENTERLINE	"16R" 91+58.30, 155.00' L
R6	150.00'	TAXIWAY CENTERLINE	"16R" 91+57.62, 155.00' R
R7	150.00'	TAXIWAY CENTERLINE	"16R" 88+57.62, 154.99' R
R8	150.00'	TAXIWAY CENTERLINE	"16R" 88+58.30, 155.00' L


LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.6

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BMPlot2.S10106_16R.dwg 12/9/2019 5:05 PM Megan Klingler

MATCH LINE

"16R" 102+73.70, 333.29' L

"16R" 101+22.60, 340.14' L

"16R" 102+90.01, 323.92' L

"16R" 102+96.94, 319.94' L

"16R" 102+55.56, 263.51' L

"16R" 102+62.92, 259.27' L

"16R" 103+36.69, 216.66' L

"16R" 104+67.34, 93.71' L

"16R" 104+79.86, 75.00' L

"16R" 100+65.84, 292.78' L

"16R" 102+21.18, 203.24' L

"16R" 102+28.02, 199.30' L

"16R" 102+81.49, 168.32' L

"16R" 102+67.51, 76.02' L

"16R" 104+16.00, 36.00' L

"16R" 104+91.00, 36.00' L

"16R" 104+21.00

"16R" 103+01.00

"16R" 102+21.00

"16R" 101+01.00

"16R" 104+16.00, 36.00' R

"16R" 104+91.00, 36.00' R

"16R" 105+01.00

"16R" 106+21.00

"16R" 107+01.00

"16R" 106+70.66, 24.92' L

"16R" 107+08.76, 81.72' L

"16R" 107+33.80, 75.00' L

"16R" 109+16.00, 36.00' L

"16R" 109+01.00, 0.00'

"16R" 107+45.34, 5.00' L

"16R" 109+45.34, 5.00' L

"16R" 109+91.00, 36.00' L

"16R" 110+21.00, 0.00'

"16R" 112+21.00

"16R" 108+21.00

"16R" 108+18.71, 5.00' R

"16R" 109+16.00, 36.00' R

"16R" 109+91.00, 36.00' R

"16R" 110+18.71

"16R" 111+01.00

"16R" 113+01.00

"16R" 108+14.13, 76.59' R

"16R" 107+57.43, 203.96' R

"16R" 107+89.29, 256.76' R

"16R" 106+83.77, 220.50' R

"16R" 106+74.57, 222.99' R

"16R" 107+01.77, 256.70' R

TAXIWAY N

RUNWAY 17R-35L

17R-35L

TAXIWAY CENTERLINE (TYP) (4 ST2.4)

TAXIWAY EDGE LINE (TYP) (3 ST2.4)

SURFACE PAINTED RUNWAY HOLDING POSITION SIGN (1 ST2.5)

ENHANCED TAXIWAY CENTERLINE (TYP) (5 ST2.4)

HOLDING POSITION (1 ST2.4)

RUNWAY/TAXIWAY EDGE LINE JUNCTION (TYP) (6 ST2.4)

RUNWAY TOUCHDOWN ZONE MARKING (TYP) (5 ST2.1)

RUNWAY CENTERLINE (TYP) (3 ST2.1)

RUNWAY EDGE LINE (TYP) (2 ST2.1)

HIGH SPEED EXIT TAXIWAY CENTERLINE (SEE NOTE 7)

TAXIWAY EDGE LINE (SEE NOTE 7)

R1 R2 R3 R7 R8 R9

STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	50.00'	TAXIWAY EDGE LINE	"16R" 102+56.78, 124.86' L
R2	100.00'	TAXIWAY EDGE LINE	"16R" 107+33.80, 125.00' L
R3	150.00'	TAXIWAY EDGE LINE	"16R" 108+30.21, 160.05' R
R4			
R5			
R6			
R7	400.00'	TAXIWAY CENTERLINE	"16R" 101+34.88, 128.71' R
R8	150.00'	TAXIWAY CENTERLINE	"16R" 107+45.34, 155.00' L
R9	150.00'	TAXIWAY CENTERLINE	"16R" 108+18.71, 155.00' R

(SEE SHEET ST1.23)

(STA 114+00, SEE SHEET ST1.8)

(STA 100+25, SEE SHEET ST1.6)

MATCH LINE

MATCH LINE

MATCH LINE

LEGEND:


PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.

(SEE SHEET ST1.12)



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.7

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BMPlot\S10107_16R.dwg 12/9/2019 5:06 PM Megan Klingler



STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	125.00'	TAXIWAY EDGE LINE	"16R" 117+72.50, 200.00' R
R2	122.00'	TAXIWAY EDGE LINE	"16R" 121+46.68, 195.00' R
R3	124.00'	TAXIWAY EDGE LINE	"16R" 121+19.50, 195.00' L
R4	120.00'	TAXIWAY EDGE LINE	"16R" 117+77.47, 195.00' L
R5	200.00'	TAXIWAY CENTERLINE	"16R" 117+62.07, 205.00' L
R6	200.00'	TAXIWAY CENTERLINE	"16R" 117+62.09, 205.08' R


LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE INTERNATIONAL

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.8

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Const Docs\2-16R-34L_BidPhase\ST01108_16R.dwg 12/9/2019 3:06 PM Megan Klingler

MATCH LINE

(SEE SHEET ST1.25)

STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	86.00'	TAXIWAY EDGE LINE	"16R" 128+05.12, 160.00' R
R2	120.00'	TAXIWAY EDGE LINE	"16R" 137+89.76, 196.00' R
R3	150.00'	TAXIWAY CENTERLINE	"16R" 128+04.66, 150.00' R
R4	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.69, 304.83' R
R5	150.00'	TAXIWAY CENTERLINE	"16R" 138+06.64, 155.00' R

MATCH LINE

(STA 127+75, SEE SHEET ST1.8)

(STA 141+50, SEE SHEET ST1.10)

RUNWAY THRESHOLD MARKING (4/ST2.1)

RUNWAY DISPLACED THRESHOLD BAR (4/ST2.2)

RUNWAY DESIGNATION MARKING (2/ST2.5)

"16R" 130+16.00, 56.25' L

ARROW MARKING (TYP) (2/ST2.2)

"16R" 128+01.00

"16R" 128+41.10

"16R" 130+16.00, 18.75' L

"16R" 130+91.00

"16R" 130+01.00

"16R" 130+16.00, 18.75' R

"16R" 129+91.00

"16R" 130+16.00, 56.25' R

"16R" 132+91.00

"16R" 132+11.00

"16R" 134+91.00

"16R" 134+11.00

"16R" 136+91.00

"16R" 136+11.00

"16R" 138+91.00

"16R" 138+11.00

"16R" 138+06.64, 5.00' R

"16R" 136+12.82, 5.00' R

"16R" 140+01.00

"16R" 140+04.00

1/ST2.3 BLAST PAD MARKING (TYP)

"16R" 140+01.00, 72.00' L

7/ST2.2 RUNWAY DEMARCATION BAR MARKING

"16R" 140+01.00, 72.00' R

1/ST2.2 ARROWHEAD & TAIL MARKING (TYP)

RUNWAY 17R-35L

128 129 130 131 132 133 134 135 136 137 138 139 140 141

"16R" 129+34.56, 75.00' R

"16R" 128+20.92, 76.48' R

"16R" 129+99.19, 75.00' R

"16R" 128+90.12, 159.89' R

"16R" 129+54.66, 149.66' R

TAXIWAY CENTERLINE (TYP) (4/ST2.4)

"16R" 128+90.24, 251.94' R

"16R" 129+54.88, 249.00' R

"16R" 130+18.36, 251.93' R

R1 R2 R3 R4 R5

TAXIWAY Q

TAXIWAY A

17R-35L

35L

SURFACE PAINTED RUNWAY HOLDING POSITION SIGN (1/ST2.5)

2/ST2.1 RUNWAY EDGE LINE (TYP)

6/ST2.4 RUNWAY/TAXIWAY EDGE LINE JUNCTION (TYP)

"16R" 139+56.64, 154.95' R

"16R" 139+05.78, 165.34' R

"16R" 139+08.97, 177.51' R

"16R" 139+08.40, 192.93' R

1/ST2.4 HOLDING POSITION

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

"16R" 138+75.30, 318.44' R

5/ST2.4 ENHANCED TAXIWAY CENTERLINE (TYP)

TAXIWAY CENTERLINE (TYP) (4/ST2.4)

"16R" 139+56.67, 252.00' R

"16R" 139+56.67, 263.00' R

"16R" 136+15.70, 356.67' R

"16R" 136+13.70, 356.75' R

1 7/ST2.4 INTERMEDIATE HOLDING POSITION MARKING

"16R" 137+49.82, 351.63' R

"16R" 134+39.74, 363.29' R

"16R" 139+56.69, 304.80' R

MATCH LINE

MATCH LINE

(SEE SHEET ST1.14)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — BRIAN A. MARTINEZ — No. 21202 — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.9

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhase\SI01109_16R.dwg 1/29/2020 10:14 AM Megan Krieger

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE

(SEE SHEET ST1.25)

STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	86.00'	TAXIWAY EDGE LINE	"16R" 128+05.12, 160.00' R
R2	120.00'	TAXIWAY EDGE LINE	"16R" 137+89.76, 196.00' R
R3	150.00'	TAXIWAY CENTERLINE	"16R" 128+04.66, 150.00' R
R4	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.69, 304.83' R
R5	150.00'	TAXIWAY CENTERLINE	"16R" 138+06.64, 155.00' R

MATCH LINE

(STA 127+75, SEE SHEET ST1.8)

(STA 141+50, SEE SHEET ST1.10)

RUNWAY THRESHOLD MARKING (4/ST2.1)

RUNWAY DISPLACED THRESHOLD BAR (4/ST2.2)

RUNWAY DESIGNATION MARKING (2/ST2.5)

"16R" 130+16.00, 56.25' L

ARROW MARKING (TYP) (2/ST2.2)

"16R" 128+01.00

"16R" 128+41.10

"16R" 130+16.00, 18.75' L

"16R" 130+91.00

"16R" 132+91.00

"16R" 134+91.00

"16R" 136+91.00

"16R" 138+11.00

"16R" 138+91.00

"16R" 140+01.00

128 129 130 131 132 133 134 135 136 137 138 139 140 141

"16R" 130+01.00

"16R" 130+16.00, 18.75' R

"16R" 129+91.00

"16R" 130+16.00, 56.25' R

"16R" 132+11.00

"16R" 134+11.00

"16R" 136+11.00

"16R" 138+06.64, 5.00' R

"16R" 136+12.82, 5.00' R

"16R" 137+89.76, 76.00' R

"16R" 140+04.00

"16R" 140+01.00, 72.00' R

"16R" 129+34.56, 75.00' R

"16R" 128+20.92, 76.48' R

"16R" 129+99.19, 75.00' R

1/ST2.3 BLAST PAD MARKING (TYP)

"16R" 140+01.00, 72.00' L

7/ST2.2 RUNWAY DEMARCATION BAR MARKING

1/ST2.2 ARROWHEAD & TAIL MARKING (TYP)

RUNWAY 17R-35L

2/ST2.1 RUNWAY EDGE LINE (TYP)

6/ST2.4 RUNWAY/TAXIWAY EDGE LINE JUNCTION (TYP)

R1 R3 R2 R5

"16R" 128+90.12, 159.89' R

"16R" 129+54.66, 149.66' R

TAXIWAY CENTERLINE (TYP) (4/ST2.4)

"16R" 128+90.24, 251.94' R

"16R" 129+54.88, 249.00' R

"16R" 130+18.36, 251.93' R

"16R" 139+56.64, 154.95' R

"16R" 139+05.78, 165.34' R

"16R" 139+08.97, 177.51' R

"16R" 139+08.40, 192.93' R

1/ST2.4 HOLDING POSITION

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

"16R" 138+75.30, 318.44' R

5/ST2.4 ENHANCED TAXIWAY CENTERLINE (TYP)

TAXIWAY Q

TAXIWAY A

17R-35L

35L

"16R" 136+15.70, 356.67' R

"16R" 136+13.70, 356.75' R

3/ST2.5 INTERMEDIATE HOLDING POSITION MARKING

"16R" 137+49.82, 351.63' R

"16R" 134+39.74, 363.29' R

SURFACE PAINTED RUNWAY HOLDING POSITION SIGN (1/ST2.5)

TAXIWAY CENTERLINE (4/ST2.4) (TYP)

"16R" 139+56.67, 252.00' R

"16R" 139+56.67, 263.00' R

R4

"16R" 139+56.69, 304.80' R

MATCH LINE

(SEE SHEET ST1.14)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

DATE: DECEMBER 11, 2019 | SCALE: N/A | DRAWN BY: DAB | DESIGNED BY: MAK, BAM | CHECKED BY: MAC

BRIAN A. MARTINEZMOLES, PROFESSIONAL ENGINEER - STATE OF NEVADA, Exp. 12-31-21, CIVIL, No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.9

NO.	DESCRIPTION	DATE

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BPHP.dgn\ST0109_16R.dwg 12/9/2019 5:01 PM Morgan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0010_16R.dwg 12/9/2019 5:07 PM Megan Klingler

MATCH LINE

(STA 43+50, SEE SHEET ST1.6)

TAXIWAY B

TAXIWAY A

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN — B8-26

1/ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN — A8-26

2/ST2.1 RUNWAY EDGE LINE

TAXIWAY L

RUNWAY 8-26

43 — "7–25" 43+10.00

42 — "7–25" 42+30.00

41 — "7–25" 41+10.00

40 — "7–25" 40+30.00

39 — "7–25" 39+10.00

38 — "7–25" 38+30.00

37 — "7–25" 37+10.00

B8-26 — SURFACE PAINTED RUNWAY HOLDING POSITION SIGN 1/ST2.5

A8-26 — SURFACE PAINTED RUNWAY HOLDING POSITION SIGN 1/ST2.5

RUNWAY EDGE LINE 2/ST2.1

RUNWAY CENTERLINE 3/ST2.1

(SEE SHEET ST1.12)

MATCH LINE

(STA 36+50, SEE SHEET ST1.32)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.11

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPhg2\ST0111_16R.dwg 12/9/2019 5:08 PM Megan Klingler

MATCH LINE

(SHEET ST1.7)

TAXIWAY B

MATCH LINE

(SEE SHEET ST1.11)

TAXIWAY A

NO WORK THIS SHEET - FOR REFERENCE ONLY

(SEE SHEET ST1.13)

MATCH LINE


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.12

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhg2\ST0112_16R.dwg 12/9/2019 5:08 PM Megan Klingler

MATCH LINE

(SHEET ST1.8)

TAXIWAY B

MATCH LINE

TAXIWAY A

NO WORK THIS SHEET - FOR REFERENCE ONLY

(SEE SHEET ST1.14)

MATCH LINE

(SEE SHEET ST1.12)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.13

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\C-16R-34L_BidPhg2\ST0113_16R.dwg 12/9/2019 5:09 PM Megan Klingler



STRIPING RADIUS TABLE			
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION
R1	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.69, 304.83' R
R2	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.74, 494.83' R
R3	51.80'	TAXIWAY EDGE LINE	"16R" 138+32.73, 518.57' R
R4	160.30'	TAXIWAY EDGE LINE	"16R" 138+38.97, 513.10' R
R5	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.67, 542.60' R


LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #4	1/30/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.14

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhs2\ST0114_16R.dwg 1/29/2020 10:14 AM Megan Klingler

SUPERSEDED

FOR BIDDING PURPOSES ONLY

MATCH LINE

MATCH LINE

MATCH LINE

(SEE SHEET ST1.13)

(SEE SHEET ST1.15)

TAXIWAY B

TAXIWAY A

TAXIWAY A

3 ST2.5 INTERMEDIATE HOLDING POSITION MARKING

"16R" 134+39.74, 363.29' R

"16R" 134+39.72, 400.12' R

"16R" 136+14.75, 400.16' R

"16R" 134+49.28, 437.19' R

3 ST2.4 TAXIWAY EDGE LINE (TYP)

5 ST2.4 ENHANCED TAXIWAY CENTERLINE (TYP)

(SHEET ST1.9)

"16R" 138+61.73, 399.83' R

R1

"16R" 137+49.84, 448.12' R

R2

"16R" 138+75.35, 481.22' R

R3

"16R" 138+81.80, 505.60' R

"16R" 138+82.77, 531.77' R

R4

R5

"16R" 137+46.71, 590.18' R

"16R" 138+75.29, 556.21' R

"16R" 137+49.69, 637.62' R

"16R" 138+61.69, 637.60' R

"16R" 138+31.56, 674.18' R

ENHANCED TAXIWAY CENTERLINE (TYP) 5 ST2.4

"16R" 139+56.72, 399.80' R

TAXIWAY CENTERLINE (TYP) 4 ST2.4

"16R" 139+56.74, 494.80' R

"16R" 139+56.67, 542.59' R

"16R" 140+00.96, 509.81' R

TAXIWAY EDGE LINE (TYP) 3 ST2.4

TAXIWAY CENTERLINE (TYP) 4 ST2.4

STRIPING RADIUS TABLE				
#	RADIUS	STRIPE TYPE	RADIUS CENTER POINT STATION	
R1	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.69, 304.83'	R
R2	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.74, 494.83'	R
R3	51.80'	TAXIWAY EDGE LINE	"16R" 138+32.73, 518.57'	R
R4	160.30'	TAXIWAY EDGE LINE	"16R" 138+38.97, 513.10'	R
R5	95.00'	TAXIWAY CENTERLINE	"16R" 138+61.67, 542.60'	R

LEGEND:


PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.

MATCH LINE (SEE SHEET ST1.16)



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.14

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhg2\ST0114_16R.dwg 12/9/2019 5:10 PM Megan Klingler

MATCH LINE

(SHEET ST1.10)

MATCH LINE

(SEE SHEET ST1.14)

NO WORK THIS SHEET - FOR REFERENCE ONLY

MATCH LINE

(SEE SHEET ST1.16)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.15

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhg2\S10115_165.dwg 12/9/2019 5:10 PM Megan Klingler

MATCH LINE (SHEET ST1.14)

MATCH LINE (SHEET ST1.15)

NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.16

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPlng2\191016_16R.dwg 12/9/2019 5:11 PM Megan Klingler



(SEE SHEET ST1.1)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.17

S:\Data\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BidPkg\ST0117_16R.dwg 12/9/2019 5:11 PM Megan Kingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4066
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **ST1.18**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0018_16R.dwg 12/9/2019 5:12 PM Megan Klingler



MATCH LINE

(SEE SHEET ST1.3)


LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.19

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\CAD\Dwg\2-16R-34L_BidPkg2_ST0119_16R.dwg 12/9/2019 5:12 PM Megan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — STATE OF NEVADA — PROFESSIONAL ENGINEER — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.20

\\Data\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\191012_16R.dwg 12/9/2019 5:13 PM Megan Kingler



LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.

KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.21

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0121_16R.dwg 12/9/2019 5:13 PM Megan Klingler

MATCH LINE

(STA 57+50, SEE SHEET ST1.31)

(STA 100+50, SEE SHEET ST1.23)

(STA 86+50, SEE SHEET ST1.21)

MATCH LINE

(STA 50+50, SEE SHEET ST1.6)

1 ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGNS (TYP 2)

35R-17L

35R-17L

4 ST2.4 TAXIWAY CENTERLINES (TYP)

4 ST2.4 TAXIWAY CENTERLINES (TYP)

RUNWAY EDGE LINE (TYP) 2 ST2.1

"7-25" 56+72.00, 0.00'

"7-25" 55+92.00, 0.00'

RUNWAY CENTERLINE (TYP) 3 ST2.1

RUNWAY CENTERLINE (TYP) 3 ST2.1

"7-25" 54+77.19, 75.00' L

"7-25" 54+77.53, 75.00' R

"16L" 94+10.28, 75.00' L

"16L" 88+10.00

"16L" 90+10.00

"16L" 92+10.00

"16L" 94+10.00

"16L" 96+10.00

"16L" 98+10.00

"16L" 100+10.00

87 88 89 90 91 92 93 94 95 96 97 98 99 100

"16L" 86+90.00

"16L" 88+90.00

"16L" 90+90.00

"16L" 92+90.00

"16L" 94+90.00

"16L" 96+90.00

"16L" 98+90.00

RUNWAY 17L-35R

"7-25" 53+27.36, 0.00'

"7-25" 53+27.19, 75.00' L

"7-25" 53+27.53, 75.00' R

TAXIWAY CENTERLINE (SEE NOTE 7) 4 ST2.4

TAXIWAY CENTERLINES (TYP) 4 ST2.4

"7-25" 52+72.00, 0.00'

"7-25" 51+98.00, 0.00'

"16L" 99+55.32

1 ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

1 ST2.5 SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

17L-35R

5 ST2.4 ENHANCED TAXIWAY CENTERLINE (TYP)

TAXIWAY L

RUNWAY 8-26

57 56 55 54 53 52 51


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340-1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.22

I:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\ST0122_16R.dwg 12/9/2019 5:14 PM Megan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **ST1.23**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPlng2\ST0123_16R.dwg 12/9/2019 5:14 PM Megan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.24

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0124_16R.dwg 12/9/2019 5:15 PM Megan Klingler



NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
ST1.25

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\2-16R-34L_BkPlng2\ST0125_16R.dwg 12/9/2019 5:15 PM Megan Klingler




LEGEND:

PROPOSED STRIPING


EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.26

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\CAD\Dwg\2-16R-34L_BidPkg\ST0126_16R.dwg 12/9/2019 5:16 PM Megan Albright

MATCH LINE (STA 155+25, SEE SHEET ST1.26)

156 157 158 159 160 161 162 163 164 "161" 165+00.00 EP

NO WORK THIS SHEET - FOR REFERENCE ONLY


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: H.: N/A V.:
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.27

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0127_16R.dwg 12/9/2019 5:16 PM Megan Albright



MATCH LINE (STA 78+50, SEE SHEET ST1.29)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340-1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN


PROJECT NO. 8494.002

DRAWING **ST1.28**

K:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPhase\ST01128_16R.dwg 12/9/2019 5:17 PM Megan Klingler

MATCH LINE

(STA 78+50, SEE SHEET ST1.28)



MATCH LINE

(STA 71+50, SEE SHEET ST1.30)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340-1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN


PROJECT NO. 8494.002

DRAWING ST1.29

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L Civil\Dwg\2-16R-34L_BidPlng2\130129_16R.dwg 12/9/2019 5:17 PM Megan Klingler

MATCH LINE

(STA 71+50, SEE SHEET ST1.29)



MATCH LINE

(STA 64+50, SEE SHEET ST1.31)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.30

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\ST0130_16R.dwg 12/9/2019 5:18 PM Megan Klingler

MATCH LINE

(STA 64+50, SEE SHEET ST1.29)

TAXIWAY L

RUNWAY 8-26

"7-25" 63+92.00

"7-25" 62+72.00

"7-25" 61+92.00

(2/ST2.1) RUNWAY EDGE LINE

RUNWAY EDGE LINE (2/ST2.1)

"7-25" 60+72.00

"7-25" 59+92.00

(4/ST2.4) TAXIWAY CENTERLINES (TYP)

(1/ST2.5) SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

(1/ST2.5) SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

(1/ST2.5) SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

TAXIWAY C

(1/ST2.5) SURFACE PAINTED RUNWAY HOLDING POSITION SIGN

"7-25" 58+72.00

"7-25" 57+92.00

RUNWAY CENTERLINE (TYP) (3/ST2.1)

SURFACE PAINTED RUNWAY HOLDING POSITION SIGN (1/ST2.5)

TAXIWAY C

TAXIWAY CENTERLINES (TYP) (4/ST2.4)

MATCH LINE

(STA 57+50, SEE SHEET ST1.22)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN


PROJECT NO. 8494.002

DRAWING ST1.31

\\Data\8494_RTIA Runways\RTIA Runway 16R_04A\Civil\Dwg\2-16R-34L_BidPkg\191031_16R.dwg 12/9/2019 5:18 PM Megan Klingler

MATCH LINE

(STA 36+50, SEE SHEET ST1.11)



MATCH LINE

(STA 29+50, SEE SHEET ST1.33)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.32

\\Data\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg\130132_16R.dwg 12/9/2019 5:19 PM Megan Klingler

MATCH LINE

(STA 29+50, SEE SHEET ST1.32)

TAXIWAY L

RUNWAY 8-26

"7-25" 29+10.00

"7-25" 28+30.00

"7-25" 27+10.00

"7-25" 26+30.00

"7-25" 25+10.00

"7-25" 24+30.00

"7-25" 23+10.00

"7-25" 22+70.00

29

28

27

26

25

24

23

RUNWAY CENTERLINE (TYP) 3 / ST2.1

RUNWAY EDGE LINE 2 / ST2.1

RUNWAY EDGE LINE 2 / ST2.1

RUNWAY DESIGNATION MARKING 2 / ST2.5

MATCH LINE

(STA 22+50, SEE SHEET ST1.34)


LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340-1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN


PROJECT NO.
8494.002

DRAWING
ST1.33

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\ST0133_16R.dwg 12/9/2019 5:19 PM Megan Klingler

MATCH LINE

(STA 22+50, SEE SHEET ST1.33)




LEGEND:

PROPOSED STRIPING

EXISTING STRIPING

NOTES:

1. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
2. REFERENCE DRAWING G4.1 FOR CENTERLINE ALIGNMENT INFORMATION.
3. PROPOSED STRIPING SHALL MATCH EXISTING EDGE OF RUNWAY/TAXIWAY PAVEMENT. FIELD ADJUSTMENTS TO THE SHOWN STATIONS, OFFSETS, AND RADII MAY BE REQUIRED TO BEST FIT THE EXISTING CONDITION. CONTRACTOR TO COORDINATE FINAL STRIPING LAYOUT WITH CONSTRUCTION MANAGER PRIOR TO STRIPING.
4. MARKINGS ARE IN CONFORMANCE WITH FAA AC 150 / 5340–1L.
5. EXISTING MARKINGS SHALL BE REMOVED BEFORE PROPOSED MARKINGS ARE APPLIED.
6. CONTRACTOR SHALL USE CAUTION TO PROTECT EXISTING AIRFIELD STRIPING FROM DAMAGE. CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE DAMAGED STRIPING NOT SCHEDULED FOR REPLACEMENT AT NO COST TO THE OWNER.
7. CONTRACTOR SHALL PLACE CENTER LINE PER DEMOLITION SURVEY. CONTRACTOR SHALL LAYOUT AND RECEIVE APPROVAL FROM CONSTRUCTION MANAGER PRIOR TO PLACEMENT OF STRIPE.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT MARKING LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING ST1.34

\\Data\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg\130134_16R.dwg 12/9/2019 5:02 PM Megan Klingler




NOTE:

1. DIMENSION BETWEEN CENTERLINE STRIPE SHALL BE 80' UNLESS OTHERWISE NOTED ON THESE PLAN.


1 ST2.1 MARKING LEGEND & TYPICAL DIMENSIONS

N.T.S.



2 ST2.1 RUNWAY EDGE LINE

N.T.S.




NOTE:

1. DIMENSION BETWEEN CENTERLINE STRIPE SHALL BE 80' UNLESS OTHERWISE NOTED ONT THESE PLAN.


3 ST2.1 RUNWAY CENTER LINE MARKING

N.T.S.




4 ST2.1 RUNWAY THRESHOLD MARKING

N.T.S.



5 ST2.1 RUNWAY TOUCHDOWN MARKING

N.T.S.



6 ST2.1 RUNWAY AIMING POINT MARKING

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002


DRAWING ST2.1

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhase1S10201_16R.dwg 1/9/2020 9:54 AM Megan Klingler




1 ST2.2 ARROWHEAD AND TAIL

N.T.S.




2 ST2.2 ARROWHEAD

N.T.S.




3 ST2.2 ARROWHEAD GEOMETRY

N.T.S.




4 ST2.2 DISPLACED THRESHOLD BAR

N.T.S.




5 ST2.2 RUNWAY THRESHOLD MARKING GEOMETRY

N.T.S.



6 ST2.2 RUNWAY THRESHOLD BAR

N.T.S.



7 ST2.2 RUNWAY DEMARCATION BAR

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002


DRAWING ST2.2

G:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg\191202_16R.dwg 1/9/2020 9:54 AM Megan Klingler



1 ST2.3 BLAST PAD / DEMARCATION MARKING

N.T.S.



2 ST2.3 BLAST PAD / THRESHOLD BAR

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — No. 21202 — BRIAN A. MARTINEZ — Exp. 12-31-21 — CIVIL — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002


DRAWING ST2.3

J:\Jobs\8494_RTIA Runways\RTIA Runways 16R_OA\Civil\Dwg\2-16R-34L_BidPkg\ST0203_16R.dwg 1/9/2020 9:34 AM Megan Klingler



1 ST2.4 RUNWAY HOLDING POSITION STRIPING AND SURFACE SIGN PLACEMENT


N.T.S.



NOTE: CONTRACTOR TO PROCURE & PROVIDE THERMOPLASTIC MARKING TO RTAA. INSTALLATION TO BE PERFORMED BY OTHERS.

2 ST2.4 RUNWAY HOLDING POSITION MARKING


N.T.S.



NOTE: 6" YELLOW EDGE LINES MUST BE LOCATED ENTIRELY WITHIN TAXIWAY STRUCTURAL PAVEMENT (PCC). 6" BLACK MAY EXTEND INTO PAVED SHOULDER.


3 ST2.4 TAXIWAY EDGE LINE

N.T.S.



4 ST2.4 TAXIWAY CENTER LINE

N.T.S.



1. ENHANCED TAXIWAY CENTERLINE SHALL BE PREFORMED THERMOPLASTIC AIRPORT PAVEMENT MARKING.
2. CONTRACTOR SHALL PROCURE THIS MARKING, PREP SURFACE AND PROVIDE LAYOUT PER RTIA MAINTENANCE AND WILL PROVIDE MARKING INSTALLATION.

5 ST2.4 ENHANCED TAXIWAY CENTER LINE

6 ST2.4 TAXIWAY / RUNWAY EDGE LINE JUNCTION

N.T.S.

1. INTERMEDIATE HOLDING POSITION MARKING SHALL BE PREFORMED THERMOPLASTIC AIRPORT PAVEMENT MARKING.
2. CONTRACTOR SHALL PROCURE THIS MARKING, PREP SURFACE AND PROVIDE LAYOUT PER RTIA MAINTENANCE AND WILL PROVIDE MARKING INSTALLATION.

7 ST2.4 INTERMEDIATE HOLDING POSITION MARKING

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #4	1/30/20
1	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

NEVADA PROFESSIONAL ENGINEER — BRIAN A. MARTINEZ — Exp. 12-31-21 CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002

DRAWING ST2.4

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-34L\Civil\Dwg\c-16R-34L_BidPhg2\ST02D4_16R.dwg 1/29/2020 10:14 AM Megan Klinger



1 ST2.4 RUNWAY HOLDING POSITION STRIPING AND SURFACE SIGN PLACEMENT


N.T.S.



NOTE: 6" YELLOW EDGE LINES MUST BE LOCATED ENTIRELY WITHIN TAXIWAY STRUCTURAL PAVEMENT (PCC). 6" BLACK MAY EXTEND INTO PAVED SHOULDER.


3 ST2.4 TAXIWAY EDGE LINE

N.T.S.




4 ST2.4 TAXIWAY CENTER LINE

N.T.S.



1. ENHANCED TAXIWAY CENTERLINE SHALL BE PREFORMED THERMOPLASTIC AIRPORT PAVEMENT MARKING.
2. CONTRACTOR SHALL PROCURE THIS MARKING, PREP SURFACE AND PROVIDE LAYOUT PER RTIA MAINTENANCE AND WILL PROVIDE MARKING INSTALLATION.


5 ST2.4 ENHANCED TAXIWAY CENTER LINE



NOTE: CONTRACTOR TO PROCURE & PROVIDE THERMOPLASTIC MARKING TO RTAA. INSTALLATION TO BE PERFORMED BY OTHERS.

2 ST2.4 RUNWAY HOLDING POSITION MARKING

N.T.S.



6 ST2.4 TAXIWAY / RUNWAY EDGE LINE JUNCTION

N.T.S.

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEBRASKA — MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002

DRAWING **ST2.4**

J:\Jobs\8494_RTIA Runways 16R-34L\CAD\Civil\Dwg\2-16R-34L_BidPkg\ST02204_16R.dwg 1/9/2020 9:54 AM Megan Kreger




NOTES:

1. SURFACE PAINTED HOLDING SIGN SHALL BE PREFORMED THERMOPLASTIC AIRPORT PAVEMENT MARKING.
2. CONTRACTOR PROCURE AND PROVIDE THERMOPLASTIC MARKING TO RTAA. INSTALLATION TO BE PERFORMED BY OTHERS.


1 / ST2.5 SURFACE PAINTED HOLDING POSITION SIGN

N.T.S.




3 / ST2.5 RUNWAY CENTER LINE MARKING REMOVAL

N.T.S.



3 / ST2.5 SURFACE PAINTED SIGN REMOVAL

N.T.S.



NOTE:

1. ALL LANDING DESIGNATOR MARKINGS TO BE OUTLINE WITH 6" BLACK EDGE LINE.

2 / ST2.5 RUNWAY LANDING DESIGNATOR MARKINGS

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

STATE OF NEVADA — PROFESSIONAL ENGINEER — MARTINEZM — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002

DRAWING ST2.5

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\c-16R-34L_BidPkg2\S10205_16R.dwg 1/9/2020 9:54 AM Megan Klingler




NOTE:
1. XXX

1 / ST2.6 TYPICAL MARKING REMOVAL PATTERNS

LEGEND:

TYPICAL MARKING REMOVAL AREA



2 / ST2.6 SURFACE PAINTED SIGN REMOVAL

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEBRASKA — BRADLEY A. MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

STRIPING DETAILS

PROJECT NO. 8494.002

DRAWING ST2.6

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R-DA\Civil\Dwg\c-16R-34L_BidPhg2\S102206_16R.dwg 1/9/2020 9:54 AM Megan Klingler




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — No. 21202 — Exp. 12-31-21 — CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.1

c:\Users\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0101_16R.dwg 12/9/2019 5:06 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\U0102_16R.dwg 12/9/2019 5:06 PM Trevor Shamblin

MATCH LINE

(STA 45+25, SEE SHEET U1.2)

(STA 59+00, SEE SHEET U1.4)

MATCH LINE

EXIST UD
(PROTECT IN PLACE)

RUNWAY 16R-34L

46 47 48 49 50 51 52 53 54 55 56 57 58 5

EXIST UD
(PROTECT IN PLACE)

CONSTRUCT BURIED STRUCTURE MONUMENT — 3 / U2.1

ADJUST CLEANOUT TO GRADE — 1 / U2.1

1 / U2.1 ADJUST CLEANOUT TO GRADE

EXIST UD
(PROTECT IN PLACE)

EXIST SD
(PROTECT IN PLACE)

ADJUST CLEANOUT TO GRADE — 1 / U2.1

CONSTRUCT BURIED STRUCTURE MONUMENT — 3 / U2.1

EXIST SDMH
(PROTECT IN PLACE)

EXIST SDMH
(PROTECT IN PLACE)

EXIST DI
(PROTECT IN PLACE)

EXIST DI
(PROTECT IN PLACE)


EXIST SDMH
(PROTECT IN PLACE)

LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\U0103_16R.dwg 12/9/2019 5:07 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.4

C:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DVA\Civil\Dwg\2-16R-34L_BidPkg2_U0104_16R.dwg 12/9/2019 5:08 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.5

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\U0105_16R.dwg 12/9/2019 5:08 PM Trevor Shamblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.6

I:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0106_16R.dwg 12/9/2019 5:09 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.7

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_GA\Civil\Dwg\2-16R-34L_BidPkg2\U0107_16R.dwg 12/9/2019 5:10 PM Trevor Shamblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.8

J:\jobs\8494_RTIA Runways\RTIA Runway 16R_OIA\Civil\Dwg\2-16R-34L_BidPkg2_U0108_16R.dwg 12/9/2019 5:11 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
NO. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.9

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\c-16R-34L_BidPkg2\U0109_16R.dwg 12/9/2019 3:11 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	1/13/20

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER — STATE OF NEVADA — MARTINEZ — Exp. 12-31-21 — CIVIL — No. 21202 — 12/9/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING U1.10

J:\Jobs\8494_RTIA Runway\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0110_16R.dwg 1/9/2020 9:45 AM Megan Klingler

SUPERSEDED

FOR BIDDING PURPOSES ONLY

FOR DRAINAGE DITCH
(SEE SHEET P3.10)

INSTALL 2580± SF
RIP RAP APRON
(CLASS 300)
2 / U2.4

"16R" 143+76.51, 258.17' L
INSTALL (2) 29"x45" RCP
FLARED END SECTIONS
INV.=4408.23

51.1 34.1

MATCH LINE
(STA 141+50, SEE SHEET U1.9)

4 / U2.2 CONST. 250 LF 29"x45"
CL III ELLIPTICAL RCP
S=0.002

CONST. 250 LF 29"x45"
CL III ELLIPTICAL RCP
S=0.002
4 / U2.2

142 143 144 145 146 147 148 149 150 151 152 153 154 155

"16R" 143+70.97, 0.00'
CONST. 72" TYPE III
ECCENTRIC SDMH W/ FLAT
TOP
RIM=417.02
IE(IN)=408.90
IE(OUT)=408.80

"16R" 143+80.75, 0.00' L
CONST. 72" TYPE III
ECCENTRIC SDMH W/ FLAT
TOP
RIM=417.16
IE(IN)=408.90
IE(OUT)=408.80

4 / U2.2 CONST. 250 LF 29"x45"
CL III ELLIPTICAL RCP
S=0.002

CONST. 250 LF 29"x45"
CL III ELLIPTICAL RCP
S=0.002
4 / U2.2

"16R" 143+75.22. 258.15' R
INSTALL (2) 29"x45" RCP
FLARED END SECTIONS
INV.=4409.52


INSTALL 500± SF
RIP RAP APRON
(CLASS 150)
2 / U2.4

LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 + PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'
SCALE: 1" = 50'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.10

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\2-16R-34L_BidPkg2\U0010_16R.dwg 12/9/2019 5:05 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.11

I:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0111_16R.dwg 12/9/2019 5:05 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.12

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\U0112_16R.dwg 12/9/2019 5:06 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.13

S:\Jobs\8494_RTIA Runways\RTIA Runway 16R_04\Civil\Dwg\c-16R-34L_BidPkg2\U0113_16R.dwg 12/9/2019 5:07 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.14

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\c-16R-34L_BidPkg2_U0114_16R.dwg 12/9/2019 5:08 PM Trevor Shomblin




LEGEND

- AC PAVEMENT
- CONCRETE PCC PAVEMENT
- 55 — PROJECT CONTROL STATION

NOTES

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH0.1–PH4.5 FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.
5. REFER TO ELECTRICAL SHEETS FOR ELECTRICAL UTILITY INFORMATION.
6. CONTRACTOR TO PROTECT EXISTING UNDERDRAIN IN PLACE AND RESTORE UNDERDRAIN TRENCH AS SHOWN ON SHEET P1.1 AND U2.4.
7. REFER TO SHEETS P2.1–P2.26 FOR BID LAYOUT INFORMATION.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202
PROFESSIONAL ENGINEER - STATE OF NEVADA

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO.
8494.002

DRAWING
U1.15

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\U0115_16R.dwg 12/9/2019 5:08 PM Trevor Shomblin




LEGEND:

AC PAVEMENT

55 PROJECT CONTROL STATION

NOTES:

1. REFERENCE DRAWING G4.1 FOR ALIGNMENT INFORMATION.
2. REFERENCE DRAWINGS PH1.1–PHX.X FOR PHASING LIMITATIONS.
3. CONTRACTOR TO VERIFY EXISTING DEPTHS AND LOCATIONS PRIOR TO CONSTRUCTING STORM DRAIN AND UNDERDRAIN PIPING.
4. CONTRACTOR TO PROVIDE TEMPORARY STORM WATER BYPASS AND EROSION PROTECTIONS PER SPECIFICATION P–156. THERE SHALL BE NO DIRECT PAYMENT FOR THIS WORK.



KEY MAP

50' 25' 0 50' 100'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES
PROFESSIONAL ENGINEER - STATE OF NEVADA
No. 21202
Exp. 12-31-21
CIVIL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY LAYOUT PLAN

PROJECT NO. 8494.002


DRAWING **U1.25**

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPhg2\U0125_16R.dwg 12/9/2019 5:09 PM Trevor Shamblin



1 U2.1 ADJUST CLEANOUT TO GRADE


N.T.S.



RUNWAY / TAXIWAY SHOULDER

2 U2.1 UNDERDRAIN RESTORATION


N.T.S.



SECTION VIEW
N.T.S.


3 U2.1 BURIED STRUCTURE MONUMENT

N.T.S.



4 U2.1 PVC DI/JUNCTION BOX CONNECTION

N.T.S.



NOTES

1. DEPTH OF COLLAR SHALL BE CONSISTENT ALL AROUND DRAINAGE INLET AND FLUSH WITH FINISH GRADE.
2. GRATE SHALL BE BOLTED DOWN WITH GRADE 8 HEX HEAD BOLTS WITH LOCK WASHER. ANTI-SIEZE COMPOUND SHALL BE APPLIED TO BOLTS PRIOR TO INSTALLATION.
3. PRECAST DRAINAGE INLET COMPONENTS SHALL CONFORM TO SPECIFICATION D-751 AND SHALL BE AIRCRAFT RATED PER FAA AC150/5320-6E, APPENDIX 3 LOADING REQUIREMENTS.

5 U2.1 48"x60" AIRCRAFT RATED DROP INLET

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: TWS
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


UTILITY DETAILS


PROJECT NO.
8494.002


DRAWING
U2.1

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0201_16R.dwg 12/9/2019 5:09 PM Trevor Shomblin

TYPE 3 ECCENTRIC	
MATERIAL	PIPE SIZE
ROUND RCP	48" MAX.
CONCRETE ARCH P	26-5/8" x 43-3/4" (36" EQV) MAX.
CONCRETE ELLIPTIC	24"x38" (30" ECV) 27"x42" (33"EQV), 29"x45" (36"EQV) MAX.
HDPE	48" MAX.
CMP	48" MAX.









NOTES:

1. DEPTH OF COLLAR SHALL BE CONSISTENT ALL AROUND MANHOLE AND FLUSH WITH FINISH GRADE.
2. JOINTING OF CONCRETE PANELS AROUND MANHOLE MAY BE ADJUSTED BY ENGINEER IN THE FIELD PRIOR TO FINAL JOINT SETUP TO REDUCE PANEL STRESSES. CONTACT ENGINEER 24 HOURS IN ADVANCE OF FINAL JOINTING LAYOUT FOR ENGINEER APPROVAL OF JOINTING AROUND MANHOLES.
3. MANHOLE COVERS SHALL BE BOLTED DOWN WITH GRADE 8 HEX HEAD BOLTS WITH LOCK WASHERS. ANTI-SIEZE COMPOUND SHALL BE APPLIED TO BOLTS PRIOR TO INSTALLATION.
4. PRECAST MANHOLE COMPONENTS SHALL CONFORM TO SPECIFICATION D-751 AND SHALL BE AIRCRAFT RATED PER FAA AC150/5320-6E, APPENDIX 3 LOADING REQUIREMENTS.
5. CONNECT PVC PIPES TO MANHOLES IN ACCORDANCE WITH DETAIL 2/U2.2.

1/U2.2 TYPE 3 ECCENTRIC MANHOLE
N.T.S.


2/U2.2 STORM DRAIN MANHOLE FRAME & COVER
N.T.S.





NOTES:

1. SPACING AS NECESSARY TO ACCOMODATE FLARED END SECTIONS BUT NO LESS THAN 30". REFER TO DETAIL 2/U2.4



3/U2.2 TYPICAL PIPE TRENCH
N.T.S.

4/U2.2 MULTIPLE ELLIPTICAL RCP PIPE TRENCH
N.T.S.

5/U2.2 ELECTRIC VAULT GRADING TRANSITION DETAIL
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY DETAILS


PROJECT NO. 8494.002

DRAWING U2.2

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U02D2_16R.dwg 12/9/2019 5:09 PM Trevor Shamblin



PLAN
N.T.S.




SECTION A
N.T.S.

NOTES:

1. RIP RAP SHALL BE PLACED SUCH THAT THE TOP OF ROCK IS FLUSH WITH THE INVERT ELEVATION OF THE PIPE.
2. TRANSITION END OF RIP RAP APRON TO DOWN STREAM CHANNEL. APRON MAY BE SKEWED AND DIMENSIONS ADJUSTED TO MATCH AND LINE UP WITH DOWN STREAM CHANNEL.

1 / U2.3 HEADWALL RIP RAP APRON
N.T.S.




RIP RAP CLASS	Ⓐ	Ⓑ
CLASS 150	12"	8"
CLASS 300	24"	8"
CLASS 450	36"	10"


NOTES

1. STONE SHALL BE PLACED BY HAND WITH CLOSE JOINT FIRMLY BEDDED INTO THE SLOPE AND AGAINST ADJOINING ROCKS.


2 / U2.3 RIP RAP
N.T.S.



3 / U2.3 ACCESS CONTROL GRATE
N.T.S.



4 / U2.3 RIP RAP DITCH
N.T.S.



NOTES:

1. ALL FABRICATION SHALL BE COMPLETED AND READY FOR ASSEMBLY BEFORE GALVANIZING.
2. THE CORED HOLES IN THE PRECAST CONC. FLARED END SECTIONS SHALL BE TO THE DIAMETERS NOTED. IF CONE-OUT ON THE OTHER END OF THE HOLE OCCURS, THE HOLE SHALL BE FILLED WITH GROUT TO CORRECT DIAMETER OF THE HOLE.

SECTION A
N.T.S.

5 / U2.3 FLARED END SECTION GRATE
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

BRIAN A. MARTINEZMOLES — PROFESSIONAL ENGINEER - STATE OF NEVADA — Exp. 12-31-21 — CIVIL — No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

UTILITY DETAILS


PROJECT NO. 8494.002

DRAWING U2.3

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_OA\Civil\Dwg\2-16R-34L_BidPkg2\U0203_16R.dwg 12/9/2019 5:10 PM Trevor Shomblin



PLAN VIEW
N.T.S.



ELEVATION VIEW
N.T.S.

NOTES:

1. CONCRETE SHALL MEET P-610 REQUIREMENTS.
2. REINFORCING STEEL SHALL BE DEFORMED BARS WITH MAXIMUM SPACING OF 18" SET 2 1/2" CLEAR OF SURFACE OF CONCRETE EXCEPT AS NOTED. BAR ENDS SHALL BE KEPT 1 1/2" CLEAR OF SURFACE OF CONCRETE. REINFORCING BARS MAY BE CUT AND BENT IN FIELD.
3. FOOTINGS SHOWN ARE OF MINIMUM DEPTH AND SHALL BE EXTENDED IF SOIL IS UNSUITABLE OR LIABLE TO SCOUR.


QUANTITIES SHOWN BELOW ARE FOR TWO HEADWALLS

RCP SIZE DIA.	RCP AREA SQ.FT.	SINGLE RCP 0° SKEW	
		CONC. CU. YD.	STEEL LB.
30"	4.91	3.08	117

QUANTITIES SHOWN BELOW ARE FOR ONE HEADWALL


SINGLE RCP			
LENGTH OF REINFORCING BARS			
RCP	0° SKEW		
DIA.	M	K	N
	NO. 4	NO. 4	NO. 5
30"	4@4'-0"	9@4'-6"	2@15'-9"

1 U2.4 RCP HEADWALL
N.T.S.




PLAN
N.T.S.

SECTION B
N.T.S.



RISE - R (INCHES)	SPAN - S (INCHES)	ROUND EQUIVALENT D - (INCHES)
14	23	18
19	30	24
24	38	30
29	45	36



SECTION C
N.T.S.

FLARED END SECTION W/ RIP RAP APRON

NOTES

1. RIP RAP SHALL BE PLACED SUCH THAT THE TOP OF ROCK IS FLUSH WITH THE INVERT ELEVATION OF THE PIPE.
2. TRANSITION END OF RIP RAP APRON TO DOWN STREAM CHANNEL. APRON MAY BE SKEWED AND DIMENSIONS ADJUSTED TO MATCH AND LINE UP WITH DOWN STREAM CHANNEL.

2 U2.4 RIP RAP APRON
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: N/A
DRAWN BY: DAB
DESIGNED BY: MAK, BAM
CHECKED BY: MAC

PROFESSIONAL ENGINEER - STATE OF NEVADA
BRIAN A. MARTINEZMOLES
Exp. 12-31-21
CIVIL
No. 21202

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

UTILITY DETAILS

PROJECT NO. 8494.002

DRAWING U2.4

J:\Jobs\8494_RTIA Runways\RTIA Runway 16R_DA\Civil\Dwg\2-16R-34L_BidPkg2\U0204_16R.dwg 12/9/2019 5:05 PM Trevor Shamblin

ELECTRICAL NOTES (1 OF 2)

1. GENERAL:

   A. EXISTING AIRFIELD LIGHTING SHALL BE KEPT IN OPERATION DURING THE CONSTRUCTION UNLESS OTHERWISE SPECIFIED OR PRIOR APPROVAL.
   B. AS-BUILT INFORMATION
      a. BUTTERFLIES: CONTRACTOR SHALL PROVIDE AS PART OF AS-BUILT INFORMATION, THE SIZE, DEPTH, AND DIMENSION OF EACH HANDHOLE INCLUDING LOCATION AND SIZE OF EACH CONDUIT ENTERING/LEAVING HANDHOLE AS WELL AS ALL CIRCUITS/CABLES INSIDE THE HANDHOLE. ADDITIONALLY, CONTRACTOR SHALL PROVIDE A COLOR PICTURE AND SURVEYED LOCATION OF EACH HANDHOLE ON CADD DRAWING.
      b. SURVEY: CONTRACTOR SHALL PROVIDE SURVEY OF EACH EACH EXISTING OR NEW BASE CAN, HANDHOLE, WINDCONE, PAPI, AND OTHER MATERIAL WHERE WORK HAS BEEN PERFORMED INCLUDING CABLE PULLING. FOR NEW MATERIALS INSTALLED CONTRACTOR SHALL SURVEY THE CENTER OF EACH BASE CAN, THE EDGES OF EACH HANDHOLE, AND THE CONDUIT OR DUCTBANK PATHWAY ON 15' INTERVALS OR WHEREVER THE CONDUIT/DUCTBANK BENDS MORE THAN 10 DEGREES (WHICHEVER IS LESS).
      c. REFER TO BID ITEM L-128-1 FOR ADDITIONAL INFORMATION.
   C. SALVAGED EQUIPMENT:
      a. LIGHTS, COVER PLATES, AND SIGNS: CONTRACTOR SHALL PALLETIZE ALL LIGHTS BY PUTTING THEM IN A PLASTIC CYLINDER TUBE AND CAREFULLY ROLLING UP THE SECONDARY WIRES. PALLETS SHALL BE NO MORE THAN 4' BY 4' AND 4' HIGH. COORDINATE WITH RENO CONSTRUCTION MANAGER FOR DELIVERY LOCATION.
      b. TRANSFORMERS AND CABLE: COORDINATE WITH RENO CONSTRUCTION MANAGER TO SALVAGE REQUIRED PARTS AND DELIVER TO THE AIRPORT.

2. NOTES FOR TEMPORARY ELECTRICAL WORK:

   A. ALL RUNWAY AND TAXIWAY LIGHTING, INCLUDING LIGHTED SIGNS, SHALL BE MAINTAINED UNLESS OTHERWISE APPROVED BY THE ENGINEER.
   B. TEMPORARY CABLING MAY BE USED TO MAINTAIN CIRCUIT CONTINUITY, IN ACCORDANCE WITH SPECIFICATIONS. TEMPORARY CABLE INSTALLED ABOVE GROUND SHALL BE IN RIGID CONDUIT, FASTENED TO PAVEMENT AT MAXIMUM 10' SPACING. CABLE ACROSS SURFACES SHALL BE PLACED BEHIND BARRICADES USED TO CLOSE PORTIONS OF TAXIWAYS OR OTHER SURFACES.
   C. TEMPORARY CABLE CONNECTIONS SHALL BE MADE AT LIGHT BASES OR HANDHOLES AS REQUIRED BY A PARTICULAR CONSTRUCTION PHASE OR SEQUENCE. THE PLAN FOR TEMPORARY CONNECTIONS SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL PRIOR TO INTERRUPTING A LIGHTING CIRCUIT OR POWER SERVICE. ALL CONNECTIONS FOR AIRFIELD LIGHTING CIRCUITS SHALL BE MADE WITH APPROPRIATE SIZE L-823 CONNECTORS.
   D. CONTRACTOR SHALL CONFIGURE TEMPORARY MODIFICATIONS TO AIRFIELD LIGHTING CIRCUITS AND POWER FEEDERS AS REQUIRED BY THEIR WORK AREA AND FOR MAINTAINING LIGHTING FOR ACTIVE SURFACES AND POWER TO FACILITIES.
      a. IDENTIFY THE CABLE FOR THE CIRCUIT TO BE MODIFIED IN A NEARBY LIGHT BASE, JUNCTION BOX, OR HANDHOLE.
      b. SUBMIT A SKETCH FOR EACH PROPOSED TEMPORARY MODIFICATION OR CIRCUIT RECONFIGURATION FOR ENGINEER APPROVAL PRIOR TO MODIFYING A CIRCUIT.
      c. TEST TO VERIFY THAT EACH TEMPORARY MODIFICATION IS AS INTENDED. CONTRACTOR SHALL CARRY WITH HIM APPROPRIATE CABLE, CONNECTORS, AND OTHER ITEMS NEEDED TO COMPLETE THE MODIFICATION AND TO MAKE ANY REPAIRS REQUIRED BY HIS ACTION.
   E. IN TRANSITIONING FROM ONE AREA OF WORK TO THE NEXT, TEMPORARY CIRCUIT CONNECTIONS SHALL BE REMOVED IF NO LONGER REQUIRED, CIRCUITS SHALL BE RESTORED IN ACCORDANCE WITH REQUIREMENTS FOR THE NEXT PHASE OR FOR PERMANENT INSTALLATION, AS APPROPRIATE.
   F. TEMPORARY ELECTRICAL WORK FOR MAINTAINING AIRFIELD LIGHTING CIRCUITS AND POWER SERVICE DURING CONSTRUCTION SHALL BE INCIDENTAL TO CONSTRUCTION WITH NO SEPARATE PAYMENT. CONTRACTOR SHALL DE-ENERGIZING LIGHTS TEMPORARILY BY DISCONNECTING THE TRANSFORMER ON THE PRIMARY SIDE AND PROVIDING TEMPORARY SPLICE CONNECTIONS TO ENSURE HOME-RUN CABLE CONTINUITY. CONTRACTOR SHALL NOT DE-ENERGIZE THE LIGHT BY DISCONNECTING THE FIXTURE ON THE SECONDARY SIDE WHILE THE PRIMARY IS CONNECTED.
   G. COORDINATE WITH AIRPORT MAINTENANCE AND OPERATIONS PERSONNEL TO VERIFY PROPER OPERATION OF AIRFIELD LIGHTING CIRCUITS AT THE END OF EACH DAYLIGHT SHIFT.
   H. CONTRACTOR SHALL MAINTAIN ON HAND SUFFICIENT MATERIAL AND EQUIPMENT REQUIRED TO PROVIDE TEMPORARY LIGHTING AND CIRCUIT EXTENSIONS. MATERIAL AND EQUIPMENT SHALL INCLUDE, BUT NOT BE LIMITED TO, FIXTURES, TRANSFORMERS, BASES, CONDUIT, L-824 CABLE AND L-823 SPLICE KITS. THESE ITEMS WILL NOT BE AVAILABLE FROM THE AIRPORT MAINTENANCE SHOP.
   I. LABEL AND TAG TEMPORARY CABLE.

3. DUCTBANK AND CONDUIT:

   A. TRENCHES SHALL NOT BE LEFT OPEN WHEN A TAXIWAY IS OPERATIONAL, AND CONDUCTOR ENDS SHALL NOT REMAIN EXPOSED TO THE WEATHER.
   B. ANY UNPROTECTED CABLE (DIRECT-BURIED) ENCOUNTERED THAT IS VERIFIED AS NOT ABANDONED IN PLACE SHALL BE PLACED IN SPLIT DUCT OF APPROPRIATE SIZE AND CONCRETE-ENCASED FOR ITS UNPROTECTED LENGTH THROUGH THE AREA OF CONSTRUCTION. CONTRACTOR SHALL TAKE ALL REASONABLE MEASURES TO AVOID HAVING TO CUT AND SPLICE DIRECT-BURIED CABLE. BE SURE TO NOTE SPLIT DUCT PORTIONS ON AS-BUILTS.
   C. MINIMUM CONDUIT SIZE FOR RACEWAYS TO BE 2" RGS UNLESS OTHERWISE NOTED.
   D. CONDUIT SYSTEMS UNLESS OTHERWISE NOTED SHALL BE:
      a. ALL UNDERGROUND CONDUITS TO BE SCHED 40 PVC.
      b. ALL CONTROL AND POWER CONDUITS INSIDE THE VAULTS TO BE GALVANIZED RIGID STEEL CONDUIT JOINED AND TERMINATED WITH THREADED TYPE STEEL FITTINGS. OUTLET BOXES TO BE CAST.
      c. ALL FLEX CONDUIT SHALL BE LIQUID TIGHT METALLIC UL-RATED WITH SUITABLE FITTINGS.
      d. ALL EMPTY CONDUITS SHALL BE PROVIDED WITH PULL STRING.
      e. PVC CONDUIT SHALL NOT BE USED FOR ANY EXPOSED APPLICATION.
      f. CONNECTIONS TO THE WIREWAYS FROM CCRS AND CIRCUIT SELECTOR SWITCHES TO BE LIQUID TIGHT FLEXIBLE METAL CONDUIT.
   E. CONTRACTOR SHALL FURNISH AND INSTALL A NEW 3/8" PULL ROPE IN EACH SPARE CONDUIT.
   F. END OF ALL ABANDONED CONDUIT AND/OR DUCTBANK SHALL BE PLUGGED.
   ⚠1 G. ALL DUCTBANK & CONDUIT SWEAPS SHALL BE A MIN OF 48".

4. UTILITY NOTES:

   A. THE LOCATIONS OF UNDERGROUND UTILITIES, CABLES, DUCTS, CONDUITS, ETC. AS INDICATED ON PLANS HAVE BEEN OBTAINED FROM EXISTING RECORDS AND ARE APPROXIMATE. NEITHER THE AIRPORT NOR THE ARCHITECT/ENGINEER ASSUMES ANY RESPONSIBILITY WHATEVER IN RESPECT TO THE ACCURACY, COMPLETENESS, OR SUFFICIENCY OF THE INFORMATION SHOWN. THERE IS NO GUARANTEE, EITHER EXPRESSED OR IMPLIED, THAT THE LOCATIONS, SIZE AND TYPE OF MATERIALS OF EXISTING UNDERGROUND UTILITIES INDICATED ARE REPRESENTATIVE OF THOSE TO BE ENCOUNTERED IN THE CONSTRUCTION. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE ACTUAL LOCATION OF ALL SUCH FACILITIES, INCLUDING SERVICE CONNECTIONS TO UNDERGROUND UTILITIES. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF HIS OPERATIONAL PLANS. IN THE EVENT AN UNEXPECTED UTILITY INTERFERENCE IS ENCOUNTERED DURING CONSTRUCTION, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER. ANY SUCH MAINS AND/OR SERVICES DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED IMMEDIATELY AT THEIR EXPENSE.
   B. THE CONTRACTOR SHALL USE HAND EXCAVATION TO PROVIDE INVESTIGATIVE PITS TO IDENTIFY LOCATION OF EXISTING UTILITIES PRIOR TO ANY OTHER EXCAVATION ACTIVES.
   C. THE CONTRACTOR SHALL EXERCISE CAUTION AND USE HAND EXCAVATION FOR ANY EXCAVATION IN THE VINICITY OF EXISTING INSTALLATIONS. ANY DAMAGE SHALL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE AIRPORT.
   D. DISTURBED AREAS OUTSIDE OF PAVEMENT AREAS SHALL BE RESTORED PER CIVIL SPEC AND AS DIRECTED BY AIRPORT ENGINEER.

5. MANHOLE/ HANDHOLE/ JUNCTION CAN:

   A. FOR MANHOLES AND HANDHOLES ENTERED FOR WORK; PUMP OUT ALL WATER, CLEAN BOTTOM OF DEBRIS UTILIZING A VACUUM TRUCK AND POWER WASH THE WALLS. REPAIR ALL CHIPS AND CRACKS IN THE WALL AND REPLACE DAMAGED CABLE RACKS.
   B. VERIFY ALL GROUND CONNECTIONS IN MANHOLE/HANDHOLE.
   C. ALL MANHOLES AND HANDHOLES ENTERED UNDER THIS WORK SHALL BE PHOTOGRAPHED PRIOR TO RECONFIGURATION AND AFTER RECONFIGURATION. ALL NEW MANHOLES AND HANDHOLES SHALL BE PHOTOGRAPHED AFTER ALL CIRCUITS HAVE BEEN PULLED.
   D. FOR MANHOLES, EACH WALL, FLOOR AND CEILING SHALL BE INDIVIDUALLY PHOTOGRAPHED WITH IDENTIFICATION OF THE NORTH, SOUTH, EAST AND WEST WALLS.
   E. AFTER RECONFIGURATION OF EXISTING MANHOLES AND HANDHOLES PROVIDE BUTTERFLY TYPE DETAILS OF EACH INDICATING CONDUIT ENTRANCES AND CABLES INSTALLED IN EACH RESPECTIVE CONDUIT.
   F. LIGHTING CIRCUITS, HOME RUN CABLES AND POWER SERVICE CABLES SHALL BE MARKED AND IDENTIFIED AT ALL POINTS ACCESSIBLE TO THESE CIRCUITS. LOCATIONS WHERE THIS IS NECESSARY ARE MANHOLES AND HANDHOLES, ENTRANCES INTO DUCTS, AND CONNECTIONS TO EVERY LIGHT FIXTURE. THE MARKING SHALL BE PERMANENT AND OF MATERIAL WHICH WILL NOT DETERIORATE DURING THE LIFE OF THE CABLE. THE MARKERS SHALL BE PERMANENTLY ATTACHED TO THE CABLE AND SHOULD NOT DAMAGE OR BE TORN FROM THE CABLE.

6. EXISTING CABLES/ DUCTBANK

   A. LOCATION SHOWN FOR EXISTING CABLES/DUCT IS APPROXIMATE. THE CONTRACTOR SHALL EXERCISE CAUTION AND USE HAND EXCAVATION FOR ANY EXCAVATION IN THE VICINITY OF EXISTING INSTALLATIONS. ANY DAMAGE SHALL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE AIRPORT. DISTURBED AREAS OUTSIDE PAVEMENT AREAS SHALL BE RESTORED TO ORIGINAL SURFACE ELEVATION, & CRUSHED ROCK TOP MATERIAL.
   B. EXISTING DUCTBANKS THAT CALL TO BE REUSED SHALL BE MANDRELED TO VERIFY THAT THERE ARE NO OBSTRUCTIONS OR DAMAGED CONDUIT PRIOR TO CABLE INSTALLATION.

7. GROUND WIRE:

   A. IN A SINGLE CONDUIT: CONTRACTOR SHALL INSTALL NEW GROUND WIRE 600V, #6 GREEN IN ALL 2" CONDUITS BETWEEN BASE CANS AND HANDHOLES WHERE NEW CABLE IS INSTALLED. INSTALL ONE GROUND WIRE PER EACH CONDUIT.
   B. IN A DUCTBANK: CONTRACTOR SHALL INSTALL A NEW #6, 600V GREEN GROUND WIRE IN THE LOWEST CONDUIT IN EACH DUCTBANK WHERE NEW CABLE IS INSTALLED. FOR EXAMPLE, IF NEW CABLE IS INSTALLED IN A 2W-3"C, CONTRACTOR SHALL INSTALL ONE GROUND WIRE IN THE LOWEST CONDUIT IN ONE OF THE 2 WAY CONDUITS. ONLY ONE GROUND WIRE IS REQUIRED IN EACH DUCTBANK.
   C. GROUND WIRE IS NOT SHOWN ON THE AREA PLANS BUT IS ACCOUNTED FOR IN THE BID SCHEDULE.
   D. CONTRACTOR SHALL INSTALL NEW GROUND PLATE AND GROUND ROD AT EACH EXISTING OR ADJUSTED HANDHOLE/MANHOLE WHERE NEW CABLE IS INSTALLED. COST FOR THIS WORK SHALL BE INCIDENTAL TO CONTRACTOR.

8. REINSTALLATION OF EXISTING EQUIPMENT:

   A. CONTRACTOR SHALL PERFORM A FIELD SURVEY WITH THE ENGINEER TO RECORD AND DOCUMENT ANY DEFICIENCIES TO THE LIGHTS, SIGNS, LIGHT BASES, TRANSFORMERS AND ALL OTHER EQUIPMENT IMPACTED BY THE PROJECT. THE CONTRACTOR SHALL RECORD THE EQUIPMENT LOCATION AND ANY IDENTIFICATION NUMBER ON A SET OF DRAWINGS, PROVIDE A DESCRIPTION OF THE DEFICIENCY AND TAKE PHOTOGRAPHS OF THE DEFICIENCY. THE CONTRACTOR SHALL SUBMIT THIS INFORMATION IN THE FORM OF A SHOP DRAWING TO THE ENGINEER FOR REVIEW. THE CONTRACTOR SHALL NOT RELOCATE OR REMOVE ANY EQUIPMENT PRIOR TO THE SUBMISSION AND APPROVAL OF THE SHOP DRAWING. IF THE ORIGINAL SURVEY DOES NOT YIELD ANY DEFICIENCIES THE CONTRACTOR SHALL SUBMIT A LETTER INDICATING FINDINGS AS THE SHOP DRAWING.
   ⚠1 B. FOR RGL'S RECORD AZIMUTH & LOCATION AND INSTALL IN SAME LOCATION AND ALIGNMENT.
   C. FOR REINSTALLED LIGHTS, CONTRACTOR SHALL INSTALL NEW STAINLESS STEEL BOLTS & WASHERS. DO NOT REUSE BOLTS OR WASHERS.

9. REMOVAL OF EXISTING STRUCTURES

CONDUIT REMOVAL:
   A. FOR CONDUIT REMOVAL IN NON-PAVED AREA: BACKFILL WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER. FILL TO 98% AS REQUIRED.
   B. FOR CONDUIT REMOVAL IN ASPHALT PAVEMENT, FILL WITH CLSM TO 4" BELOW PAVEMENT AND PATCH WITH ASPHALT PAVMENT AS REQUIRED.
   C. FOR AREAS OF NON-PAVED EARTH WITH GRAVEL ROCK, CONTRACTOR SHALL REINSTALL GRAVEL ROCK BACK TO MATCH EXISTING CONDITIONS.

BASECAN OR OTHER ELECTRICAL STRUCTURES REMOVAL:
   A. FOR BASECAN IN EXISTING AC SHOULDERS THAT WILL BE REMOVED, CONTRACTOR SHALL BACKFILL & COMPACT WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
   B. FOR BASECAN REMOVAL IN NON-PAVED EARTH, BACKFILL TO GRADE WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER.
   C. FOR AREAS OF NON-PAVED EARTH WITH GRAVEL ROCK, CONTRACTOR SHALL REINSTALL GRAVEL ROCK BACK TO MATCH EXISTING CONDITIONS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
⚠2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

STATE OF NEVADA — REGISTERED ENGINEER — No. 027149 — DOUGLAS R. LEAN — 12/11/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

ELECTRICAL GENERAL NOTES 1

PROJECT NO. 8494.002

DRAWING E0.01

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E0001 GN & Abbrev 16R.dwg 1/10/2020 11:23 AM LEAN

ELECTRICAL NOTES (1 OF 2)

1. GENERAL:

   A. EXISTING AIRFIELD LIGHTING SHALL BE KEPT IN OPERATION DURING THE CONSTRUCTION UNLESS OTHERWISE SPECIFIED OR PRIOR APPROVAL.
   B. AS-BUILT INFORMATION
      a. BUTTERFLIES: CONTRACTOR SHALL PROVIDE AS PART OF AS-BUILT INFORMATION, THE SIZE, DEPTH, AND DIMENSION OF EACH HANDHOLE INCLUDING LOCATION AND SIZE OF EACH CONDUIT ENTERING/LEAVING HANDHOLE AS WELL AS ALL CIRCUITS/CABLES INSIDE THE HANDHOLE. ADDITIONALLY, CONTRACTOR SHALL PROVIDE A COLOR PICTURE AND SURVEYED LOCATION OF EACH HANDHOLE ON CADD DRAWING.
      b. SURVEY: CONTRACTOR SHALL PROVIDE SURVEY OF EACH EACH EXISTING OR NEW BASE CAN, HANDHOLE, WINDCONE, PAPI, AND OTHER MATERIAL WHERE WORK HAS BEEN PERFORMED INCLUDING CABLE PULLING. FOR NEW MATERIALS INSTALLED CONTRACTOR SHALL SURVEY THE CENTER OF EACH BASE CAN, THE EDGES OF EACH HANDHOLE, AND THE CONDUIT OR DUCTBANK PATHWAY ON 15' INTERVALS OR WHEREVER THE CONDUIT/DUCTBANK BENDS MORE THAN 10 DEGREES (WHICHEVER IS LESS).
      c. REFER TO BID ITEM L-128-1 FOR ADDITIONAL INFORMATION.
   C. SALVAGED EQUIPMENT:
      a. LIGHTS, COVER PLATES, AND SIGNS: CONTRACTOR SHALL PALLETIZE ALL LIGHTS BY PUTTING THEM IN A PLASTIC CYLINDER TUBE AND CAREFULLY ROLLING UP THE SECONDARY WIRES. PALLETS SHALL BE NO MORE THAN 4' BY 4' AND 4' HIGH. COORDINATE WITH RENO CONSTRUCTION MANAGER FOR DELIVERY LOCATION.
      b. TRANSFORMERS AND CABLE: COORDINATE WITH RENO CONSTRUCTION MANAGER TO SALVAGE REQUIRED PARTS AND DELIVER TO THE AIRPORT.

2. NOTES FOR TEMPORARY ELECTRICAL WORK:

   A. ALL RUNWAY AND TAXIWAY LIGHTING, INCLUDING LIGHTED SIGNS, SHALL BE MAINTAINED UNLESS OTHERWISE APPROVED BY THE ENGINEER.
   B. TEMPORARY CABLING MAY BE USED TO MAINTAIN CIRCUIT CONTINUITY, IN ACCORDANCE WITH SPECIFICATIONS. TEMPORARY CABLE INSTALLED ABOVE GROUND SHALL BE IN RIGID CONDUIT, FASTENED TO PAVEMENT AT MAXIMUM 10' SPACING. CABLE ACROSS SURFACES SHALL BE PLACED BEHIND BARRICADES USED TO CLOSE PORTIONS OF TAXIWAYS OR OTHER SURFACES.
   C. TEMPORARY CABLE CONNECTIONS SHALL BE MADE AT LIGHT BASES OR HANDHOLES AS REQUIRED BY A PARTICULAR CONSTRUCTION PHASE OR SEQUENCE. THE PLAN FOR TEMPORARY CONNECTIONS SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL PRIOR TO INTERRUPTING A LIGHTING CIRCUIT OR POWER SERVICE. ALL CONNECTIONS FOR AIRFIELD LIGHTING CIRCUITS SHALL BE MADE WITH APPROPRIATE SIZE L-823 CONNECTORS.
   D. CONTRACTOR SHALL CONFIGURE TEMPORARY MODIFICATIONS TO AIRFIELD LIGHTING CIRCUITS AND POWER FEEDERS AS REQUIRED BY THEIR WORK AREA AND FOR MAINTAINING LIGHTING FOR ACTIVE SURFACES AND POWER TO FACILITIES.
      a. IDENTIFY THE CABLE FOR THE CIRCUIT TO BE MODIFIED IN A NEARBY LIGHT BASE, JUNCTION BOX, OR HANDHOLE.
      b. SUBMIT A SKETCH FOR EACH PROPOSED TEMPORARY MODIFICATION OR CIRCUIT RECONFIGURATION FOR ENGINEER APPROVAL PRIOR TO MODIFYING A CIRCUIT.
      c. TEST TO VERIFY THAT EACH TEMPORARY MODIFICATION IS AS INTENDED. CONTRACTOR SHALL CARRY WITH HIM APPROPRIATE CABLE, CONNECTORS, AND OTHER ITEMS NEEDED TO COMPLETE THE MODIFICATION AND TO MAKE ANY REPAIRS REQUIRED BY HIS ACTION.
   E. IN TRANSITIONING FROM ONE AREA OF WORK TO THE NEXT, TEMPORARY CIRCUIT CONNECTIONS SHALL BE REMOVED IF NO LONGER REQUIRED, CIRCUITS SHALL BE RESTORED IN ACCORDANCE WITH REQUIREMENTS FOR THE NEXT PHASE OR FOR PERMANENT INSTALLATION, AS APPROPRIATE.
   F. TEMPORARY ELECTRICAL WORK FOR MAINTAINING AIRFIELD LIGHTING CIRCUITS AND POWER SERVICE DURING CONSTRUCTION SHALL BE INCIDENTAL TO CONSTRUCTION WITH NO SEPARATE PAYMENT. CONTRACTOR SHALL DE-ENERGIZING LIGHTS TEMPORARILY BY DISCONNECTING THE TRANSFORMER ON THE PRIMARY SIDE AND PROVIDING TEMPORARY SPLICE CONNECTIONS TO ENSURE HOME-RUN CABLE CONTINUITY. CONTRACTOR SHALL NOT DE-ENERGIZE THE LIGHT BY DISCONNECTING THE FIXTURE ON THE SECONDARY SIDE WHILE THE PRIMARY IS CONNECTED.
   G. COORDINATE WITH AIRPORT MAINTENANCE AND OPERATIONS PERSONNEL TO VERIFY PROPER OPERATION OF AIRFIELD LIGHTING CIRCUITS AT THE END OF EACH DAYLIGHT SHIFT.
   H. CONTRACTOR SHALL MAINTAIN ON HAND SUFFICIENT MATERIAL AND EQUIPMENT REQUIRED TO PROVIDE TEMPORARY LIGHTING AND CIRCUIT EXTENSIONS. MATERIAL AND EQUIPMENT SHALL INCLUDE, BUT NOT BE LIMITED TO, FIXTURES, TRANSFORMERS, BASES, CONDUIT, L-824 CABLE AND L-823 SPLICE KITS. THESE ITEMS WILL NOT BE AVAILABLE FROM THE AIRPORT MAINTENANCE SHOP.
   I. LABEL AND TAG TEMPORARY CABLE.

3. DUCTBANK AND CONDUIT:

   A. TRENCHES SHALL NOT BE LEFT OPEN WHEN A TAXIWAY IS OPERATIONAL, AND CONDUCTOR ENDS SHALL NOT REMAIN EXPOSED TO THE WEATHER.
   B. ANY UNPROTECTED CABLE (DIRECT-BURIED) ENCOUNTERED THAT IS VERIFIED AS NOT ABANDONED IN PLACE SHALL BE PLACED IN SPLIT DUCT OF APPROPRIATE SIZE AND CONCRETE-ENCASED FOR ITS UNPROTECTED LENGTH THROUGH THE AREA OF CONSTRUCTION. CONTRACTOR SHALL TAKE ALL REASONABLE MEASURES TO AVOID HAVING TO CUT AND SPLICE DIRECT-BURIED CABLE. BE SURE TO NOTE SPLIT DUCT PORTIONS ON AS-BUILTS.
   C. MINIMUM CONDUIT SIZE FOR RACEWAYS TO BE 2" RGS UNLESS OTHERWISE NOTED.
   D. CONDUIT SYSTEMS UNLESS OTHERWISE NOTED SHALL BE:
      a. ALL UNDERGROUND CONDUITS TO BE SCHED 40 PVC.
      b. ALL CONTROL AND POWER CONDUITS INSIDE THE VAULTS TO BE GALVANIZED RIGID STEEL CONDUIT JOINED AND TERMINATED WITH THREADED TYPE STEEL FITTINGS. OUTLET BOXES TO BE CAST.
      c. ALL FLEX CONDUIT SHALL BE LIQUID TIGHT METALLIC UL-RATED WITH SUITABLE FITTINGS.
      d. ALL EMPTY CONDUITS SHALL BE PROVIDED WITH PULL STRING.
      e. PVC CONDUIT SHALL NOT BE USED FOR ANY EXPOSED APPLICATION.
      f. CONNECTIONS TO THE WIREWAYS FROM CCRS AND CIRCUIT SELECTOR SWITCHES TO BE LIQUID TIGHT FLEXIBLE METAL CONDUIT.
   E. CONTRACTOR SHALL FURNISH AND INSTALL A NEW 3/8" PULL ROPE IN EACH SPARE CONDUIT.
   F. END OF ALL ABANDONED CONDUIT AND/OR DUCTBANK SHALL BE PLUGGED.

4. UTILITY NOTES:

   A. THE LOCATIONS OF UNDERGROUND UTILITIES, CABLES, DUCTS, CONDUITS, ETC. AS INDICATED ON PLANS HAVE BEEN OBTAINED FROM EXISTING RECORDS AND ARE APPROXIMATE. NEITHER THE AIRPORT NOR THE ARCHITECT/ENGINEER ASSUMES ANY RESPONSIBILITY WHATEVER IN RESPECT TO THE ACCURACY, COMPLETENESS, OR SUFFICIENCY OF THE INFORMATION SHOWN. THERE IS NO GUARANTEE, EITHER EXPRESSED OR IMPLIED, THAT THE LOCATIONS, SIZE AND TYPE OF MATERIALS OF EXISTING UNDERGROUND UTILITIES INDICATED ARE REPRESENTATIVE OF THOSE TO BE ENCOUNTERED IN THE CONSTRUCTION. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE ACTUAL LOCATION OF ALL SUCH FACILITIES, INCLUDING SERVICE CONNECTIONS TO UNDERGROUND UTILITIES. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF HIS OPERATIONAL PLANS. IN THE EVENT AN UNEXPECTED UTILITY INTERFERENCE IS ENCOUNTERED DURING CONSTRUCTION, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER. ANY SUCH MAINS AND/OR SERVICES DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED IMMEDIATELY AT THEIR EXPENSE.
   B. THE CONTRACTOR SHALL USE HAND EXCAVATION TO PROVIDE INVESTIGATIVE PITS TO IDENTIFY LOCATION OF EXISTING UTILITIES PRIOR TO ANY OTHER EXCAVATION ACTIVES.
   C. THE CONTRACTOR SHALL EXERCISE CAUTION AND USE HAND EXCAVATION FOR ANY EXCAVATION IN THE VINICITY OF EXISTING INSTALLATIONS. ANY DAMAGE SHALL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE AIRPORT.
   D. DISTURBED AREAS OUTSIDE OF PAVEMENT AREAS SHALL BE RESTORED PER CIVIL SPEC AND AS DIRECTED BY AIRPORT ENGINEER.

5. MANHOLE/ HANDHOLE/ JUNCTION CAN:

   A. FOR MANHOLES AND HANDHOLES ENTERED FOR WORK; PUMP OUT ALL WATER, CLEAN BOTTOM OF DEBRIS UTILIZING A VACUUM TRUCK AND POWER WASH THE WALLS. REPAIR ALL CHIPS AND CRACKS IN THE WALL AND REPLACE DAMAGED CABLE RACKS.
   B. VERIFY ALL GROUND CONNECTIONS IN MANHOLE/HANDHOLE.
   C. ALL MANHOLES AND HANDHOLES ENTERED UNDER THIS WORK SHALL BE PHOTOGRAPHED PRIOR TO RECONFIGURATION AND AFTER RECONFIGURATION. ALL NEW MANHOLES AND HANDHOLES SHALL BE PHOTOGRAPHED AFTER ALL CIRCUITS HAVE BEEN PULLED.
   D. FOR MANHOLES, EACH WALL, FLOOR AND CEILING SHALL BE INDIVIDUALLY PHOTOGRAPHED WITH IDENTIFICATION OF THE NORTH, SOUTH, EAST AND WEST WALLS.
   E. AFTER RECONFIGURATION OF EXISTING MANHOLES AND HANDHOLES PROVIDE BUTTERFLY TYPE DETAILS OF EACH INDICATING CONDUIT ENTRANCES AND CABLES INSTALLED IN EACH RESPECTIVE CONDUIT.
   F. LIGHTING CIRCUITS, HOME RUN CABLES AND POWER SERVICE CABLES SHALL BE MARKED AND IDENTIFIED AT ALL POINTS ACCESSIBLE TO THESE CIRCUITS. LOCATIONS WHERE THIS IS NECESSARY ARE MANHOLES AND HANDHOLES, ENTRANCES INTO DUCTS, AND CONNECTIONS TO EVERY LIGHT FIXTURE. THE MARKING SHALL BE PERMANENT AND OF MATERIAL WHICH WILL NOT DETERIORATE DURING THE LIFE OF THE CABLE. THE MARKERS SHALL BE PERMANENTLY ATTACHED TO THE CABLE AND SHOULD NOT DAMAGE OR BE TORN FROM THE CABLE.

6. EXISTING CABLES/ DUCTBANK

   A. LOCATION SHOWN FOR EXISTING CABLES/DUCT IS APPROXIMATE. THE CONTRACTOR SHALL EXERCISE CAUTION AND USE HAND EXCAVATION FOR ANY EXCAVATION IN THE VICINITY OF EXISTING INSTALLATIONS. ANY DAMAGE SHALL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE AIRPORT. DISTURBED AREAS OUTSIDE PAVEMENT AREAS SHALL BE RESTORED TO ORIGINAL SURFACE ELEVATION, & CRUSHED ROCK TOP MATERIAL.
   B. EXISTING DUCTBANKS THAT CALL TO BE REUSED SHALL BE MANDRELED TO VERIFY THAT THERE ARE NO OBSTRUCTIONS OR DAMAGED CONDUIT PRIOR TO CABLE INSTALLATION.

7. GROUND WIRE:

   A. IN A SINGLE CONDUIT: CONTRACTOR SHALL INSTALL NEW GROUND WIRE 600V, #6 GREEN IN ALL 2" CONDUITS BETWEEN BASE CANS AND HANDHOLES WHERE NEW CABLE IS INSTALLED. INSTALL ONE GROUND WIRE PER EACH CONDUIT.
   B. IN A DUCTBANK: CONTRACTOR SHALL INSTALL A NEW #6, 600V GREEN GROUND WIRE IN THE LOWEST CONDUIT IN EACH DUCTBANK WHERE NEW CABLE IS INSTALLED. FOR EXAMPLE, IF NEW CABLE IS INSTALLED IN A 2W-3"C, CONTRACTOR SHALL INSTALL ONE GROUND WIRE IN THE LOWEST CONDUIT IN ONE OF THE 2 WAY CONDUITS. ONLY ONE GROUND WIRE IS REQUIRED IN EACH DUCTBANK.
   C. GROUND WIRE IS NOT SHOWN ON THE AREA PLANS BUT IS ACCOUNTED FOR IN THE BID SCHEDULE.
   D. CONTRACTOR SHALL INSTALL NEW GROUND PLATE AND GROUND ROD AT EACH EXISTING OR ADJUSTED HANDHOLE/MANHOLE WHERE NEW CABLE IS INSTALLED. COST FOR THIS WORK SHALL BE INCIDENTAL TO CONTRACTOR.

8. REINSTALLATION OF EXISTING EQUIPMENT:

   A. CONTRACTOR SHALL PERFORM A FIELD SURVEY WITH THE ENGINEER TO RECORD AND DOCUMENT ANY DEFICIENCIES TO THE LIGHTS, SIGNS, LIGHT BASES, TRANSFORMERS AND ALL OTHER EQUIPMENT IMPACTED BY THE PROJECT. THE CONTRACTOR SHALL RECORD THE EQUIPMENT LOCATION AND ANY IDENTIFICATION NUMBER ON A SET OF DRAWINGS, PROVIDE A DESCRIPTION OF THE DEFICIENCY AND TAKE PHOTOGRAPHS OF THE DEFICIENCY. THE CONTRACTOR SHALL SUBMIT THIS INFORMATION IN THE FORM OF A SHOP DRAWING TO THE ENGINEER FOR REVIEW. THE CONTRACTOR SHALL NOT RELOCATE OR REMOVE ANY EQUIPMENT PRIOR TO THE SUBMISSION AND APPROVAL OF THE SHOP DRAWING. IF THE ORIGINAL SURVEY DOES NOT YIELD ANY DEFICIENCIES THE CONTRACTOR SHALL SUBMIT A LETTER INDICATING FINDINGS AS THE SHOP DRAWING.
   B. FOR RGL'S RECORD AZIMUTH & LOCATION AND INSTALL IN SAME LOCATION AND ALIGNMENT.

9. REMOVAL OF EXISTING STRUCTURES

CONDUIT REMOVAL:
   A. FOR CONDUIT REMOVAL IN NON-PAVED AREA: BACKFILL WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER. FILL TO 98% AS REQUIRED.
   B. FOR CONDUIT REMOVAL IN ASPHALT PAVEMENT, FILL WITH CLSM TO 4" BELOW PAVEMENT AND PATCH WITH ASPHALT PAVMENT AS REQUIRED.
   C. FOR AREAS OF NON-PAVED EARTH WITH GRAVEL ROCK, CONTRACTOR SHALL REINSTALL GRAVEL ROCK BACK TO MATCH EXISTING CONDITIONS.

BASECAN OR OTHER ELECTRICAL STRUCTURES REMOVAL:
   A. FOR BASECAN IN EXISTING AC SHOULDERS THAT WILL BE REMOVED, CONTRACTOR SHALL BACKFILL & COMPACT WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
   B. FOR BASECAN REMOVAL IN NON-PAVED EARTH, BACKFILL TO GRADE WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER.
   C. FOR AREAS OF NON-PAVED EARTH WITH GRAVEL ROCK, CONTRACTOR SHALL REINSTALL GRAVEL ROCK BACK TO MATCH EXISTING CONDITIONS.

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION

ELECTRICAL GENERAL NOTES 1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E0.01

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E001 GN & Abbrev 16R.dwg 12/9/2019 6:03 PM LEAN

ELECTRICAL NOTES (2 OF 2)

10. THE CONTRACTOR SHALL STAKE OUT THE ROUTE FOR NEW CONDUITS AND OBTAIN ENGINEER APPROVAL BEFORE STARTING THE TRENCHING AT EACH SITE.

11. ALL THREADED COMPONENTS SUCH AS BOLTS/COUPLINGS SHALL BE COATED WITH ANTI-SEIZE DURING ASSEMBLY AND INSTALLATION.

12. CABLE INSTALLATION NOTES:

A. CLEANING CONDUIT:
PRIOR TO THE INSTALLATION OF NEW CABLE THE EXISTING DUCT/CONDUIT SHALL BE CLEANED. THE EMPTY DUCT SHALL BE CLEANED IN THE FOLLOWING STEPS:
   a. A CONE SHAPE STEEL WIRE BRUSH SHALL BE PULLED THROUGH THE DUCT/CONDUIT FIRST TO LOOSEN UP SCALE BUILD UP AND DIRT.
   b. VARIOUS SIZED MANDRELS ATTACHED TO A PULL CHAIN SHALL THEN BE PULLED THROUGH THE DUCT/CONDUIT TO REMOVE DEBRIS.
   c. THE FINAL CLEANING SHALL CONSIST OF A CLEAN RAG PULLED THROUGH THE DUCT/CONDUIT. THE THREE STEPS MAY HAVE TO BE REPEATED ON A DUCT DEPENDING ON ITS CONDITION.
   d. WHEREVER NEW CABLE IS INSTALLED, PROVIDE 3' (AS MEASURED FROM PAVEMENT GRADE) SLACK IN CAN FOR THE CABLE PROVIDING POWER TO THE LIGHT FIXTURE & HOME-RUN CABLE.
   e. WHEREVER NEW CABLE IS INSTALLED IN MANHOLE/HANDHOLE PROVIDE ONE LOOP OF SLACK IN ONE OF THE CABLES. CONTRACTOR MAY PULL CABLE THROUGH THE HANDHOLE WITH NO SEPARATE SPLICE AS LONG AS PULLING TENSION CALCULATIONS ALLOW FOR THE CABLE PULL.

B. THE CONTRACTOR SHALL CLEAN EACH HANDHOLE/MANHOLE ENTERED FOR WORK. THE CONTRACTOR SHALL USE A VACUUM TRUCK TO REMOVE ALL DEBRIS FROM INSIDE THE HANDHOLE/MANHOLE AND PRESSURE WASH THE INSIDE WALLS OF THE STRUCTURE.

C. THE CONTRACTOR SHALL REMOVE ALL SPARE AND/OR ABANDON CABLES FROM DUCTBANK WITHIN EACH STRUCTURE. THE CONTRACTOR SHALL TEST WITH AN AMP METER AND TAG EACH CABLE TO BE REMOVED TO ENSURE IT IS NOT PART OF AN OPERATIONAL CIRCUIT.

D. THE CONTRACTOR SHALL FURNISH AND INSTALL 3/8" LOW-FRICTION POLYPROPYLENE PULL ROPES IN EACH CONDUIT REGARDLESS IF IT HAS CABLES INSTALLED OR IT IS EMPTY. THE PULL ROPE SHALL BE INSTALLED SEPARATELY AND BY ITSELF IN CONDUITS WHICH CONTAIN CABLES.

E. THE CONTRACTOR SHALL PROVIDE CABLE PULLING CALCULATIONS BASED ON FIELD CABLE INSTALLATION AND SET-UP. PULLING TENSIONS SHALL NOT EXCEED CABLE MANUFACTURERS GUIDELINES. THE CONTRACTOR SHALL PROVIDE A CABLE INSTALLATION PLAN INCLUDING CABLE PULLING CALCULATIONS, CABLE ROUTING PLANS, TENSION METER SPECIFICATIONS AND CABLE PULLING PROCEDURE AND METHOD.

F. THE CONTRACTOR SHALL INSTALL NEW CONDUIT BELL HOUSINGS ON CONDUIT WHICH DOES NOT CURRENTLY HAVE A BELL HOUSING FOR ALL DUCTBANK ENTERING THE HANDHOLE OR MANHOLE. FOR BIDDING PURPOSES ASSUME THAT EACH SIDE OF A HANDHOLE HAS 4 CONDUIT ENTRANCES.

G. THE CONTRACTOR SHALL REPAIR AND/OR REPLACE ALL DAMAGED CONDUIT BELL HOUSINGS ON CONDUIT FOR ALL DUCTBANK ENTERING THE HANDHOLE OR MANHOLE.

H. CONTRACTOR SHALL PROVIDE 3' SLACK FOR EACH CIRCUIT AT EACH TRANSFORMER SO TRANSFORMER CAN BE EASILY PLACED ON THE PAVEMENT WHEN SERVICING TRANSFORMER.

I. CONTRACTOR SHALL PROVIDE 12' SLACK FOR EACH CIRCUIT AT EACH MANHOLE & 6' OF SLACK FOR HANDHOLE.

J. INSULATION RESISTANCE:
   a. INSULATION RESISTANCE: FOR NEW CIRCUITS CONTRACTOR SHALL ENSURE A RESISTANCE OF 500 MEGA-OHMS IS PROVIDED AS MEASURED FROM WHERE NEW CABLE IS SPLICED INTO EXISTING AND THAT THIS INSULATION RESISTANCE IS MET FOR THE ENTIRE CIRCUIT PATH. FOR CIRCUITS TA WHERE PARTIAL REPLACEMENT THE CONTRACTOR SHALL DISCONNECT THE EXISTING PORTIONS OF THE CIRCUITS ALONG TAXIWAY A. TESTS SHALL BE PERFORMED WITH THE TRANSFORMERS CONNECTED.
   b. THE CONTRACTOR SHALL PERFORM INSULATION RESISTANCE TESTS OF INSTALLED CABLE AFTER EACH WORK SHIFT. THE TEST REPORT SHALL BE PROVIDED TO THE ENGINEER FOR REVIEW AND APPROVAL AND ACCEPTANCE OF COMPLETION OF CABLE INSTALLATION.
   c. CONTRACTOR SHALL PERFORM THESE INSULATION TESTS BEFORE FINAL ACCEPTANCE TESTING IS PERFORMED AND PROVIDE TEST RESULTS TO ENGINEER. RESISTANCE SHALL THEN BE MEASURED AGAIN AS PART OF FINAL ACCEPTANCE TESTING.
   d. CONTRACTOR SHALL SUBMIT A LIST OF PERSONNEL WHO WILL BE RESPONSIBLE FOR PERFORMING SPLICES ON THIS PROJECT. THESE PERSONNEL WILL BE REQUIRED TO ATTEND A 30 MINUTE CLASS CONDUCTED BY MANUFACTURER OF THE SPLICE KIT TO RECEIVE INSTRUCTIONS ON THE PROPER INSTALLATION OF A TYPICAL SPLICE KIT.
   e. COST FOR CABLE INSTALLATION SHALL BE BID SEPARATELY WITH THE APPROPRIATE BID ITEM IN L-108. COST FOR THE TRAINING IS INCIDENTAL TO THE PROJECT.
   f. COST FOR OPENING/CLOSING EXISTING MANHOLES OR HANDHOLES (INCLUDING CONFINED SPACE PERMIT AND SAFETY PRECAUTIONS) TO INSTALL NEW CABLE OR REMOVE EXISTING CABLE SHALL BE INCIDENTAL TO THE PROJECT WITH NO SEPARATE PAYMENT. DUE TO PHASING REQUIREMENTS, CONTRACTOR MAY HAVE TO OPEN THE SAME MANHOLE MULTIPLE TIMES. CONTRACTOR SHALL ASSUME THAT ALL EXISTING MANHOLES/HANDHOLES SHOWN ON THE DRAWINGS REQUIRE ACCESS FOR CIRCUITING.
   g. THE COST FOR REMOVING AND REINSTALLING EXISTING TAXIWAY EDGE LIGHTS REQUIRED TO PULL NEW CABLE (INCLUDING NEW CIRCUIT TAG) SHALL BE INCIDENTAL TO THE PROJECT WITH NO SEPARATE PAYMENT OR UNDERNEATH SEPARATE BID ITEM. NEW CABLE TAGS SHALL BE INSTALL ON NEW AND EXISTING CABLE WITHIN ALL HANDHOLES, MANHOLES, AND BASE CANS WHICH ARE ENTERED FOR WORK UNDER THIS CONTRACT.

13. CABLE TAGS

THE CONTRACTOR SHALL PROVIDE AND INSTALL CABLE TAGS AS FOLLOWS:
   a. BASE CAN - ONE ON ENTERING CABLE AND ONE ON EXITING CABLE FOR EACH CABLE WITHIN THE BASE CAN.
   b. HANDHOLES - ONE ON EACH SIDE OF THE CABLE SPLICE FOR EACH CABLE IN THE HANDHOLE.
   c. MANHOLES - ONE ON ENTERING THE CABLE AND ONE ON EXITING CABLE AND ONE ON EACH SIDE OF THE SPLICE FOR EACH CABLE IN THE MANHOLE.

14. CONFIRMATION OF CABLE ROUTING:

THE CABLE ROUTING SHOWING ON THE DRAWINGS ARE BASED ON EXISTING AS-BUILTS WHICH MAY NOT BE ACCURATE. CONTRACTOR SHALL OPEN EVERY BASE CAN/FIXTURE, HANDHOLE, MANHOLE, OR WINDCONE SHOWN ON THE DRAWINGS TO VERIFY AND ASCERTAIN THE CABLE ROUTING. IT IS ASSUMED THAT THIS WORK SHALL BE PERFORMED AT NIGHT. THE COST FOR THIS WORK SHALL BE INCIDENTAL TO THE PROJECT WITH NO SEPARATE PAYMENT.

15. FINAL ACCEPTANCE:

A. ALL WORK ASSOCIATED WITH FINAL ACCEPTANCE TESTING AND INSPECTION SHALL BE COVERED UNDER BID ITEM L-128-1.
B. AFTER SUBSTANTIAL COMPLETION, AS PART OF ACCEPTANCE TESTING, CONTRACTOR SHALL OPEN EACH FIXTURE/BASE AND PLACE FIXTURE NEXT TO CAN TO ALLOW FOR AIRPORT INSPECTION. ITEMS TO BE INSPECTED INCLUDE: FIXTURE TAGS, CIRCUIT TAGS, BOLTS, WASHERS, TRANSFORMERS SIZE AND NUMBER, ETC.
C. CONTRACTOR SHALL TEST THE INSULATION RESISTANCE VIA AN INDEPENDANT THIRD PARTY. INSULATION RESISTANCE TESTS SHALL ALSO BE PERFORMED IN THE FIELD WHERE NEW CABLE IS ISOLATED.

ABBREVIATIONS

A, AMP - AMPERE
AFF/AFG - ABOVE FINISHED FLOOR/GRADE
AFL - AIRFIELD LIGHTING
ALCS - AIRFIELD LIGHTING CONTROL SYSTEM
ALS - APPROACH LIGHTING SYSTEM
ATCT - AIR TRAFFIC CONTROL TOWER
AWG - AMERICAN WIRE GAUGE
BCU - BARE COPPER
BLDG - BUILDING
BOB - BREAK OUT BOX
C/B - CIRCUIT BREAKER
CCR - CONSTANT CURRENT REGULATOR
CKT - CIRCUIT
CND - CONDUIT
COMM - COMMUNICATIONS
CTL - CENTERLINE
CU - COPPER
DB - DUCT BANK
DEB - DIRECT BURIED
DET - DEFINED EDGE OF TAXIWAY
DIA - DIAMETER
DWG(S) - DRAWING(S)
(E) - EXISTING
EA - EACH
EC - EMPTY CONDUIT
ELS - EDGE LIGHTING SYSTEM
EMH - ELECTRIC MANHOLE
EHH - ELECTRIC HANDHOLE
ELE - ELECTRICAL
EMT - ELECTRICAL METALLIC TUBING
ERGL - ELEVATED RUNWAY GUARD LIGHT
ESBL - ELEVATED STOP BAR LIGHT
EXIST - EXISTING
EXT - EXTENSION
F - FUSED
FCU - FIELD CONTROL UNIT
FF - FINISHED FLOOR
FO - FIBER OPTIC (CABLE)
GFCI - GROUND FAULT CIRCUIT INTERRUPTER
GND - GROUND
HH - HANDHOLE
HPS - HIGH PRESSURE SODIUM
IRGL - INPAVEMENT RUNWAY GUARD LIGHT
ISBL - INPAVEMENT RUNWAY STOP BAR
JB - JUNCTION BOX
KVA - KILOVOLTAMPERE
KW - KILOWATT
LCU - LOCAL CONTROL UNIT (SIEMENS BRITE)
LFMC - LIQUID-TIGHT FLEXIBLE METAL CONDUIT
LV - LOW VISIBILITY
MCB - MAIN CIRCUIT BREAKER
MCU - MASTER CONTROL UNIT
MFG - MANUFACTURER
MH - MANHOLE
MTD - MOUNTED
(N) - NEW
NF - NONFUSIBLE
NTS - NOT TO SCALE
NIC - NOT IN CONTRACT
PAPI - PRECISION APPROACH PATH INICATOR
PCC - PORTLAND CEMENT CONCRETE
PH - PHASE
PVC - POLYVINYL CHLORIDE
RDM - RUNWAY DISTANCE MARKER
RECP - RECEPTACLE
REIL - RUNWAY END INDICATOR LIGHT
RGL - RUNWAY GUARD LIGHT
RGS - RIGID GALVANIZED STEEL
RLIM - RUNWAY LIGHT INTENSITY MONITOR
RMVD - REMOVED
ROFA - RUNWAY OBJECT FREE AREA
RSA - RUNWAY SAFETY AREA
RWY - RUNWAY
SCHED - SCHEDULE
SGRS - SWITCHGEAR REGULATOR SYSTEM
SLCDA - SALT LAKE CITY DEPARTMENT OF AIRPORTS
SPEC - SPECIFICATION
SS - STAINLESS STEEL
TWY - TAXIWAY
TBD - TO BE DETERMINED
TOFA - TAXIWAY OBJECT FREE AREA
TSA - TAXIWAY SAFETY AREA
TVSS - TRANSIENT VOLTAGE SURGE SUPPRESSOR
TYP - TYPICAL
UPS - UNINTERRUPTIBLE POWER SUPPLY
V - VOLT
W/ - WITH
W - WATT
WP - WEATHERPROOF
XFMR - TRANSFORMER
1-1/C - ONE SINGLE CONDUCTOR
2-1/C - TWO SINGLE CONDUCTOR

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

ELECTRICAL GENERAL NOTES 2 & ABBREVIATION

PROJECT NO. 8494.002

DRAWING E0.02

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E000 GN & Abbrev 16R.dwg 12/9/2019 8:03 PM LEAN



1 / - **ELECTRICAL LAYOUT PLAN**
AS SHOWN

300' 0 600'
SCALE: 1" = 600'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

ELECTRICAL LAYOUT PLAN

PROJECT NO. 8494.002

DRAWING **E0.03**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E003 Layout Plan 16R.dwg 12/9/2019 6:03 PM LEAN

LEGEND FOR DEMOLITION PLANS (E1.1 TO E1.29)

CONDUITS/CABLES	DESCRIPTION
R1CLN	EXISTING AIRFIELD LIGHTING CONDUIT & CABLE TO REMAIN. "R1CLN" DENOTES CIRCUIT ID.
R1CLN	EXISTING AIRFIELD LIGHTING CABLES TO BE DEMOLISHED, CONDUIT TO REMAIN. "R1CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES ASSOCIATED WITH THE CIRCUIT ID.
R1CLN	EXISTING AIRFIELD 2" CONDUIT AND CABLES TO BE DEMOLISHED. "R1CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES ASSOCIATED WITH THE CIRCUIT ID. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
R2CLN SEC.	EXISTING SECONDARY CABLES TO BE DEMOLISHED, CONDUIT TO REMAIN. "R2CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES FROM JUNCTION CAN TO EACH LIGHT, 2 CONDUCTORS PER LIGHT.
R2CLN SEC.	EXISTING AIRFIELD 2" CONDUIT AND SECONDARY CABLES TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE. "R2CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES FROM JUNCTION CAN TO EACH LIGHT, 2 CONDUCTORS PER LIGHT.
AB AB AB	EXISTING CONDUIT & KERF TO BE ABANDONED.
P P P P 4-4" E.P. POWER	EXISTING POWER DUCTBANK & CABLE TO REMAIN.
P P P P 4-4" E.P. POWER	EXISTING POWER CABLE TO BE DEMOLISHED. POWER DUCTBANK TO REMAIN.
P P P P 4-4" E.P. POWER	EXISTING POWER DUCTBANK & CABLE TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION DUCTBANK & CABLE TO REMAIN.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION CABLE TO BE DEMOLISHED. COMMUNICATION DUCTBANK TO REMAIN.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION DUCTBANK & CABLE TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA DUCTBANK & CABLE TO REMAIN.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA CABLE TO BE DEMOLISHED. FAA DUCTBANK TO REMAIN.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA DUCTBANK & CABLE TO BE DEMOLISHED.

NO. OF CONDUITS CONDUIT SIZE DB TYPE 4-4" E.P. POWER R1A R1B CKT ID TO DEMO CKT ID TO REMAIN BACKFILL NOTES	DUCTBANK DESCRIPTION BACKFILL NOTES: – E.P. = CONCRETE ENCASED IN EXISTING PAVEMENT – N.E. = CONCRETE ENCASED IN NON–PAVED EARTH

NAVAID		DESCRIPTION
		EXISTING PAPI TO REMAIN.
		EXISTING PAPI TO BE DEMOLISHED.
		EXISTING WINDCONE TO REMAIN.
IN–PAVEMENT	ELEVATED	MALSR LIGHT. REFER TO E1 SERIES FOR WORK DESCRIPTION DETAILS.
IN–PAVEMENT	ELEVATED	5–LIGHT MALSR BAR. REFER TO E1 SERIES FOR WORK DESCRIPTION DETAILS.

LIGHT FIXTURES		DESCRIPTION
ELEVATED	IN–PAVEMENT	
L–862	L–850C	EXISTING BI–DIRECTIONAL RUNWAY EDGE LIGHT TO REMAIN.
L–862	L–850C	EXISTING BI–DIRECTIONAL RUNWAY EDGE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L–850C EB	EXISTING BI–DIRECTIONAL INPAVEMENT RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE REMOVED. EXISTING BASECAN TO REMAIN.
L–862E	L–850D	EXISTING BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
L–862E	L–850D	EXISTING BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L–850A	EXISTING BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT TO REMAIN.
	L–850A	EXISTING BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT & BASE CAN TO BE DEMOLISHED. ⚠1
L–861T	L–852T	EXISTING OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT TO REMAIN.
L–861T	L–852T	EXISTING OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L–852A	EXISTING UNI–DIRECTIONAL TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	EXISTING UNI–DIRECTIONAL TAXIWAY CENTERLINE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L–852A EB	EXISTING UNI–DIRECTIONAL TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE REMOVED. EXISTING BASECAN TO REMAIN.
	L–852A	EXISTING BI–DIRECTIONAL TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	EXISTING BI–DIRECTIONAL TAXIWAY CENTERLINE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT TO REMAIN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT FIXTURE TO BE REMOVED AND REINSTALLED. REMOVE BASECAN & ASSOCIATED ACCESSORIES. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.

SIGN, HANDHOLE & SENSOR	DESCRIPTION
	EXISTING AIRFIELD SIGN TO REMAIN.
	EXISTING SIGN PANEL TO BE DEMOLISHED. EXISTING AIRFIELD SIGN TO REMAIN.
	EXISTING AIRFIELD SIGN & FOUNDATION TO BE DEMOLISHED.
	EXISTING POWER/COMMUNICATION/FAA HAND HOLE TO REMAIN.
	EXISTING POWER/COMMUNICATIONS/FAA MANHOLE TO REMAIN.
SS	EXISTING SURFACE SCAN SENSOR TO REMAIN.
SS	EXISTING SURFACE SCAN SENSOR TO BE ABANDONED.
J	EXISTING JUNCTION CAN TO REMAIN.
J	EXISTING JUNCTION CAN TO BE REMOVED.
	EXISTING JUNCTION CAN PLAZA TO REMAIN.
	EXISTING JUNCTION CAN PLAZA TO BE DEMOLISHED.
	EXISTING RETROREFLECTIVE MARKER (L–853) TO REMAIN.
	EXISTING RETROREFLECTIVE MARKER (L–853) TO BE DEMOLISHED.
	HANDHOLE TO BE DEMOLISHED. BACKFILLED WITH CLSM TO GRADE ASSUME HANDHOLE IS 5'X5'X5'. ⚠1

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
⚠1	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

STATE OF NEVADA — DARON L. LEAN — No. 021748 — PROFESSIONAL ENGINEER — 12/11/19

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DEMO ELECTRICAL SYMBOLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.00

C:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Pwy, 16R–34L Recon\01 Drawings\Working Drawings\Sheets\E100 Demo Legend 16R.dwg 1/10/2020 11:23 AM LEAN

LEGEND FOR DEMOLITION PLANS (E1.1 TO E1.29)

CONDUITS/CABLES	DESCRIPTION
R1CLN	EXISTING AIRFIELD LIGHTING CONDUIT & CABLE TO REMAIN. "R1CLN" DENOTES CIRCUIT ID.
R1CLN	EXISTING AIRFIELD LIGHTING CABLES TO BE DEMOLISHED, CONDUIT TO REMAIN. "R1CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES ASSOCIATED WITH THE CIRCUIT ID.
R1CLN	EXISTING AIRFIELD 2" CONDUIT AND CABLES TO BE DEMOLISHED. "R1CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES ASSOCIATED WITH THE CIRCUIT ID. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
R2CLN SEC.	EXISTING SECONDARY CABLES TO BE DEMOLISHED, CONDUIT TO REMAIN. "R2CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES FROM JUNCTION CAN TO EACH LIGHT, 2 CONDUCTORS PER LIGHT.
R2CLN SEC.	EXISTING AIRFIELD 2" CONDUIT AND SECONDARY CABLES TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE. "R2CLN" DENOTES CIRCUIT ID. REMOVE ALL CABLES FROM JUNCTION CAN TO EACH LIGHT, 2 CONDUCTORS PER LIGHT.
AB AB AB	EXISTING CONDUIT & KERF TO BE ABANDONED.
P P P P 4-4" E.P. POWER	EXISTING POWER DUCTBANK & CABLE TO REMAIN.
P P P P 4-4" E.P. POWER	EXISTING POWER CABLE TO BE DEMOLISHED. POWER DUCTBANK TO REMAIN.
P P P P 4-4" E.P. POWER	EXISTING POWER DUCTBANK & CABLE TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION DUCTBANK & CABLE TO REMAIN.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION CABLE TO BE DEMOLISHED. COMMUNICATION DUCTBANK TO REMAIN.
C C C C 4-4" E.P. COMM	EXISTING COMMUNICATION DUCTBANK & CABLE TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED BY CONSTRUCTION MANAGER TO GRADE.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA DUCTBANK & CABLE TO REMAIN.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA CABLE TO BE DEMOLISHED. FAA DUCTBANK TO REMAIN.
FAA FAA FAA FAA 4-4" E.P. FAA	EXISTING FAA DUCTBANK & CABLE TO BE DEMOLISHED.
NO. OF CONDUITS CONDUIT SIZE DB TYPE 4-4" E.P. POWER R1A R1B CKT ID TO DEMO CKT ID TO REMAIN BACKFILL NOTES	DUCTBANK DESCRIPTION BACKFILL NOTES: -E.P. = CONCRETE ENCASED IN EXISTING PAVEMENT -N.E. = CONCRETE ENCASED IN NON-PAVED EARTH

LIGHT FIXTURES		DESCRIPTION
ELEVATED	IN-PAVEMENT	
L-862	L-850C	EXISTING BI-DIRECTIONAL RUNWAY EDGE LIGHT TO REMAIN.
L-862	L-850C	EXISTING BI-DIRECTIONAL RUNWAY EDGE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L-850C EB	EXISTING BI-DIRECTIONAL INPAVEMENT RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE REMOVED. EXISTING BASECAN TO REMAIN.
L-862E	L-850D	EXISTING BI-DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
L-862E	L-850D	EXISTING BI-DIRECTIONAL RUNWAY THRESHOLD/END LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L-850A	EXISTING BI-DIRECTIONAL RUNWAY CENTERLINE LIGHT TO REMAIN.
L-861T	L-852T	EXISTING OMNI-DIRECTIONAL TAXIWAY EDGE LIGHT TO REMAIN.
L-861T	L-852T	EXISTING OMNI-DIRECTIONAL TAXIWAY EDGE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L-852A	EXISTING UNI-DIRECTIONAL TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L-852A	EXISTING UNI-DIRECTIONAL TAXIWAY CENTERLINE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
	L-852A EB	EXISTING UNI-DIRECTIONAL TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE REMOVED. EXISTING BASECAN TO REMAIN.
	L-852A	EXISTING BI-DIRECTIONAL TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L-852A	EXISTING BI-DIRECTIONAL TAXIWAY CENTERLINE LIGHT & BASE CAN TO BE DEMOLISHED. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.
L-804		EXISTING ELEVATED RUNWAY GUARD LIGHT TO REMAIN.
L-804		EXISTING ELEVATED RUNWAY GUARD LIGHT FIXTURE TO BE REMOVED AND REINSTALLED. REMOVE BASECAN & ASSOCIATED ACCESSORIES. BACKFILL & COMPACT BASE CAN VOID WITH NATIVE OR CLSM AS REQUIRED TO GRADE.

SIGN, HANDHOLE & SENSOR	DESCRIPTION
	EXISTING AIRFIELD SIGN TO REMAIN.
	EXISTING SIGN PANEL TO BE DEMOLISHED. EXISTING AIRFIELD SIGN TO REMAIN.
	EXISTING AIRFIELD SIGN & FOUNDATION TO BE DEMOLISHED.
	EXISTING POWER/COMMUNICATION/FAA HAND HOLE TO REMAIN.
	EXISTING POWER/COMMUNICATIONS/FAA MANHOLE TO REMAIN.
SS	EXISTING SURFACE SCAN SENSOR TO REMAIN.
SS	EXISTING SURFACE SCAN SENSOR TO BE ABANDONED.
	EXISTING JUNCTION CAN TO REMAIN.
	EXISTING JUNCTION CAN TO BE REMOVED.
	EXISTING JUNCTION CAN PLAZA TO REMAIN.
	EXISTING JUNCTION CAN PLAZA TO BE DEMOLISHED.
	EXISTING RETROREFLECTIVE MARKER (L-853) TO REMAIN.
	EXISTING RETROREFLECTIVE MARKER (L-853) TO BE DEMOLISHED.

NAVAID		DESCRIPTION
		EXISTING PAPI TO REMAIN.
		EXISTING PAPI TO BE DEMOLISHED.
		EXISTING WINDCONE TO REMAIN.
IN-PAVEMENT	ELEVATED	MALSR LIGHT. REFER TO E1 SERIES FOR WORK DESCRIPTION DETAILS.
IN-PAVEMENT	ELEVATED	5-LIGHT MALSR BAR. REFER TO E1 SERIES FOR WORK DESCRIPTION DETAILS.

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


DEMO ELECTRICAL SYMBOLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.00

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E100 Demo Legend 16R.dwg 12/9/2019 6:03 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE-INSTALLATION AT A LATER DATE. 1

PAVEMENT LIMIT


- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, TRANSFORMERS & APPURTENANCES & DELIVER TO FAA ATCT. 1
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP




SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 1

PROJECT NO. 8494.002

DRAWING E1.1

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E109 Demo Plans - 16R.dwg 1/10/2020 11:24 AM LEAN

SUPERSEDED
FOR BIDDING PURPOSES ONLY

MATCH LINE

(STA 50+52, SEE SHEET E1.15)

MATCH LINE A-A (THIS SHEET)

MATCH LINE A-A (THIS SHEET)

MATCH LINE B-B (THIS SHEET)

MATCH LINE B-B (THIS SHEET)

(STA 31+50, SEE SHEET E1.2)

MATCH LINE

MALSR STA. 24

MALSR STA. 22

MALSR STA. 20

MALSR STA. 18

MALSR STA. 16

MALSR STA. 14

MALSR STA. 12

MALSR STA. 10

16R MALSR

16R MALSR EQUIPMENT SHELTER & GENERATOR SHELTER RELOCATED FROM ALSF-1 SITE. E-100 & LPG FUEL TANK.

REMOVE 16R MALSR DISTRIBUTION PANEL. REMOVE EXISTING FOUNDATION.

FAA MALSR POWER/COMM

RUNWAY 17R-35L

TAXIWAY A

16R-34L

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.

PARTIAL KEY MAP

E1.15 E1.16 E1.17 E1.18 E1.19 E1.20 E1.21 E1.2 E1.3 E1.4 E1.5 E1.6 E1.11 E1.23 E1.24 E1.25 E1.26 E1.27 E1.28 E1.29

25' 0 50'

SCALE: 1" = 50'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 1

PROJECT NO. 8494.002

DRAWING E1.1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018DA - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1XX Demo Plans - 16R.dwg 12/9/2019 6:04 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE–INSTALLATION AT A LATER DATE. (1)

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, (TRANSFORMERS) (1) & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

DORON LEAN — STATE OF NEVADA — REGISTERED ENGINEER — No. 027183 — 01/13/2020

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R–34L RECONSTRUCTION


16R–34L DEMO PLAN 2

PROJECT NO. 8494.002

DRAWING E1.2

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RNA Rwy 16R–34L Recon\01 Drawings\Working Drawings\Sheets\E10x Demo Plans – 16R.dwg 1/10/2020 11:25 AM LEAN



SUPERSEDED
FOR BIDDING PURPOSES ONLY

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 2

PROJECT NO. 8494.002

DRAWING E1.2

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.0x Demo Plans – 16R.dwg 12/9/2019 6:05 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 3

PROJECT NO. 8494.002

DRAWING E1.3

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.03 Demo Plans - 16R.dwg 12/9/2019 6:05 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 4

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.4

D:\Dropbox (Lean Photometrics)\Active Projects\13018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 12/9/2019 6:05 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 5

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.5

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10x Demo Plans – 16R.dwg 12/9/2019 6:06 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 6

PROJECT NO. 8494.002

DRAWING E1.6

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 1/10/2020 11:25 AM LEAN




SUPERSEDED
FOR BIDDING PURPOSES ONLY

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 6

PROJECT NO. 8494.002

DRAWING E1.6

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Hwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.06 Demo Plans - 16R.dwg 12/9/2019 6:06 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 7

PROJECT NO. 8494.002

DRAWING E1.7

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A_Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E105 Demo Plans – 16R.dwg 12/9/2019 6:06 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER — STATE OF NEVADA — DOROTHY LEAN — No. 027149 — 12/11/2019

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 8

PROJECT NO. 8494.002

DRAWING E1.8

D:\Dropbox (Lean Photometrics)\Active Projects\13018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 1/10/2020 11:25 AM LEAN




SUPERSEDED
FOR BIDDING PURPOSES ONLY

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 8

PROJECT NO. 8494.002

DRAWING E1.8

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.08 Demo Plans - 16R.dwg 12/9/2019 6:07 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE–INSTALLATION AT A LATER DATE.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, TRANSFORMERS & APPURTENANCES FOR REINSTALLATION.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 9

PROJECT NO. 8494.002

DRAWING E1.9

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E109 Demo Plans – 16R.dwg 1/28/2020 11:56 AM LEAN



SUPERSEDED
FOR BIDDING PURPOSES ONLY

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE–INSTALLATION AT A LATER DATE. ⚠1

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, TRANSFORMERS ⚠1 & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 9

PROJECT NO. 8494.002

DRAWING E1.9

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00 Demo Plans - 16R.dwg 1/10/2020 11:26 AM LEAN

SUPERSEDED
FOR BIDDING PURPOSES ONLY

(STA 127+75, SEE SHEET E1.8)

(STA 141+50, SEE SHEET E1.10)

MATCH LINE

MATCH LINE

MATCH LINE

(STA 43+52, SEE SHEET E1.14)

RUNWAY 17R–35L

UNLIT SIGN. REPLACE (E) PANEL FOR NEW RUNWAY DESIGNATION

16R-34L

MALSR STA. 0

MALSR STA. 2

MALSR STA. 4

MALSR STA. 6

MALSR STA. 8

MALSR STA. 10

HH–RW9–07

HH–RW10–01

HH–RW10–02

HH–RW10–04

HH–BE8–07

HH–BE9–02

HH–BE9–03

HH–BE9–05

HH–BE9–06

HH–BE9–07

HH–BE9–09

HH–BE9–10

HH–BE10–01

HH–BE10–02

TAXIWAY A

TAXIWAY Q

R1GL

R1A, R1B, RS

R1A,R1B,RS

R1A, R1B, RS, R1CLSS

R1A,R1B,RS R1CLSS,34LMALSR

R1CLSS SEC.

R1CLA, R1CLB

R1CLSS 34LMALSR

34LMALSR

POWER R1CLSS

POWER R1A,R1B,TC

POWER R1A,R1B,RS

POWER R1GL

POWER/COMM: TAS, TB R1A, R1B, RS, R1CLSS, (2) PVMT SENSORS R1GL

POWER RS, R1CLSS, TAS R1A,R1B,34LMALSR R1GL

COMM (48)FAA 25-PR (6R,LOC)

FAA(LOC) 29-PR CABLE

FAA(LOC) 25-PR CABLE

LIGHTED WINDCONE

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.

PARTIAL KEY MAP

E1.5 E1.6 E1.7 E1.8 E1.9 E1.10 E1.11 E1.12 E1.13 E1.14 E1.19 E1.20 E1.21 E1.22 E1.23 E1.24 E1.25 E1.26 E1.27 E1.28 E1.29

25' 0 50'

SCALE: 1" = 50'

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 9

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.9

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.09 Demo Plans - 16R.dwg 12/9/2019 6:07 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE-INSTALLATION AT A LATER DATE.

PAVEMENT LIMIT


- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, TRANSFORMERS & APPURTENANCES FOR REINSTALLATION. ⚠1
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP



LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

STATE OF NEVADA — PROFESSIONAL ENGINEER — DORON LEAN — No. 027149 — 01/30/2019

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 10

PROJECT NO. 8494.002

DRAWING E1.10

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00 Demo Plans - 16R.dwg 1/28/2020 11:56 AM LEAN



MATCH LINE A-A (THIS SHEET)

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.
3. FOR ALL SALVAGED MATERIAL, INVENTORY AND STORE IN A SAFE PLACE FOR RE-INSTALLATION AT A LATER DATE. (1)

PAVEMENT LIMIT


- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS, TRANSFORMERS & APPURTENANCES & DELIVER TO FAA ATCT. (1)
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP



LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

STATE OF NEVADA — DOROTHY LEAN — No. 027149 — PROFESSIONAL ENGINEER — 12/11/2019

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 10

PROJECT NO. 8494.002

DRAWING E1.10

SUPERSEDED

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10 Demo Plans - 16R.dwg 1/10/2020 11:26 AM LEAN



SUPERSEDED

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT


- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. DEMOLISH (E) MALSR FOUNDATION. REMOVE & SALVAGE LIGHTS & APPURTENANCES & DELIVER TO FAA ATCT.
2. REMOVE & SALVAGE PAR LAMPS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
3. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET & FRANGIBLE BOLTS FOR REINSTALLATION. DEMOLISH (E) FOUNDATION.
4. REMOVE & SALVAGE FLASHER ASSEMBLY LIGHT & CONTROL CABINET FOR REINSTALLATION. PROTECT (E) FOUNDATION.



PARTIAL KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 10

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.10

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10 Demo Plans - 16R.dwg 12/9/2019 6:07 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 11

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.11

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 12/9/2019 6:08 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 12

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.12

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E100 Demo Plans – 16R.dwg 12/9/2019 6:08 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 13

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.13

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E01 Demo Plans - 16R.dwg 12/9/2019 6:08 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 14

PROJECT NO. 8494.002

DRAWING E1.14

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.04 Demo Plans - 16R.dwg 12/9/2019 6:09 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 15

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.15

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 12/9/2019 6:09 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 16

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.16

D:\Dropbox (Lean Photometrics)\Active Projects\1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans – 16R.dwg 12/9/2019 6:09 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 17

PROJECT NO. 8494.002

DRAWING E1.17


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E100 Demo Plans - 16R.dwg 12/9/2019 6:10 PM LEAN

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 18

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.18

C:\Dropbox (Lean Photometrics)\Active Projects\L19018018A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 12/9/2019 6:10 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 19

PROJECT NO. 8494.002

DRAWING E1.19

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00X Demo Plans - 16R.dwg 12/9/2019 6:10 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 20

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.20

D:\Dropbox (Lean Photometrics)\Active Projects\19018018 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.20 Demo Plans — 16R.dwg 12/9/2019 6:11 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 21

PROJECT NO. 8494.002

DRAWING **E1.21**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1XX Demo Plans - 16R.dwg 12/9/2019 6:11 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 22

PROJECT NO. 8494.002

DRAWING E1.22

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00X Demo Plans - 16R.dwg 12/9/2019 6:11 PM LEAN




MATCH LINE (STA 50+52, SEE SHEET E1.24)

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 23

PROJECT NO. 8494.002

DRAWING **E1.23**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.0x Demo Plans - 16R.dwg 12/9/2019 6:12 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 24

PROJECT NO. 8494.002

DRAWING E1.24

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\U19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E01b Demo Plans - 16R.dwg 12/9/2019 6:12 PM LEAN




NO WORK THIS SHEET, FOR REFERENCE ONLY.

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 25

PROJECT NO. 8494.002

DRAWING E1.25

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00 Demo Plans - 16R.dwg 12/9/2019 6:12 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R-34L DEMO PLAN 26

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E1.26

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.00 Demo Plans - 16R.dwg 12/9/2019 6:13 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 27

PROJECT NO. 8494.002


DRAWING E1.27

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E1.01 Demo Plans - 16R.dwg 12/9/2019 6:13 PM LEAN


MATCH LINE
(STA 29+52, SEE SHEET E1.27)
POWER:
16R PAPI,34L PAPI,TWHS,R1GL
R1CLA,R1CLB,R1CLSS,R1CLNN,R1A,R1B,RS
TAN,TAS,TB,R3,RPU POWER
20-2
N.E.
RUNWAY 8-26
WEST VAULT
COMM
C-2A
C-2B
C-11
FIRE ALARM
4-4
E.P.
4-4
N.E.
2-2
N.E.
HH-LN2-05
HH-LN2-08
JCP-LN2-01
HH-LS2-12
HH-LS2-11
JCP-LS2-01
COMM
RTAA C-3(ALCS)
FIRE ALARM
C-11
2-2
N.E.
HH-LN2-04
(HH)
POWER
SPARE
4-2
E.P.
MH-LS2-08
POWER
R1GL
2-2
N.E.
R3
RSA
TL
P
C
d
1" HDPE CONDUIT FOR FUTURE 120V POWER/SERVICE
1" HDPE CONDUIT FOR FUTURE SERVICE
#6 AWG CU. FOR FUTURE SERVICE
#10 AWG CU. FOR FUTURE SERVICE
#8 AWG CU. FOR FUTURE SERVICE
#12 AWG CU.

MATCH LINE

(STA 22+52, SEE SHEET E1.28)




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. REFER TO E5 SERIES FOR ADDITIONAL PAVEMENT SENSOR DETAILS.

PAVEMENT LIMIT

- (E) CONCRETE TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) AC PAVEMENT TO REMOVE, SEE CIVIL PLANS FOR DETAILS
- (E) SURFACE ROCK TO REMOVE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R-34L DEMO PLAN 29


PROJECT NO.
8494.002

DRAWING
E1.29

D:\Dropbox (Lean Photometrics)\Active Projects\13918014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E10X Demo Plans - 16R.dwg 12/9/2019 6:14 PM LEAN


LEGEND FOR NEW PLANS (E2.1 TO E2.29)

CONDUITS/CABLES	DESCRIPTION
R1CLN*	EXISTING AIRFIELD LIGHTING CONDUIT & CABLE TO REMAIN.
R1CLN*	NEW AIRFIELD LIGHTING CABLE TO BE INSTALLED IN EXISTING CONDUIT. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
R1CLN*	NEW 2" PVC SCHEDULE 40 CONDUIT & AIRFIELD LIGHTING CABLE TO BE INSTALLED. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
AB AB AB	ABANDONED CONDUIT.
P P P P — 4–4" N.P. POWER	EXISTING POWER DUCTBANK & CABLE TO REMAIN.
4–4" N.P. POWER	EXISTING POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES.
P P P P — 4–4" N.P. POWER	NEW POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES
C C C C — 4–4" N.P. COMM	EXISTING COMMUNICATION DUCTBANK & CABLE TO REMAIN.
4–4" N.P. COMM	EXISTING COMMUNICATION DUCTBANK WITH NEW COMMUNICATION CABLES.
C C C C — 4–4" N.P. COMM	NEW COMMUNICATION DUCTBANK WITH NEW COMMUNICATION CABLES.
FAA FAA FAA FAA — 2–3" N.P. FAA MALSR POWER/COM	EXISTING FAA DUCTBANK & CABLE TO REMAIN.
2–3" N.P. FAA MALSR POWER/COM	EXISTING FAA DUCTBANK WITH NEW FAA CABLES.
FAA FAA FAA FAA — 2–3" N.P. FAA MALSR POWER/COM	NEW FAA DUCTBANK WITH NEW FAA CABLES
K K K K	NEW KERF TRENCH WITH NEW SURFACE SENSOR CABLES. REFER TO E500 SERIES DRAWINGS FOR DETAILS.



DUCTBANK DESCRIPTION
BACKFILL NOTES:
–N.P. = CONCRETE ENCASED IN NEW PAVEMENT
–N.E. = CONCRETE ENCASED IN NON–PAVED EARTH

LIGHT FIXTURES		DESCRIPTION
ELEVATED	IN–PAVEMENT	
L–867B	L–868B	NEW 24" DEEP L–867B OR L–868B BASECAN TO BE INSTALLED.
L–867D		NEW 24" DEEP L–867D BASECAN TO BE INSTALLED.
		EXISTING BASE CAN TO REMAIN.
		EXISTING MALSR LIGHT TO REMAIN.
L–862	L–850C	EXISTING BI–DIRECTIONAL RUNWAY EDGE LIGHT TO REMAIN.
L–862E	L–850D	EXISTING UNI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
L–862E	L–850D	EXISTING BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
	L–850A	EXISTING BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT TO REMAIN.
L–861T	L–852T	EXISTING OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT TO REMAIN.
	L–852A	EXISTING UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	EXISTING BI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT TO REMAIN.



HANDHOLE & SENSOR	DESCRIPTION
	EXISTING POWER/COMMUNICATION/FAA HAND HOLE TO REMAIN.
HH–16ALS–07	NEW 4'X4'X4' POWER/COMMUNICATIONS/FAA AIRCRAFT RATED HAND HOLE TO BE INSTALLED.
	EXISTING POWER/COMMUNICATIONS/FAA MANHOLE TO REMAIN.
SS	EXISTING SURFACE SCAN SENSOR TO REMAIN.
SS	NEW SURFACE SCAN SENSOR TO BE INSTALLED. REFER TO E500 SERIES DRAWINGS FOR DETAILS.
J	EXISTING JUNCTION CAN TO REMAIN.
	EXISTING JUNCTION CAN PLAZA TO REMAIN.
	EXISTING RETROREFLECTIVE MARKER (L–853) TO REMAIN.
	NEW BLUE RETROREFLECTIVE MARKER (L–853) TO BE INSTALLED.

NAVAID	DESCRIPTION
	EXISTING PAPI TO REMAIN.
	NEW PAPI SYSTEM & FOUNDATION TO BE INSTALLED.
	EXISTING WINDCONE TO REMAIN.

SIGN	DESCRIPTION
	EXISTING AIRFIELD SIGN TO REMAIN.
	NEW SIGN PANEL TO BE INSTALLED ON EXISTING AIRFIELD SIGN.
	NEW AIRFIELD SIGN TO BE INSTALLED ON EXISTING FOUNDATION.
	NEW AIRFIELD SIGN TO BE INSTALLED ON NEW FOUNDATION.



1. SIGNS SHALL BE SIZE 3 & SIZE 4 (RDR SIGN), CLASS 2, MODE 2 AND STYLE AS INDICATED ON DRAWINGS.
2. SIGN LENGTHS:

NO. OF MODULES	1	2	3	4
APPROXIMATE SIGN LENGTH (FEET)	8'	12'	15'	18'

   A. SIGN LENGTHS MAY VARY DEPENDING ON MANUFACTURER. LENGTH SHOWN IS MEANT FOR BIDDING PURPOSE ONLY.

   B. CONFIRM LENGTH WITH MANUFACTURER PRIOR TO BID AND ADJUST FOUNDATION ACCORDINGLY. CONTRACTOR SHALL BE PAID FOR THE LENGTH OF SIGN (NO. OF MODULES) AS SHOWN ON THIS SCHEDULE. IF MANUFACTURER REQUIRES A LONGER SIGN THAN SHOWN, ANY ADDITIONAL COST OF SIGN & FOUNDATION SHALL BE THE RESPONSIBILITY AND COST OF THE CONTRACTOR WITH NO SEPARATE PAYMENT.

3. FOR NEW SIGNS BLUE STAKE THE 4 CORNERS OF SIGN AND FOUNDATION AND DEFINED EDGE OF T/W TO OBTAIN ENGINEER'S APPROVAL PRIOR TO INSTALLATION.
4. SIGN COORDINATE IS PROVIDED TO THE NEAREST EDGE OF SIGN TO DEFINED EDGE OF TAXIWAY. (NOT SIGN FOUNDATION OR BASE CAN).
5. NEW SIGNS SHALL BE INSTALLED PERPENDICULAR TO THE T/W CENTERLINE MARKING UNLESS OTHERWISE SHOWN. CONTRACTOR SHALL SURVEY EXISTING MARKING TO PROVIDE OFFSET FOR SIGN FOUNDATION INSTALLATION.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW BASE CAN, SIGN & CND/DB LOCATION LAYOUT - SYMBOLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E2.00**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2200 Base Can Legend HER.dwg 12/9/2019 6:14 PM LEAN



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. MALSR BASECANS ARE SHOWN FOR REFERENCE ONLY. FOR MALSR LOCATIONS REFER TO MALSR PROFILE ON E4 SERIES.

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 1

PROJECT NO. 8494.002

DRAWING E2.1

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.01 Base Boscons - 16R.dwg 12/9/2019 6:15 PM LEAN



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. MALSR BASECANS ARE SHOWN FOR REFERENCE ONLY. FOR MALSR LOCATIONS REFER TO MALSR PROFILE ON E4 SERIES.

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 2

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.2

D:\Dropbox (Lean Photometrics)\Active Projects\19018RAA - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 7:53 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP



LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 3

PROJECT NO. 8494.002

DRAWING **E2.3**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 Kee Bosscons - 16R.dwg 12/9/2019 6:16 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 4

PROJECT NO. 8494.002

DRAWING E2.4

C:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2XX New Basecans - 16R.dwg 12/9/2019 6:16 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 5

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.5

D:\Dropbox (Lean Photometrics)\Active Projects\19018010A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.0x New Basecans - 16R.dwg 12/9/2019 6:17 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 6

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.6

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2xx New Basecans - 16R.dwg 12/9/2019 6:17 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 7

PROJECT NO. 8494.002

DRAWING E2.7

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.07 New Basecans - 16R.dwg 12/9/2019 6:17 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 8

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.8

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Fwy (16R-34L Recon)\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:18 PM LEAN


(STA 127+75, SEE SHEET E2.8)
(STA 141+50, SEE SHEET E2.10)
(STA 43+52, SEE SHEET E2.14)
MATCH LINE
MATCH LINE
MATCH LINE
RUNWAY 17R-35L
35L-17R
17R-35L
35L-17R
17R
35L
UNLIT SIGN. REPLACE (E) PANEL FOR NEW RUNWAY DESIGNATION
TAXIWAY A
TAXIWAY Q
LIGHTED WINDCONE
HH-RW9-07
HH-RW10-04
HH-RW10-01
HH-BE9-01
HH-BE9-02
HH-BE9-03
HH-BE9-04
HH-BE9-05
HH-BE9-06
HH-BE9-07
HH-BE9-08
HH-BE9-09
HH-BE10-01
HH-BE10-02
RGL-BE8-2
RGL-BE9-1
RGL-BE9-2
RGL-BE10-1
TB-01
TB-02
TB-03
TB-04
TB-05
TB-06
TB-07
TB-08
TB-09
TB-10
TB-11
TB-12
TB-13
TB-18
TB-19
TB-20
TAS-01
TAS-02
TAS-03
TAS-04
TAS-05
TAS-06
TAS-07
TAS-08
TAS-09
TAS-10
TAS-11
TAS-12
TAS-13
R1A-001
R1A-002
R1A-003
R1A-004
R1A-115
R1A-116
R1A-118
R1A-120
R1A-122
R1A-124
R1A-127
R1A-128
R1A-131
R1A-132
R1A-134
R1A-136
R1B-117
R1B-119
R1B-121
R1B-123
R1B-125
R1B-126
R1B-129
R1B-130
R1B-135
R1CL-176
R1CL-177
R1CL-178
R1CL-179
R1CLS-01
R1CLS-02
R1CLS-03
R1CLS-04
R1CLS-05
R1CLS-06
R1CLS-07
R1CLS-08
R1CLS-09
R1CLS-10
R1CLS-11
R1CLS-12
R1CLS-13
R1CLS-14
R1CLS-15
R1CLS-16
R1CLS-17
R1CLS-18
R1CLS-19
R1CLS-20
POWER R1CLS*,RS
POWER R1CLS*
POWER SPARE
POWER/COMM: TAS, TB
(2) PVMT SENSORS
R1A, R1B, RS
R1GL*
POWER RS, TAS R1A,R1B R1GL*
POWER RS, R1CLSS, TAS R1A,R1B,16MALSR R1GL*
POWER R1A,R1B,RS
FAA SPARE
FAA MALSR POWER/COM
COMM (ABI)FAA 25-PR (VOR/LOC)
FAA362
FAALOC 25-PR CABLE
FAA363
FAA364
FAA365
FAA366
FAA367
FAA368
FAA369
FAA370
FAA371
FAA372
FAA373
FAA374
FAA375
FAA376
FAA377
FAA378
FAA379
FAA380
FAA381
FAA382
FAA383
FAA384
FAA385
FAA386
FAA387
FAA388
FAA389
FAA390
FAA391
FAA392
FAA393
FAA394
FAA395
FAA396
FAA397
FAA398
FAA399
FAA400
FAA401
FAA402
FAA403
FAA404
FAA405
FAA406
FAA407
FAA408
FAA409
FAA410
FAA411
FAA412
FAA413
FAA414
FAA415
FAA416
FAA417
FAA418
FAA419
FAA420
FAA421
FAA422
FAA423
FAA424
FAA425
FAA426
FAA427
FAA428
FAA429
FAA430
FAA431
FAA432
FAA433
FAA434
FAA435
FAA436
FAA437
FAA438
FAA439
FAA440
FAA441
FAA442
FAA443
FAA444
FAA445
FAA446
FAA447
FAA448
FAA449
FAA450
FAA451
FAA452
FAA453
FAA454
FAA455
FAA456
FAA457
FAA458
FAA459
FAA460
FAA461
FAA462
FAA463
FAA464
FAA465
FAA466
FAA467
FAA468
FAA469
FAA470
FAA471
FAA472
FAA473
FAA474
FAA475
FAA476
FAA477
FAA478
FAA479
FAA480
FAA481
FAA482
FAA483
FAA484
FAA485
FAA486
FAA487
FAA488
FAA489
FAA490
FAA491
FAA492
FAA493
FAA494
FAA495
FAA496
FAA497
FAA498
FAA499
FAA500
FAA501
FAA502
FAA503
FAA504
FAA505
FAA506
FAA507
FAA508
FAA509
FAA510
FAA511
FAA512
FAA513
FAA514
FAA515
FAA516
FAA517
FAA518
FAA519
FAA520
FAA521
FAA522
FAA523
FAA524
FAA525
FAA526
FAA527
FAA528
FAA529
FAA530
FAA531
FAA532
FAA533
FAA534
FAA535
FAA536
FAA537
FAA538
FAA539
FAA540
FAA541
FAA542
FAA543
FAA544
FAA545
FAA546
FAA547
FAA548
FAA549
FAA550
FAA551
FAA552
FAA553
FAA554
FAA555
FAA556
FAA557
FAA558
FAA559
FAA560
FAA561
FAA562
FAA563
FAA564
FAA565
FAA566
FAA567
FAA568
FAA569
FAA570
FAA571
FAA572
FAA573
FAA574
FAA575
FAA576
FAA577
FAA578
FAA579
FAA580
FAA581
FAA582
FAA583
FAA584
FAA585
FAA586
FAA587
FAA588
FAA589
FAA590
FAA591
FAA592
FAA593
FAA594
FAA595
FAA596
FAA597
FAA598
FAA599
FAA600
FAA601
FAA602
FAA603
FAA604
FAA605
FAA606
FAA607
FAA608
FAA609
FAA610
FAA611
FAA612
FAA613
FAA614
FAA615
FAA616
FAA617
FAA618
FAA619
FAA620
FAA621
FAA622
FAA623
FAA624
FAA625
FAA626
FAA627
FAA628
FAA629
FAA630
FAA631
FAA632
FAA633
FAA634
FAA635
FAA636
FAA637
FAA638
FAA639
FAA640
FAA641
FAA642
FAA643
FAA644
FAA645
FAA646
FAA647
FAA648
FAA649
FAA650
FAA651
FAA652
FAA653
FAA654
FAA655
FAA656
FAA657
FAA658
FAA659
FAA660
FAA661
FAA662
FAA663
FAA664
FAA665
FAA666
FAA667
FAA668
FAA669
FAA670
FAA671
FAA672
FAA673
FAA674
FAA675
FAA676
FAA677
FAA678
FAA679
FAA680
FAA681
FAA682
FAA683
FAA684
FAA685
FAA686
FAA687
FAA688
FAA689
FAA690
FAA691
FAA692
FAA693
FAA694
FAA695
FAA696
FAA697
FAA698
FAA699
FAA700
FAA701
FAA702
FAA703
FAA704
FAA705
FAA706
FAA707
FAA708
FAA709
FAA710
FAA711
FAA712
FAA713
FAA714
FAA715
FAA716
FAA717
FAA718
FAA719
FAA720
FAA721
FAA722
FAA723
FAA724
FAA725
FAA726
FAA727
FAA728
FAA729
FAA730
FAA731
FAA732
FAA733
FAA734
FAA735
FAA736
FAA737
FAA738
FAA739
FAA740
FAA741
FAA742
FAA743
FAA744
FAA745
FAA746
FAA747
FAA748
FAA749
FAA750
FAA751
FAA752
FAA753
FAA754
FAA755
FAA756
FAA757
FAA758
FAA759
FAA760
FAA761
FAA762
FAA763
FAA764
FAA765
FAA766
FAA767
FAA768
FAA769
FAA770
FAA771
FAA772
FAA773
FAA774
FAA775
FAA776
FAA777
FAA778
FAA779
FAA780
FAA781
FAA782
FAA783
FAA784
FAA785
FAA786
FAA787
FAA788
FAA789
FAA790
FAA791
FAA792
FAA793
FAA794
FAA795
FAA796
FAA797
FAA798
FAA799
FAA800
FAA801
FAA802
FAA803
FAA804
FAA805
FAA806
FAA807
FAA808
FAA809
FAA810
FAA811
FAA812
FAA813
FAA814
FAA815
FAA816
FAA817
FAA818
FAA819
FAA820
FAA821
FAA822
FAA823
FAA824
FAA825
FAA826
FAA827
FAA828
FAA829
FAA830
FAA831
FAA832
FAA833
FAA834
FAA835
FAA836
FAA837
FAA838
FAA839
FAA840
FAA841
FAA842
FAA843
FAA844
FAA845
FAA846
FAA847
FAA848
FAA849
FAA850
FAA851
FAA852
FAA853
FAA854
FAA855
FAA856
FAA857
FAA858
FAA859
FAA860
FAA861
FAA862
FAA863
FAA864
FAA865
FAA866
FAA867
FAA868
FAA869
FAA870
FAA871
FAA872
FAA873
FAA874
FAA875
FAA876
FAA877
FAA878
FAA879
FAA880
FAA881
FAA882
FAA883
FAA884
FAA885
FAA886
FAA887
FAA888
FAA889
FAA890
FAA891
FAA892
FAA893
FAA894
FAA895
FAA896
FAA897
FAA898
FAA899
FAA900
FAA901
FAA902
FAA903
FAA904
FAA905
FAA906
FAA907
FAA908
FAA909
FAA910
FAA911
FAA912
FAA913
FAA914
FAA915
FAA916
FAA917
FAA918
FAA919
FAA920
FAA921
FAA922
FAA923
FAA924
FAA925
FAA926
FAA927
FAA928
FAA929
FAA930
FAA931
FAA932
FAA933
FAA934
FAA935
FAA936
FAA937
FAA938
FAA939
FAA940
FAA941
FAA942
FAA943
FAA944
FAA945
FAA946
FAA947
FAA948
FAA949
FAA950
FAA951
FAA952
FAA953
FAA954
FAA955
FAA956
FAA957
FAA958
FAA959
FAA960
FAA961
FAA962
FAA963
FAA964
FAA965
FAA966
FAA967
FAA968
FAA969
FAA970
FAA971
FAA972
FAA973
FAA974
FAA975
FAA976
FAA977
FAA978
FAA979
FAA980
FAA981
FAA982
FAA983
FAA984
FAA985
FAA986
FAA987
FAA988
FAA989
FAA990
FAA991
FAA992
FAA993
FAA994
FAA995
FAA996
FAA997
FAA998
FAA999
FAA1000
FAA1001
FAA1002
FAA1003
FAA1004
FAA1005
FAA1006
FAA1007
FAA1008
FAA1009
FAA1010
FAA1011
FAA1012
FAA1013
FAA1014
FAA1015
FAA1016
FAA1017
FAA1018
FAA1019
FAA1020
FAA1021
FAA1022
FAA1023
FAA1024
FAA1025
FAA1026
FAA1027
FAA1028
FAA1029
FAA1030
FAA1031
FAA1032
FAA1033
FAA1034
FAA1035
FAA1036
FAA1037
FAA1038
FAA1039
FAA1040
FAA1041
FAA1042
FAA1043
FAA1044
FAA1045
FAA1046
FAA1047
FAA1048
FAA1049
FAA1050
FAA1051
FAA1052
FAA1053
FAA1054
FAA1055
FAA1056
FAA1057
FAA1058
FAA1059
FAA1060
FAA1061
FAA1062
FAA1063
FAA1064
FAA1065
FAA1066
FAA1067
FAA1068
FAA1069
FAA1070
FAA1071
FAA1072
FAA1073
FAA1074
FAA1075
FAA1076
FAA1077
FAA1078
FAA1079
FAA1080
FAA1081
FAA1082
FAA1083
FAA1084
FAA1085
FAA1086
FAA1087
FAA1088
FAA1089
FAA1090
FAA1091
FAA1092
FAA1093
FAA1094
FAA1095
FAA1096
FAA1097
FAA1098
FAA1099
FAA1100
FAA1101
FAA1102
FAA1103
FAA1104
FAA1105
FAA1106
FAA1107
FAA1108
FAA1109
FAA1110
FAA1111
FAA1112
FAA1113
FAA1114
FAA1115
FAA1116
FAA1117
FAA1118
FAA1119
FAA1120
FAA1121
FAA1122
FAA1123
FAA1124
FAA1125
FAA1126
FAA1127
FAA1128
FAA1129
FAA1130
FAA1131
FAA1132
FAA1133
FAA1134
FAA1135
FAA1136
FAA1137
FAA1138
FAA1139
FAA1140
FAA1141
FAA1142
FAA1143
FAA1144
FAA1145
FAA1146
FAA1147
FAA1148
FAA1149
FAA1150
FAA1151
FAA1152
FAA1153
FAA1154
FAA1155
FAA1156
FAA1157
FAA1158
FAA1159
FAA1160
FAA1161
FAA1162
FAA1163
FAA1164
FAA1165
FAA1166
FAA1167
FAA1168
FAA1169
FAA1170
FAA1171
FAA1172
FAA1173
FAA1174
FAA1175
FAA1176
FAA1177
FAA1178
FAA1179
FAA1180
FAA1181
FAA1182
FAA1183
FAA1184
FAA1185
FAA1186
FAA1187
FAA1188
FAA1189
FAA1190
FAA1191
FAA1192
FAA1193
FAA1194
FAA1195
FAA1196
FAA1197
FAA1198
FAA1199
FAA1200
FAA1201
FAA1202
FAA1203
FAA1204
FAA1205
FAA1206
FAA1207
FAA1208
FAA1209
FAA1210
FAA1211
FAA1212
FAA1213
FAA1214
FAA1215
FAA1216
FAA1217
FAA1218
FAA1219
FAA1220
FAA1221
FAA1222
FAA1223
FAA1224
FAA1225
FAA1226
FAA1227
FAA1228
FAA1229
FAA1230
FAA1231
FAA1232
FAA1233
FAA1234
FAA1235
FAA1236
FAA1237
FAA1238
FAA1239
FAA1240
FAA1241
FAA1242
FAA1243
FAA1244
FAA1245
FAA1246
FAA1247
FAA1248
FAA1249
FAA1250
FAA1251
FAA1252
FAA1253
FAA1254
FAA1255
FAA1256
FAA1257
FAA1258
FAA1259
FAA1260
FAA1261
FAA1262
FAA1263
FAA1264
FAA1265
FAA1266
FAA1267
FAA1268
FAA1269
FAA1270
FAA1271
FAA1272
FAA1273
FAA1274
FAA1275
FAA1276
FAA1277
FAA1278
FAA1279
FAA1280
FAA1281
FAA1282
FAA1283
FAA1284
FAA1285
FAA1286
FAA1287
FAA1288
FAA1289
FAA1290
FAA1291
FAA1292
FAA1293
FAA1294
FAA1295
FAA1296
FAA1297
FAA1298
FAA1299
FAA1300
FAA1301
FAA1302
FAA1303
FAA1304
FAA1305
FAA1306
FAA1307
FAA1308
FAA1309
FAA1310
FAA1311
FAA1312
FAA1313
FAA1314
FAA1315
FAA1316
FAA1317
FAA1318
FAA1319
FAA1320
FAA1321
FAA1322
FAA1323
FAA1324
FAA1325
FAA1326
FAA1327
FAA1328
FAA1329
FAA1330
FAA1331
FAA1332
FAA1333
FAA1334
FAA1335
FAA1336
FAA1337
FAA1338
FAA1339
FAA1340
FAA1341
FAA1342
FAA1343
FAA1344
FAA1345
FAA1346
FAA1347
FAA1348
FAA1349
FAA1350
FAA1351
FAA1352
FAA1353
FAA1354
FAA1355
FAA1356
FAA1357
FAA1358
FAA1359
FAA1360
FAA1361
FAA1362
FAA1363
FAA1364
FAA1365
FAA1366
FAA1367
FAA1368
FAA1369
FAA1370
FAA1371
FAA1372
FAA1373
FAA1374
FAA1375
FAA1376
FAA1377
FAA1378
FAA1379
FAA1380
FAA1381
FAA1382
FAA1383
FAA1384
FAA1385
FAA1386
FAA1387
FAA1388
FAA1389
FAA1390
FAA1391
FAA1392
FAA1393
FAA1394
FAA1395
FAA1396
FAA1397
FAA1398
FAA1399
FAA1400
FAA1401
FAA1402
FAA1403
FAA1404
FAA1405
FAA1406
FAA1407
FAA1408
FAA1409
FAA1410
FAA1411
FAA1412
FAA1413
FAA1414
FAA1415
FAA1416
FAA1417
FAA1418
FAA1419
FAA1420
FAA1421
FAA1422
FAA1423
FAA1424
FAA1425
FAA1426
FAA1427
FAA1428
FAA1429
FAA1430
FAA1431
FAA1432
FAA1433
FAA1434
FAA1435
FAA1436
FAA1437
FAA1438
FAA1439
FAA1440
FAA1441
FAA1442
FAA1443
FAA1444
FAA1445
FAA1446
FAA1447
FAA1448
FAA1449
FAA1450
FAA1451
FAA1452
FAA1453
FAA1454
FAA1455
FAA1456
FAA1457
FAA1458
FAA1459
FAA1460
FAA1461
FAA1462
FAA1463
FAA1464
FAA1465
FAA1466
FAA1467
FAA1468
FAA1469
FAA1470
FAA1471
FAA1472
FAA1473
FAA1474
FAA1475
FAA1476
FAA1477
FAA1478
FAA1479
FAA1480
FAA1481
FAA1482
FAA1483
FAA1484
FAA1485
FAA1486
FAA1487
FAA1488
FAA1489
FAA1490
FAA1491
FAA1492
FAA1493
FAA1494
FAA1495
FAA1496
FAA1497
FAA1498
FAA1499
FAA1500
FAA1501
FAA1502
FAA1503
FAA1504
FAA1505
FAA1506
FAA1507
FAA1508
FAA1509
FAA1510
FAA1511
FAA1512
FAA1513
FAA1514
FAA1515
FAA1516
FAA1517
FAA1518
FAA1519
FAA1520
FAA1521
FAA1522
FAA1523
FAA1524
FAA1525
FAA1526
FAA1527
FAA1528
FAA1529
FAA1530
FAA1531
FAA1532
FAA1533
FAA1534
FAA1535
FAA1536
FAA1537
FAA1538
FAA1539
FAA1540
FAA1541
FAA1542
FAA1543
FAA1544
FAA1545
FAA1546
FAA1547
FAA1548
FAA1549
FAA1550
FAA1551
FAA1552
FAA1553
FAA1554
FAA1555
FAA1556
FAA1557
FAA1558
FAA1559
FAA1560
FAA1561
FAA1562
FAA1563
FAA1564
FAA1565
FAA1566
FAA1567
FAA1568
FAA1569
FAA1570
FAA1571
FAA1572
FAA1573
FAA1574
FAA1575
FAA1576
FAA1577
FAA1578
FAA1579
FAA1580
FAA1581
FAA1582
FAA1583
FAA1584
FAA1585
FAA1586
FAA1587
FAA1588
FAA1589
FAA1590
FAA1591
FAA1592
FAA1593
FAA1594
FAA1595
FAA1596
FAA1597
FAA1598
FAA1599
FAA1600
FAA1601
FAA1602
FAA1603
FAA1604
FAA1605
FAA1606
FAA1607
FAA1608
FAA1609
FAA1610
FAA1611
FAA1612
FAA1613
FAA1614
FAA1615
FAA1616
FAA1617
FAA1618
FAA1619
FAA1620
FAA1621
FAA1622
FAA1623
FAA1624
FAA1625
FAA1626
FAA1627
FAA1628
FAA1629
FAA1630
FAA1631
FAA1632
FAA1633
FAA1634
FAA1635
FAA1636
FAA1637
FAA1638
FAA1639
FAA1640
FAA1641
FAA1642
FAA1643
FAA1644
FAA1645
FAA1646
FAA1647
FAA1648
FAA1649
FAA1650
FAA1651
FAA1652
FAA1653
FAA1654
FAA1655
FAA1656
FAA1657
FAA1658
FAA1659
FAA1660
FAA1661
FAA1662
FAA1663
FAA1664
FAA1665
FAA1666
FAA1667
FAA1668
FAA1669
FAA1670
FAA1671
FAA1672
FAA1673
FAA1674
FAA1675
FAA1676
FAA1677
FAA1678
FAA1679
FAA1680
FAA1681
FAA1682
FAA1683
FAA1684
FAA1685
FAA1686
FAA1687
FAA1688
FAA1689
FAA1690
FAA1691
FAA1692
FAA1693
FAA1694
FAA1695
FAA1696
FAA1697
FAA1698
FAA1699
FAA1700
FAA1701
FAA1702
FAA1703
FAA1704
FAA1705
FAA1706
FAA1707
FAA1708
FAA1709
FAA1710
FAA1711
FAA1712
FAA1713
FAA1714
FAA1715
FAA1716
FAA1717
FAA1718
FAA1719
FAA1720
FAA1721
FAA1722
FAA1723
FAA1724
FAA1725
FAA1726
FAA1727
FAA1728
FAA1729
FAA1730
FAA1731
FAA1732
FAA1733
FAA1734
FAA1735
FAA1736
FAA1737
FAA1738
FAA1739
FAA1740
FAA1741
FAA1742
FAA1743
FAA1744
FAA1745
FAA1746
FAA1747
FAA1748
FAA1749
FAA1750
FAA1751
FAA1752
FAA1753
FAA1754
FAA1755
FAA1756
FAA1757
FAA1758
FAA1759
FAA1760
FAA1761
FAA1762
FAA1763
FAA1764
FAA1765
FAA1766
FAA1767
FAA1768
FAA1769
FAA1770
FAA1771
FAA1772
FAA1773
FAA1774
FAA1775
FAA1776
FAA1777
FAA1778
FAA1779
FAA1780
FAA1781
FAA1782
FAA1783
FAA1784
FAA1785
FAA1786
FAA1787
FAA1788
FAA1789
FAA1790
FAA1791
FAA1792
FAA1793
FAA1794
FAA1795
FAA1796
FAA1797
FAA1798
FAA1799
FAA1800
FAA1801
FAA1802
FAA1803
FAA1804
FAA1805
FAA1806
FAA1807
FAA1808
FAA1809
FAA1810
FAA1811
FAA1812
FAA1813
FAA1814
FAA1815
FAA1816
FAA1817
FAA1818
FAA1819
FAA1820
FAA1821
FAA1822
FAA1823
FAA1824
FAA1825
FAA1826
FAA1827
FAA1828
FAA1829
FAA1830
FAA1831
FAA1832
FAA1833
FAA1834
FAA1835
FAA1836
FAA1837
FAA1838
FAA1839
FAA1840
FAA1841
FAA1842
FAA1843
FAA1844
FAA1845
FAA1846
FAA1847
FAA1848
FAA1849
FAA1850
FAA1851
FAA1852
FAA1853
FAA1854
FAA1855
FAA1856
FAA1857
FAA1858
FAA1859
FAA1860
FAA1861
FAA1862
FAA1863
FAA1864
FAA1865
FAA1866
FAA1867
FAA1868
FAA1869
FAA1870
FAA1871
FAA1872
FAA1873
FAA1874
FAA1875
FAA1876
FAA1877
FAA1878
FAA1879
FAA1880
FAA1881
FAA1882
FAA1883
FAA1884
FAA1885
FAA1886
FAA1887
FAA1888
FAA1889
FAA1890
FAA1891
FAA1892
FAA1893
FAA1894
FAA1895
FAA1896
FAA1897
FAA1898
FAA1899
FAA1900
FAA1901
FAA1902
FAA1903
FAA1904
FAA1905
FAA1906
FAA1907
FAA1908
FAA1909
FAA1910
FAA1911
FAA1912
FAA1913
FAA1914
FAA1915
FAA1916
FAA1917
FAA1918
FAA1919
FAA1920
FAA1921
FAA1922
FAA1923
FAA1924
FAA1925
FAA1926
FAA1927
FAA1928
FAA1929
FAA1930
FAA1931
FAA1932
FAA1933
FAA1934
FAA1935
FAA1936
FAA1937
FAA1938
FAA1939
FAA1940
FAA1941
FAA1942
FAA1943
FAA1944
FAA1945
FAA1946
FAA1947
FAA1948
FAA1949
FAA1950
FAA1951
FAA1952
FAA1953
FAA1954
FAA1955
FAA1956
FAA1957
FAA1958
FAA1959
FAA1960
FAA1961
FAA1962
FAA1963
FAA1964
FAA1965
FAA1966
FAA1967
FAA1968
FAA1969
FAA1970
FAA1971
FAA1972
FAA1973
FAA1974
FAA1975
FAA1976
FAA1977
FAA1978
FAA1979
FAA1980
FAA1981
FAA1982
FAA1983
FAA1984
FAA1985
FAA1986
FAA1987
FAA1988
FAA1989
FAA1990
FAA1991
FAA1992
FAA1993
FAA1994
FAA1995
FAA1996
FAA1997
FAA1998
FAA1999
FAA2000
FAA2001
FAA2002
FAA2003
FAA2004
FAA2005
FAA2006
FAA2007
FAA2008
FAA2009
FAA2010
FAA2011
FAA2012
FAA2013
FAA2014
FAA2015
FAA2016
FAA2017
FAA2018
FAA2019
FAA2020
FAA2021
FAA2022
FAA2023
FAA2024
FAA2025
FAA2026
FAA2027
FAA2028
FAA2029
FAA2030
FAA2031
FAA2032
FAA2033
FAA2034
FAA2035
FAA2036
FAA2037
FAA2038
FAA2039
FAA2040
FAA2041
FAA2042
FAA2043
FAA2044
FAA2045
FAA2046
FAA2047
FAA2048
FAA2049
FAA2050
FAA2051
FAA2052
FAA2053
FAA2054
FAA2055
FAA2056
FAA2057
FAA2058
FAA2059
FAA2060
FAA2061
FAA2062
FAA2063
FAA2064
FAA2065
FAA2066
FAA2067
FAA2068
FAA2069
FAA2070
FAA2071
FAA2072
FAA2073
FAA2074
FAA2075
FAA2076
FAA2077
FAA2078
FAA2079
FAA2080
FAA2081
FAA2082
FAA2083
FAA2084
FAA2085
FAA2086
FAA2087
FAA2088
FAA2089
FAA2090
FAA2091
FAA2092
FAA2093
FAA2094
FAA2095
FAA2096
FAA2097
FAA2098
FAA2099
FAA2100
FAA2101
FAA2102
FAA2103
FAA2104
FAA2105
FAA2106
FAA2107
FAA2108
FAA2109
FAA2110
FAA2111
FAA2112
FAA2113
FAA2114
FAA2115
FAA2116
FAA2117
FAA2118
FAA2119
FAA2120
FAA2121
FAA2122
FAA2123
FAA2124
FAA2125
FAA2126
FAA2127
FAA2128
FAA2129
FAA2130
FAA2131
FAA2132
FAA2133
FAA2134
FAA2135
FAA2136
FAA2137
FAA2138
FAA2139
FAA2140
FAA2141
FAA2142
FAA2143
FAA2144
FAA2145
FAA2146
FAA2147
FAA2148
FAA2149
FAA2150
FAA2151
FAA2152
FAA2153
FAA2154
FAA2155
FAA2156
FAA2157
FAA2158
FAA2159
FAA2160
FAA2161
FAA2162
FAA2163
FAA2164
FAA2165
FAA2166
FAA2167
FAA2168
FAA2169
FAA2170
FAA2171
FAA2172
FAA2173
FAA2174
FAA2175
FAA2176
FAA2177
FAA2178
FAA2179
FAA2180
FAA2181
FAA2182
FAA2183
FAA2184
FAA2185
FAA2186
FAA2187
FAA2188
FAA2189
FAA2190
FAA2191
FAA2192
FAA2193
FAA2194
FAA2195
FAA2196
FAA2197
FAA2198
FAA2199
FAA2200
FAA2201
FAA2202
FAA2203
FAA2204
FAA2205
FAA2206
FAA2207
FAA2208
FAA2209
FAA2210
FAA2211
FAA2212
FAA2213
FAA2214
FAA2215
FAA2216
FAA2217
FAA2218
FAA2219
FAA2220
FAA2221
FAA2222
FAA2223
FAA2224
FAA2225
FAA2226
FAA2227
FAA2228
FAA2229
FAA2230
FAA2231
FAA2232
FAA2233
FAA2234
FAA2235
FAA2236
FAA2237
FAA2238
FAA2239
FAA2240
FAA2241
FAA2242
FAA2243
FAA2244
FAA2245
FAA2246
FAA2247
FAA2248
FAA2249
FAA2250
FAA2251
FAA2252
FAA2253
FAA2254
FAA2255
FAA2256
FAA2257
FAA2258
FAA2259
FAA2260
FAA2261
FAA2262
FAA2263
FAA2264
FAA2265
FAA2266
FAA2267
FAA2268
FAA2269
FAA2270
FAA2271
FAA2272
FAA2273
FAA2274
FAA2275
FAA2276
FAA2277
FAA2278
FAA2279
FAA2280
FAA2281
FAA2282
FAA2283
FAA2284
FAA2285
FAA2286
FAA2287
FAA2288
FAA2289
FAA2290
FAA2291
FAA2292
FAA2293
FAA2294
FAA2295
FAA2296
FAA2297
FAA2298
FAA2299
FAA2300
FAA2301
FAA2302
FAA2303
FAA2304
FAA2305
FAA2306
FAA2307
FAA2308
FAA2309
FAA2310
FAA2311
FAA2312
FAA2313
FAA2314
FAA2315
FAA2316
FAA2317
FAA2318
FAA2319
FAA2320
FAA2321
FAA2322
FAA2323
FAA2324
FAA2325
FAA2326
FAA2327
FAA2328
FAA2329
FAA2330
FAA2331
FAA2332
FAA2333
FAA2334
FAA2335
FAA2336
FAA2337
FAA2338
FAA2339
FAA2340
FAA2341
FAA2342
FAA2343
FAA2344
FAA2345
FAA2346
FAA2347
FAA2348
FAA2349
FAA2350
FAA2351
FAA2352
FAA2353
FAA2354
FAA2355
FAA2356
FAA2357
FAA2358
FAA2359
FAA2360
FAA2361
FAA2362
FAA2363
FAA2364
FAA2365
FAA2366
FAA2367
FAA2368
FAA2369
FAA2370
FAA2371
FAA2372
FAA2373
FAA2374
FAA2375
FAA2376
FAA2377
FAA2378
FAA2379
FAA2380
FAA2381
FAA2382
FAA2383
FAA2384
FAA2385
FAA2386
FAA2387
FAA2388
FAA2389
FAA2390
FAA2391
FAA2392
FAA2393
FAA2394
FAA2395
FAA2396
FAA2397
FAA2398
FAA2399
FAA2400
FAA2401
FAA2402
FAA2403
FAA2404
FAA2405
FAA2406
FAA2407
FAA2408
FAA2409
FAA2410
FAA2411
FAA2412
FAA2413
FAA2414
FAA2415
FAA2416
FAA2417
FAA2418
FAA2419
FAA2420
FAA2421
FAA2422
FAA2423
FAA2424
FAA2425
FAA2426
FAA2427
FAA2428
FAA2429
FAA2430
FAA2431
FAA2432
FAA2433
FAA2434
FAA2435
FAA2436
FAA2437
FAA2438
FAA2439
FAA2440
FAA2441
FAA2442
FAA2443
FAA2444
FAA2445
FAA2446
FAA2447
FAA2448
FAA2449
FAA2450
FAA2451
FAA2452
FAA2453
FAA2454
FAA2455
FAA2456
FAA2457
FAA2458
FAA2459
FAA2460
FAA2461
FAA2462
FAA2463
FAA2464
FAA2465
FAA2466
FAA2467
FAA2468
FAA2469
FAA2470
FAA2471
FAA2472
FAA2473
FAA2474
FAA2475
FAA2476
FAA2477
FAA2478
FAA2479
FAA2480
FAA2481
FAA2482
FAA2483
FAA2484
FAA2485
FAA2486
FAA2487
FAA2488
FAA2489
FAA2490
FAA2491
FAA2492
FAA2493
FAA2494
FAA2495
FAA2496
FAA2497
FAA2498
FAA2499
FAA2500
FAA2501
FAA2502
FAA2503
FAA2504
FAA2505
FAA2506
FAA2507
FAA2508
FAA2509
FAA2510
FAA2511
FAA2512
FAA2513
FAA2514
FAA2515
FAA2516
FAA2517
FAA2518
FAA2519
FAA2520
FAA2521
FAA2522
FAA2523
FAA2524
FAA2525
FAA2526
FAA2527
FAA2528
FAA2529
FAA2530
FAA2531
FAA2532
FAA2533
FAA2534
FAA2535
FAA2536
FAA2537
FAA2538
FAA2539
FAA2540
FAA2541
FAA2542
FAA2543
FAA2544
FAA2545
FAA2546
FAA2547
FAA2548
FAA2549
FAA2550
FAA2551
FAA2552
FAA2553
FAA2554
FAA2555
FAA2556
FAA2557
FAA2558
FAA2559
FAA2560
FAA2561
FAA2562
FAA2563
FAA2564
FAA2565
FAA2566
FAA2567
FAA2568
FAA2569
FAA2570
FAA2571
FAA2572
FAA2573
FAA2574
FAA2575
FAA2576
FAA2577
FAA2578
FAA2579
FAA2580
FAA2581
FAA2582
FAA2583
FAA2584
FAA2585
FAA2586
FAA2587
FAA2588
FAA2589
FAA2590
FAA2591
FAA2592
FAA2593
FAA2594
FAA2595
FAA2596
FAA2597
FAA2598
FAA2599
FAA2600
FAA2601
FAA2602
FAA2603
FAA2604
FAA2605
FAA2606
FAA2607
FAA2608
FAA2609
FAA2610
FAA2611
FAA2612
FAA2613
FAA2614
FAA2615
FAA2616
FAA2617
FAA2618
FAA2619
FAA2620
FAA2621
FAA2622
FAA2623
FAA2624
FAA2625
FAA2626
FAA2627
FAA2628
FAA2629
FAA2630
FAA2631
FAA2632
FAA2633
FAA2634
FAA2635
FAA2636
FAA2637
FAA2638
FAA2639
FAA2640
FAA2641
FAA2642
FAA2643
FAA2644
FAA2645
FAA2646
FAA2647
FAA2648
FAA2649
FAA2650
FAA2651
FAA2652
FAA2653
FAA2654
FAA2655
FAA2656
FAA2657
FAA2658
FAA2659
FAA2660
FAA2661
FAA2662
FAA2663
FAA2664
FAA2665
FAA2666
FAA2667
FAA2668
FAA2669
FAA2670
FAA2671
FAA2672
FAA2673
FAA2674
FAA2675
FAA2676
FAA2677
FAA2678
FAA2679
FAA2680
FAA2681
FAA2682
FAA2683
FAA2684
FAA2685
FAA2686
FAA2687
FAA2688
FAA2689
FAA2690
FAA2691
FAA2692
FAA2693
FAA2694
FAA2695
FAA2696
FAA2697
FAA2698
FAA2699
FAA2700
FAA2701
FAA2702
FAA2703
FAA2704
FAA2705
FAA2706
FAA2707
FAA2708
FAA2709
FAA2710
FAA2711
FAA2712
FAA2713
FAA2714
FAA2715
FAA2716
FAA2717
FAA2718
FAA2719
FAA2720
FAA2721
FAA2722
FAA2723
FAA2724
FAA2725
FAA2726
FAA2727
FAA2728
FAA2729
FAA2730
FAA2731
FAA2732
FAA2733
FAA2734
FAA2735
FAA2736
FAA2737
FAA2738
FAA2739
FAA2740
FAA2741
FAA2742
FAA2743
FAA2744
FAA2745
FAA2746
FAA2747
FAA2748
FAA2749
FAA2750
FAA2751
FAA2752
FAA2753
FAA2754
FAA2755
FAA2756
FAA2757
FAA2758
FAA2759
FAA2760
FAA2761
FAA2762
FAA2763
FAA2764
FAA2765
FAA2766
FAA2767
FAA2768
FAA2769
FAA2770
FAA2771
FAA2772
FAA2773
FAA2774
FAA2775
FAA2776
FAA2777
FAA2778
FAA2779
FAA2780
FAA2781
FAA2782
FAA2783
FAA2784
FAA2785
FAA2786
FAA2787
FAA2788
FAA2789
FAA2790
FAA2791
FAA2792
FAA2793
FAA2794
FAA2795
FAA2796
FAA2797
FAA2798
FAA2799
FAA2800
FAA2801
FAA2802
FAA2803
FAA2804
FAA2805
FAA2806
FAA2807
FAA2808
FAA2809
FAA2810
FAA2811
FAA2812
FAA2813
FAA2814
FAA2815
FAA2816
FAA2817
FAA2818
FAA2819
FAA2820
FAA2821
FAA2822
FAA2823
FAA2824
FAA2825
FAA2826
FAA2827
FAA2828
FAA2829
FAA2830
FAA2831
FAA2832
FAA2833
FAA2834
FAA2835
FAA2836
FAA2837
FAA2838
FAA2839
FAA2840
FAA2841
FAA2842
FAA2843
FAA2844
FAA2845
FAA2846
FAA2847
FAA2848
FAA2849
FAA2850
FAA2851
FAA2852
FAA2853
FAA2854
FAA2855
FAA2856
FAA2857
FAA2858
FAA2859
FAA2860
FAA2861
FAA2862
FAA2863
FAA2864
FAA2865
FAA2866
FAA2867
FAA2868
FAA2869
FAA2870
FAA2871
FAA2872
FAA2873
FAA2874
FAA2875
FAA2876
FAA2877
FAA2878
FAA2879
FAA2880
FAA2881
FAA2882
FAA2883
FAA2884
FAA2885
FAA2886
FAA2887
FAA2888
FAA2889
FAA2890
FAA2891
FAA2892
FAA2893
FAA2894
FAA2895
FAA2896
FAA2897
FAA2898
FAA2899
FAA2900
FAA2901
FAA2902
FAA2903
FAA2904
FAA2905
FAA2906
FAA2907
FAA2908
FAA2909
FAA2910
FAA2911
FAA2912
FAA2913
FAA2914
FAA2915
FAA2916
FAA2917
FAA2918
FAA2919
FAA2920
FAA2921
FAA2922
FAA2923
FAA2924
FAA2925
FAA2926
FAA2927
FAA2928
FAA2929
FAA2930
FAA2931
FAA2932
FAA2933
FAA2934
FAA2935
FAA2936
FAA2937
FAA2938
FAA2939
FAA2940
FAA2941
FAA2942
FAA2943
FAA2944
FAA2945
F

FOR BIDDING PURPOSES ONLY
SUPERSEDED



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. MALSR BASECANS ARE SHOWN FOR REFERENCE ONLY. FOR MALSR LOCATIONS REFER TO MALSR PROFILE ON E4 SERIES.

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 9

PROJECT NO. 8494.002

DRAWING E2.9

D:\Dropbox (Lean Photometrics)\Active Projects\19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.0X New Basecans - 16R.dwg 12/9/2019 7:43 PM LEAN



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. MALSR BASECANS ARE SHOWN FOR REFERENCE ONLY. FOR MALSR LOCATIONS REFER TO MALSR PROFILE ON E4 SERIES.

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 10

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.10

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20 New Basecans - 16R.dwg 12/9/2019 6:19 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 11

PROJECT NO. 8494.002

DRAWING E2.11

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Hwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Beacons - 16R.dwg 12/9/2019 6:19 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 12

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.12

D:\Dropbox (Lean Photometrics)\Active Projects\19018001A - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.12 New Beacons - 16R.dwg 12/9/2019 8:20 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 13

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E2.13

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2.13 New Basecans - 16R.dwg 12/9/2019 6:20 PM LEAN

MATCH LINE

(STA 43+52, SEE SHEET E2.9)



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 14

PROJECT NO. 8494.002

DRAWING **E2.14**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20x New Basecans - 16R.dwg 12/9/2019 6:21 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 15

PROJECT NO. 8494.002

DRAWING E2.15

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20X New Boscons - 16R.dwg 12/9/2019 6:21 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 16

PROJECT NO. 8494.002

DRAWING E2.16

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Pwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2XX New Basecans - 16R.dwg 12/9/2019 6:21 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 17

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E2.17**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:22 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 18

PROJECT NO. 8494.002

DRAWING E2.18

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:22 PM LEAN



(STA ----, SEE SHEET E2.5)

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 19

PROJECT NO. 8494.002

DRAWING E2.19

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:23 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 20

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.20

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20V New Basecans - 16R.dwg 12/9/2019 6:23 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 21

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.21

D:\Dropbox (Lean Photometrics)\Active Projects\RW18001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:23 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 22

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.22

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E200 New Basecans - 16R.dwg 12/9/2019 6:24 PM LEAN



MATCH LINE (STA 78+52, SEE SHEET E2.24)

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 23

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E2.23**

D:\Dropbox (Lean Photometrics)\Active Projects\19018010A - Wood Rogers RTIA Pwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20X New Basecans - 16R.dwg 12/9/2019 6:24 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 24

PROJECT NO. 8494.002


DRAWING E2.24

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20x Nxx Basecans - 16R.dwg 12/9/2019 6:25 PM LEAN

MATCH LINE

(STA 71+52, SEE SHEET E2.24)



NO WORK THIS SHEET,
FOR REFERENCE ONLY.

MATCH LINE

(STA 64+52, SEE SHEET E2.26)

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT


(N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS

(N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS

(N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 25


PROJECT NO.
8494.002


DRAWING
E2.25

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20x Nav Beacons - 16R.dwg 12/9/2019 6:25 PM LEAN

MATCH LINE (STA 64+52, SEE SHEET E2.25)


HH-FAA40
COMM
FAA (3)24-STR (SM FO)
FAA 25-PR
RTAA C-2B,C-2C (ALCS)
4-4 C.E.
FBO
JCP-RW2-01
HH-LS1-01
HH-LS1-02
HH-LS1-03
HH-LS1-04
HH-LN1-01
HH-LN1-02
HH-LN1-03
HH-LN1-04
HH-CE6-01
HH-CE6-02
HH-CW6-01
HH-CW6-02
HH-CW8-01
HH-CW8-02
HH-CW8-03
HH-CW8-04
HH-CW8-05
HH-CW8-06
HH-CW8-07
HH-CW8-08
HH-CW8-09
HH-CW8-10
HH-CW8-11
HH-CW8-12
HH-CW8-13
HH-CW8-14
HH-CW8-15
HH-CW8-16
HH-CW8-17
HH-CW8-18
HH-CW8-19
HH-CW8-20
HH-CW8-21
HH-CW8-22
HH-CW8-23
HH-CW8-24
HH-CW8-25
HH-CW8-26
HH-CW8-27
HH-CW8-28
HH-CW8-29
HH-CW8-30
HH-CW8-31
HH-CW8-32
HH-CW8-33
HH-CW8-34
HH-CW8-35
HH-CW8-36
HH-CW8-37
HH-CW8-38
HH-CW8-39
HH-CW8-40
HH-CW8-41
HH-CW8-42
HH-CW8-43
HH-CW8-44
HH-CW8-45
HH-CW8-46
HH-CW8-47
HH-CW8-48
HH-CW8-49
HH-CW8-50
HH-CW8-51
HH-CW8-52
HH-CW8-53
HH-CW8-54
HH-CW8-55
HH-CW8-56
HH-CW8-57
HH-CW8-58
HH-CW8-59
HH-CW8-60
HH-CW8-61
HH-CW8-62
HH-CW8-63
HH-CW8-64
HH-CW8-65
HH-CW8-66
HH-CW8-67
HH-CW8-68
HH-CW8-69
HH-CW8-70
HH-CW8-71
HH-CW8-72
HH-CW8-73
HH-CW8-74
HH-CW8-75
HH-CW8-76
HH-CW8-77
HH-CW8-78
HH-CW8-79
HH-CW8-80
HH-CW8-81
HH-CW8-82
HH-CW8-83
HH-CW8-84
HH-CW8-85
HH-CW8-86
HH-CW8-87
HH-CW8-88
HH-CW8-89
HH-CW8-90
HH-CW8-91
HH-CW8-92
HH-CW8-93
HH-CW8-94
HH-CW8-95
HH-CW8-96
HH-CW8-97
HH-CW8-98
HH-CW8-99
HH-CW8-100
HH-CW8-101
HH-CW8-102
HH-CW8-103
HH-CW8-104
HH-CW8-105
HH-CW8-106
HH-CW8-107
HH-CW8-108
HH-CW8-109
HH-CW8-110
HH-CW8-111
HH-CW8-112
HH-CW8-113
HH-CW8-114
HH-CW8-115
HH-CW8-116
HH-CW8-117
HH-CW8-118
HH-CW8-119
HH-CW8-120
HH-CW8-121
HH-CW8-122
HH-CW8-123
HH-CW8-124
HH-CW8-125
HH-CW8-126
HH-CW8-127
HH-CW8-128
HH-CW8-129
HH-CW8-130
HH-CW8-131
HH-CW8-132
HH-CW8-133
HH-CW8-134
HH-CW8-135
HH-CW8-136
HH-CW8-137
HH-CW8-138
HH-CW8-139
HH-CW8-140
HH-CW8-141
HH-CW8-142
HH-CW8-143
HH-CW8-144
HH-CW8-145
HH-CW8-146
HH-CW8-147
HH-CW8-148
HH-CW8-149
HH-CW8-150
HH-CW8-151
HH-CW8-152
HH-CW8-153
HH-CW8-154
HH-CW8-155
HH-CW8-156
HH-CW8-157
HH-CW8-158
HH-CW8-159
HH-CW8-160
HH-CW8-161
HH-CW8-162
HH-CW8-163
HH-CW8-164
HH-CW8-165
HH-CW8-166
HH-CW8-167
HH-CW8-168
HH-CW8-169
HH-CW8-170
HH-CW8-171
HH-CW8-172
HH-CW8-173
HH-CW8-174
HH-CW8-175
HH-CW8-176
HH-CW8-177
HH-CW8-178
HH-CW8-179
HH-CW8-180
HH-CW8-181
HH-CW8-182
HH-CW8-183
HH-CW8-184
HH-CW8-185
HH-CW8-186
HH-CW8-187
HH-CW8-188
HH-CW8-189
HH-CW8-190
HH-CW8-191
HH-CW8-192
HH-CW8-193
HH-CW8-194
HH-CW8-195
HH-CW8-196
HH-CW8-197
HH-CW8-198
HH-CW8-199
HH-CW8-200
HH-CW8-201
HH-CW8-202
HH-CW8-203
HH-CW8-204
HH-CW8-205
HH-CW8-206
HH-CW8-207
HH-CW8-208
HH-CW8-209
HH-CW8-210
HH-CW8-211
HH-CW8-212
HH-CW8-213
HH-CW8-214
HH-CW8-215
HH-CW8-216
HH-CW8-217
HH-CW8-218
HH-CW8-219
HH-CW8-220
HH-CW8-221
HH-CW8-222
HH-CW8-223
HH-CW8-224
HH-CW8-225
HH-CW8-226
HH-CW8-227
HH-CW8-228
HH-CW8-229
HH-CW8-230
HH-CW8-231
HH-CW8-232
HH-CW8-233
HH-CW8-234
HH-CW8-235
HH-CW8-236
HH-CW8-237
HH-CW8-238
HH-CW8-239
HH-CW8-240
HH-CW8-241
HH-CW8-242
HH-CW8-243
HH-CW8-244
HH-CW8-245
HH-CW8-246
HH-CW8-247
HH-CW8-248
HH-CW8-249
HH-CW8-250
HH-CW8-251
HH-CW8-252
HH-CW8-253
HH-CW8-254
HH-CW8-255
HH-CW8-256
HH-CW8-257
HH-CW8-258
HH-CW8-259
HH-CW8-260
HH-CW8-261
HH-CW8-262
HH-CW8-263
HH-CW8-264
HH-CW8-265
HH-CW8-266
HH-CW8-267
HH-CW8-268
HH-CW8-269
HH-CW8-270
HH-CW8-271
HH-CW8-272
HH-CW8-273
HH-CW8-274
HH-CW8-275
HH-CW8-276
HH-CW8-277
HH-CW8-278
HH-CW8-279
HH-CW8-280
HH-CW8-281
HH-CW8-282
HH-CW8-283
HH-CW8-284
HH-CW8-285
HH-CW8-286
HH-CW8-287
HH-CW8-288
HH-CW8-289
HH-CW8-290
HH-CW8-291
HH-CW8-292
HH-CW8-293
HH-CW8-294
HH-CW8-295
HH-CW8-296
HH-CW8-297
HH-CW8-298
HH-CW8-299
HH-CW8-300
HH-CW8-301
HH-CW8-302
HH-CW8-303
HH-CW8-304
HH-CW8-305
HH-CW8-306
HH-CW8-307
HH-CW8-308
HH-CW8-309
HH-CW8-310
HH-CW8-311
HH-CW8-312
HH-CW8-313
HH-CW8-314
HH-CW8-315
HH-CW8-316
HH-CW8-317
HH-CW8-318
HH-CW8-319
HH-CW8-320
HH-CW8-321
HH-CW8-322
HH-CW8-323
HH-CW8-324
HH-CW8-325
HH-CW8-326
HH-CW8-327
HH-CW8-328
HH-CW8-329
HH-CW8-330
HH-CW8-331
HH-CW8-332
HH-CW8-333
HH-CW8-334
HH-CW8-335
HH-CW8-336
HH-CW8-337
HH-CW8-338
HH-CW8-339
HH-CW8-340
HH-CW8-341
HH-CW8-342
HH-CW8-343
HH-CW8-344
HH-CW8-345
HH-CW8-346
HH-CW8-347
HH-CW8-348
HH-CW8-349
HH-CW8-350
HH-CW8-351
HH-CW8-352
HH-CW8-353
HH-CW8-354
HH-CW8-355
HH-CW8-356
HH-CW8-357
HH-CW8-358
HH-CW8-359
HH-CW8-360
HH-CW8-361
HH-CW8-362
HH-CW8-363
HH-CW8-364
HH-CW8-365
HH-CW8-366
HH-CW8-367
HH-CW8-368
HH-CW8-369
HH-CW8-370
HH-CW8-371
HH-CW8-372
HH-CW8-373
HH-CW8-374
HH-CW8-375
HH-CW8-376
HH-CW8-377
HH-CW8-378
HH-CW8-379
HH-CW8-380
HH-CW8-381
HH-CW8-382
HH-CW8-383
HH-CW8-384
HH-CW8-385
HH-CW8-386
HH-CW8-387
HH-CW8-388
HH-CW8-389
HH-CW8-390
HH-CW8-391
HH-CW8-392
HH-CW8-393
HH-CW8-394
HH-CW8-395
HH-CW8-396
HH-CW8-397
HH-CW8-398
HH-CW8-399
HH-CW8-400
HH-CW8-401
HH-CW8-402
HH-CW8-403
HH-CW8-404
HH-CW8-405
HH-CW8-406
HH-CW8-407
HH-CW8-408
HH-CW8-409
HH-CW8-410
HH-CW8-411
HH-CW8-412
HH-CW8-413
HH-CW8-414
HH-CW8-415
HH-CW8-416
HH-CW8-417
HH-CW8-418
HH-CW8-419
HH-CW8-420
HH-CW8-421
HH-CW8-422
HH-CW8-423
HH-CW8-424
HH-CW8-425
HH-CW8-426
HH-CW8-427
HH-CW8-428
HH-CW8-429
HH-CW8-430
HH-CW8-431
HH-CW8-432
HH-CW8-433
HH-CW8-434
HH-CW8-435
HH-CW8-436
HH-CW8-437
HH-CW8-438
HH-CW8-439
HH-CW8-440
HH-CW8-441
HH-CW8-442
HH-CW8-443
HH-CW8-444
HH-CW8-445
HH-CW8-446
HH-CW8-447
HH-CW8-448
HH-CW8-449
HH-CW8-450
HH-CW8-451
HH-CW8-452
HH-CW8-453
HH-CW8-454
HH-CW8-455
HH-CW8-456
HH-CW8-457
HH-CW8-458
HH-CW8-459
HH-CW8-460
HH-CW8-461
HH-CW8-462
HH-CW8-463
HH-CW8-464
HH-CW8-465
HH-CW8-466
HH-CW8-467
HH-CW8-468
HH-CW8-469
HH-CW8-470
HH-CW8-471
HH-CW8-472
HH-CW8-473
HH-CW8-474
HH-CW8-475
HH-CW8-476
HH-CW8-477
HH-CW8-478
HH-CW8-479
HH-CW8-480
HH-CW8-481
HH-CW8-482
HH-CW8-483
HH-CW8-484
HH-CW8-485
HH-CW8-486
HH-CW8-487
HH-CW8-488
HH-CW8-489
HH-CW8-490
HH-CW8-491
HH-CW8-492
HH-CW8-493
HH-CW8-494
HH-CW8-495
HH-CW8-496
HH-CW8-497
HH-CW8-498
HH-CW8-499
HH-CW8-500
HH-CW8-501
HH-CW8-502
HH-CW8-503
HH-CW8-504
HH-CW8-505
HH-CW8-506
HH-CW8-507
HH-CW8-508
HH-CW8-509
HH-CW8-510
HH-CW8-511
HH-CW8-512
HH-CW8-513
HH-CW8-514
HH-CW8-515
HH-CW8-516
HH-CW8-517
HH-CW8-518
HH-CW8-519
HH-CW8-520
HH-CW8-521
HH-CW8-522
HH-CW8-523
HH-CW8-524
HH-CW8-525
HH-CW8-526
HH-CW8-527
HH-CW8-528
HH-CW8-529
HH-CW8-530
HH-CW8-531
HH-CW8-532
HH-CW8-533
HH-CW8-534
HH-CW8-535
HH-CW8-536
HH-CW8-537
HH-CW8-538
HH-CW8-539
HH-CW8-540
HH-CW8-541
HH-CW8-542
HH-CW8-543
HH-CW8-544
HH-CW8-545
HH-CW8-546
HH-CW8-547
HH-CW8-548
HH-CW8-549
HH-CW8-550
HH-CW8-551
HH-CW8-552
HH-CW8-553
HH-CW8-554
HH-CW8-555
HH-CW8-556
HH-CW8-557
HH-CW8-558
HH-CW8-559
HH-CW8-560
HH-CW8-561
HH-CW8-562
HH-CW8-563
HH-CW8-564
HH-CW8-565
HH-CW8-566
HH-CW8-567
HH-CW8-568
HH-CW8-569
HH-CW8-570
HH-CW8-571
HH-CW8-572
HH-CW8-573
HH-CW8-574
HH-CW8-575
HH-CW8-576
HH-CW8-577
HH-CW8-578
HH-CW8-579
HH-CW8-580
HH-CW8-581
HH-CW8-582
HH-CW8-583
HH-CW8-584
HH-CW8-585
HH-CW8-586
HH-CW8-587
HH-CW8-588
HH-CW8-589
HH-CW8-590
HH-CW8-591
HH-CW8-592
HH-CW8-593
HH-CW8-594
HH-CW8-595
HH-CW8-596
HH-CW8-597
HH-CW8-598
HH-CW8-599
HH-CW8-600
HH-CW8-601
HH-CW8-602
HH-CW8-603
HH-CW8-604
HH-CW8-605
HH-CW8-606
HH-CW8-607
HH-CW8-608
HH-CW8-609
HH-CW8-610
HH-CW8-611
HH-CW8-612
HH-CW8-613
HH-CW8-614
HH-CW8-615
HH-CW8-616
HH-CW8-617
HH-CW8-618
HH-CW8-619
HH-CW8-620
HH-CW8-621
HH-CW8-622
HH-CW8-623
HH-CW8-624
HH-CW8-625
HH-CW8-626
HH-CW8-627
HH-CW8-628
HH-CW8-629
HH-CW8-630
HH-CW8-631
HH-CW8-632
HH-CW8-633
HH-CW8-634
HH-CW8-635
HH-CW8-636
HH-CW8-637
HH-CW8-638
HH-CW8-639
HH-CW8-640
HH-CW8-641
HH-CW8-642
HH-CW8-643
HH-CW8-644
HH-CW8-645
HH-CW8-646
HH-CW8-647
HH-CW8-648
HH-CW8-649
HH-CW8-650
HH-CW8-651
HH-CW8-652
HH-CW8-653
HH-CW8-654
HH-CW8-655
HH-CW8-656
HH-CW8-657
HH-CW8-658
HH-CW8-659
HH-CW8-660
HH-CW8-661
HH-CW8-662
HH-CW8-663
HH-CW8-664
HH-CW8-665
HH-CW8-666
HH-CW8-667
HH-CW8-668
HH-CW8-669
HH-CW8-670
HH-CW8-671
HH-CW8-672
HH-CW8-673
HH-CW8-674
HH-CW8-675
HH-CW8-676
HH-CW8-677
HH-CW8-678
HH-CW8-679
HH-CW8-680
HH-CW8-681
HH-CW8-682
HH-CW8-683
HH-CW8-684
HH-CW8-685
HH-CW8-686
HH-CW8-687
HH-CW8-688
HH-CW8-689
HH-CW8-690
HH-CW8-691
HH-CW8-692
HH-CW8-693
HH-CW8-694
HH-CW8-695
HH-CW8-696
HH-CW8-697
HH-CW8-698
HH-CW8-699
HH-CW8-700
HH-CW8-701
HH-CW8-702
HH-CW8-703
HH-CW8-704
HH-CW8-705
HH-CW8-706
HH-CW8-707
HH-CW8-708
HH-CW8-709
HH-CW8-710
HH-CW8-711
HH-CW8-712
HH-CW8-713
HH-CW8-714
HH-CW8-715
HH-CW8-716
HH-CW8-717
HH-CW8-718
HH-CW8-719
HH-CW8-720
HH-CW8-721
HH-CW8-722
HH-CW8-723
HH-CW8-724
HH-CW8-725
HH-CW8-726
HH-CW8-727
HH-CW8-728
HH-CW8-729
HH-CW8-730
HH-CW8-731
HH-CW8-732
HH-CW8-733
HH-CW8-734
HH-CW8-735
HH-CW8-736
HH-CW8-737
HH-CW8-738
HH-CW8-739
HH-CW8-740
HH-CW8-741
HH-CW8-742
HH-CW8-743
HH-CW8-744
HH-CW8-745
HH-CW8-746
HH-CW8-747
HH-CW8-748
HH-CW8-749
HH-CW8-750
HH-CW8-751
HH-CW8-752
HH-CW8-753
HH-CW8-754
HH-CW8-755
HH-CW8-756
HH-CW8-757
HH-CW8-758
HH-CW8-759
HH-CW8-760
HH-CW8-761
HH-CW8-762
HH-CW8-763
HH-CW8-764
HH-CW8-765
HH-CW8-766
HH-CW8-767
HH-CW8-768
HH-CW8-769
HH-CW8-770
HH-CW8-771
HH-CW8-772
HH-CW8-773
HH-CW8-774
HH-CW8-775
HH-CW8-776
HH-CW8-777
HH-CW8-778
HH-CW8-779
HH-CW8-780
HH-CW8-781
HH-CW8-782
HH-CW8-783
HH-CW8-784
HH-CW8-785
HH-CW8-786
HH-CW8-787
HH-CW8-788
HH-CW8-789
HH-CW8-790
HH-CW8-791
HH-CW8-792
HH-CW8-793
HH-CW8-794
HH-CW8-795
HH-CW8-796
HH-CW8-797
HH-CW8-798
HH-CW8-799
HH-CW8-800
HH-CW8-801
HH-CW8-802
HH-CW8-803
HH-CW8-804
HH-CW8-805
HH-CW8-806
HH-CW8-807
HH-CW8-808
HH-CW8-809
HH-CW8-810
HH-CW8-811
HH-CW8-812
HH-CW8-813
HH-CW8-814
HH-CW8-815
HH-CW8-816
HH-CW8-817
HH-CW8-818
HH-CW8-819
HH-CW8-820
HH-CW8-821
HH-CW8-822
HH-CW8-823
HH-CW8-824
HH-CW8-825
HH-CW8-826
HH-CW8-827
HH-CW8-828
HH-CW8-829
HH-CW8-830
HH-CW8-831
HH-CW8-832
HH-CW8-833
HH-CW8-834
HH-CW8-835
HH-CW8-836
HH-CW8-837
HH-CW8-838
HH-CW8-839
HH-CW8-840
HH-CW8-841
HH-CW8-842
HH-CW8-843
HH-CW8-844
HH-CW8-845
HH-CW8-846
HH-CW8-847
HH-CW8-848
HH-CW8-849
HH-CW8-850
HH-CW8-851
HH-CW8-852
HH-CW8-853
HH-CW8-854
HH-CW8-855
HH-CW8-856
HH-CW8-857
HH-CW8-858
HH-CW8-859
HH-CW8-860
HH-CW8-861
HH-CW8-862
HH-CW8-863
HH-CW8-864
HH-CW8-865
HH-CW8-866
HH-CW8-867
HH-CW8-868
HH-CW8-869
HH-CW8-870
HH-CW8-871
HH-CW8-872
HH-CW8-873
HH-CW8-874
HH-CW8-875
HH-CW8-876
HH-CW8-877
HH-CW8-878
HH-CW8-879
HH-CW8-880
HH-CW8-881
HH-CW8-882
HH-CW8-883
HH-CW8-884
HH-CW8-885
HH-CW8-886
HH-CW8-887
HH-CW8-888
HH-CW8-889
HH-CW8-890
HH-CW8-891
HH-CW8-892
HH-CW8-893
HH-CW8-894
HH-CW8-895
HH-CW8-896
HH-CW8-897
HH-CW8-898
HH-CW8-899
HH-CW8-900
HH-CW8-901
HH-CW8-902
HH-CW8-903
HH-CW8-904
HH-CW8-905
HH-CW8-906
HH-CW8-907
HH-CW8-908
HH-CW8-909
HH-CW8-910
HH-CW8-911
HH-CW8-912
HH-CW8-913
HH-CW8-914
HH-CW8-915
HH-CW8-916
HH-CW8-917
HH-CW8-918
HH-CW8-919
HH-CW8-920
HH-CW8-921
HH-CW8-922
HH-CW8-923
HH-CW8-924
HH-CW8-925
HH-CW8-926
HH-CW8-927
HH-CW8-928
HH-CW8-929
HH-CW8-930
HH-CW8-931
HH-CW8-932
HH-CW8-933
HH-CW8-934
HH-CW8-935
HH-CW8-936
HH-CW8-937
HH-CW8-938
HH-CW8-939
HH-CW8-940
HH-CW8-941
HH-CW8-942
HH-CW8-943
HH-CW8-944
HH-CW8-945
HH-CW8-946
HH-CW8-947
HH-CW8-948
HH-CW8-949
HH-CW8-950
HH-CW8-951
HH-CW8-952
HH-CW8-953
HH-CW8-954
HH-CW8-955
HH-CW8-956
HH-CW8-957
HH-CW8-958
HH-CW8-959
HH-CW8-960
HH-CW8-961
HH-CW8-962
HH-CW8-963
HH-CW8-964
HH-CW8-965
HH-CW8-966
HH-CW8-967
HH-CW8-968
HH-CW8-969
HH-CW8-970
HH-CW8-971
HH-CW8-972
HH-CW8-973
HH-CW8-974
HH-CW8-975
HH-CW8-976
HH-CW8-977
HH-CW8-978
HH-CW8-979
HH-CW8-980
HH-CW8-981
HH-CW8-982
HH-CW8-983
HH-CW8-984
HH-CW8-985
HH-CW8-986
HH-CW8-987
HH-CW8-988
HH-CW8-989
HH-CW8-990
HH-CW8-991
HH-CW8-992
HH-CW8-993
HH-CW8-994
HH-CW8-995
HH-CW8-996
HH-CW8-997
HH-CW8-998
HH-CW8-999
HH-CW8-1000
HH-CW8-1001
HH-CW8-1002
HH-CW8-1003
HH-CW8-1004
HH-CW8-1005
HH-CW8-1006
HH-CW8-1007
HH-CW8-1008
HH-CW8-1009
HH-CW8-1010
HH-CW8-1011
HH-CW8-1012
HH-CW8-1013
HH-CW8-1014
HH-CW8-1015
HH-CW8-1016
HH-CW8-1017
HH-CW8-1018
HH-CW8-1019
HH-CW8-1020
HH-CW8-1021
HH-CW8-1022
HH-CW8-1023
HH-CW8-1024
HH-CW8-1025
HH-CW8-1026
HH-CW8-1027
HH-CW8-1028
HH-CW8-1029
HH-CW8-1030
HH-CW8-1031
HH-CW8-1032
HH-CW8-1033
HH-CW8-1034
HH-CW8-1035
HH-CW8-1036
HH-CW8-1037
HH-CW8-1038
HH-CW8-1039
HH-CW8-1040
HH-CW8-1041
HH-CW8-1042
HH-CW8-1043
HH-CW8-1044
HH-CW8-1045
HH-CW8-1046
HH-CW8-1047
HH-CW8-1048
HH-CW8-1049
HH-CW8-1050
HH-CW8-1051
HH-CW8-1052
HH-CW8-1053
HH-CW8-1054
HH-CW8-1055
HH-CW8-1056
HH-CW8-1057
HH-CW8-1058
HH-CW8-1059
HH-CW8-1060
HH-CW8-1061
HH-CW8-1062
HH-CW8-1063
HH-CW8-1064
HH-CW8-1065
HH-CW8-1066
HH-CW8-1067
HH-CW8-1068
HH-CW8-1069
HH-CW8-1070
HH-CW8-1071
HH-CW8-1072
HH-CW8-1073
HH-CW8-1074
HH-CW8-1075
HH-CW8-1076
HH-CW8-1077
HH-CW8-1078
HH-CW8-1079
HH-CW8-1080
HH-CW8-1081
HH-CW8-1082
HH-CW8-1083
HH-CW8-1084
HH-CW8-1085
HH-CW8-1086
HH-CW8-1087
HH-CW8-1088
HH-CW8-1089
HH-CW8-1090
HH-CW8-1091
HH-CW8-1092
HH-CW8-1093
HH-CW8-1094
HH-CW8-1095
HH-CW8-1096
HH-CW8-1097
HH-CW8-1098
HH-CW8-1099
HH-CW8-1100
HH-CW8-1101
HH-CW8-1102
HH-CW8-1103
HH-CW8-1104
HH-CW8-1105
HH-CW8-1106
HH-CW8-1107
HH-CW8-1108
HH-CW8-1109
HH-CW8-1110
HH-CW8-1111
HH-CW8-1112
HH-CW8-1113
HH-CW8-1114
HH-CW8-1115
HH-CW8-1116
HH-CW8-1117
HH-CW8-1118
HH-CW8-1119
HH-CW8-1120
HH-CW8-1121
HH-CW8-1122
HH-CW8-1123
HH-CW8-1124
HH-CW8-1125
HH-CW8-1126
HH-CW8-1127
HH-CW8-1128
HH-CW8-1129
HH-CW8-1130
HH-CW8-1131
HH-CW8-1132
HH-CW8-1133
HH-CW8-1134
HH-CW8-1135
HH-CW8-1136
HH-CW8-1137
HH-CW8-1138
HH-CW8-1139
HH-CW8-1140
HH-CW8-1141
HH-CW8-1142
HH-CW8-1143
HH-CW8-1144
HH-CW8-1145
HH-CW8-1146
HH-CW8-1147
HH-CW8-1148
HH-CW8-1149
HH-CW8-1150
HH-CW8-1151
HH-CW8-1152
HH-CW8-1153
HH-CW8-1154
HH-CW8-1155
HH-CW8-1156
HH-CW8-1157
HH-CW8-1158
HH-CW8-1159
HH-CW8-1160
HH-CW8-1161
HH-CW8-1162
HH-CW8-1163
HH-CW8-1164
HH-CW8-1165
HH-CW8-1166
HH-CW8-1167
HH-CW8-1168
HH-CW8-1169
HH-CW8-1170
HH-CW8-1171
HH-CW8-1172
HH-CW8-1173
HH-CW8-1174
HH-CW8-1175
HH-CW8-1176
HH-CW8-1177
HH-CW8-1178
HH-CW8-1179
HH-CW8-1180
HH-CW8-1181
HH-CW8-1182
HH-CW8-1183
HH-CW8-1184
HH-CW8-1185
HH-CW8-1186
HH-CW8-1187
HH-CW8-1188
HH-CW8-1189
HH-CW8-1190
HH-CW8-1191
HH-CW8-1192
HH-CW8-1193
HH-CW8-1194
HH-CW8-1195
HH-CW8-1196
HH-CW8-1197
HH-CW8-1198
HH-CW8-1199
HH-CW8-1200
HH-CW8-1201
HH-CW8-1202
HH-CW8-1203
HH-CW8-1204
HH-CW8-1205
HH-CW8-1206
HH-CW8-1207
HH-CW8-1208
HH-CW8-1209
HH-CW8-1210
HH-CW8-1211
HH-CW8-1212
HH-CW8-1213
HH-CW8-1214
HH-CW8-1215
HH-CW8-1216
HH-CW8-1217
HH-CW8-1218
HH-CW8-1219
HH-CW8-1220
HH-CW8-1221
HH-CW8-1222
HH-CW8-1223
HH-CW8-1224
HH-CW8-1225
HH-CW8-1226
HH-CW8-1227
HH-CW8-1228
HH-CW8-1229
HH-CW8-1230
HH-CW8-1231
HH-CW8-1232
HH-CW8-1233
HH-CW8-1234
HH-CW8-1235
HH-CW8-1236
HH-CW8-1237
HH-CW8-1238
HH-CW8-1239
HH-CW8-1240
HH-CW8-1241
HH-CW8-1242
HH-CW8-1243
HH-CW8-1244
HH-CW8-1245
HH-CW8-1246
HH-CW8-1247
HH-CW8-1248
HH-CW8-1249
HH-CW8-1250
HH-CW8-1251
HH-CW8-1252
HH-CW8-1253
HH-CW8-1254
HH-CW8-1255
HH-CW8-1256
HH-CW8-1257
HH-CW8-1258
HH-CW8-1259
HH-CW8-1260
HH-CW8-1261
HH-CW8-1262
HH-CW8-1263
HH-CW8-1264
HH-CW8-1265
HH-CW8-1266
HH-CW8-1267
HH-CW8-1268
HH-CW8-1269
HH-CW8-1270
HH-CW8-1271
HH-CW8-1272
HH-CW8-1273
HH-CW8-1274
HH-CW8-1275
HH-CW8-1276
HH-CW8-1277
HH-CW8-1278
HH-CW8-1279
HH-CW8-1280
HH-CW8-1281
HH-CW8-1282
HH-CW8-1283
HH-CW8-1284
HH-CW8-1285
HH-CW8-1286
HH-CW8-1287
HH-CW8-1288
HH-CW8-1289
HH-CW8-1290
HH-CW8-1291
HH-CW8-1292
HH-CW8-1293
HH-CW8-1294
HH-CW8-1295
HH-CW8-1296
HH-CW8-1297
HH-CW8-1298
HH-CW8-1299
HH-CW8-1300
HH-CW8-1301
HH-CW8-1302
HH-CW8-1303
HH-CW8-1304
HH-CW8-1305
HH-CW8-1306
HH-CW8-1307
HH-CW8-1308
HH-CW8-1309
HH-CW8-1310
HH-CW8-1311
HH-CW8-1312
HH-CW8-1313
HH-CW8-1314
HH-CW8-1315
HH-CW8-1316
HH-CW8-1317
HH-CW8-1318
HH-CW8-1319
HH-CW8-1320
HH-CW8-1321
HH-CW8-1322
HH-CW8-1323
HH-CW8-1324
HH-CW8-1325
HH-CW8-1326
HH-CW8-1327
HH-CW8-1328
HH-CW8-1329
HH-CW8-1330
HH-CW8-1331
HH-CW8-1332
HH-CW8-1333
HH-CW8-1334
HH-CW8-1335
HH-CW8-1336
HH-CW8-1337
HH-CW8-1338
HH-CW8-1339
HH-CW8-1340
HH-CW8-1341
HH-CW8-1342
HH-CW8-1343
HH-CW8-1344
HH-CW8-1345
HH-CW8-1346
HH-CW8-1347
HH-CW8-1348
HH-CW8-1349
HH-CW8-1350
HH-CW8-1351
HH-CW8-1352
HH-CW8-1353
HH-CW8-1354
HH-CW8-1355
HH-CW8-1356
HH-CW8-1357
HH-CW8-1358
HH-CW8-1359
HH-CW8-1360
HH-CW8-1361
HH-CW8-1362
HH-CW8-1363
HH-CW8-1364
HH-CW8-1365
HH-CW8-1366
HH-CW8-1367
HH-CW8-1368
HH-CW8-1369
HH-CW8-1370
HH-CW8-1371
HH-CW8-1372
HH-CW8-1373
HH-CW8-1374
HH-CW8-1375
HH-CW8-1376
HH-CW8-1377
HH-CW8-1378
HH-CW8-1379
HH-CW8-1380
HH-CW8-1381
HH-CW8-1382
HH-CW8-1383
HH-CW8-1384
HH-CW8-1385
HH-CW8-1386
HH-CW8-1387
HH-CW8-1388
HH-CW8-1389
HH-CW8-1390
HH-CW8-1391
HH-CW8-1392
HH-CW8-1393
HH-CW8-1394
HH-CW8-1395
HH-CW8-1396
HH-CW8-1397
HH-CW8-1398
HH-CW8-1399
HH-CW8-1400
HH-CW8-1401
HH-CW8-1402
HH-CW8-1403
HH-CW8-1404
HH-CW8-1405
HH-CW8-1406
HH-CW8-1407
HH-CW8-1408
HH-CW8-1409
HH-CW8-1410
HH-CW8-1411
HH-CW8-1412
HH-CW8-1413
HH-CW8-1414
HH-CW8-1415
HH-CW8-1416
HH-CW8-1417
HH-CW8-1418
HH-CW8-1419
HH-CW8-1420
HH-CW8-1421
HH-CW8-1422
HH-CW8-1423
HH-CW8-1424
HH-CW8-1425
HH-CW8-1426
HH-CW8-1427
HH-CW8-1428
HH-CW8-1429
HH-CW8-1430
HH-CW8-1431
HH-CW8-1432
HH-CW8-1433
HH-CW8-1434
HH-CW8-1435
HH-CW8-1436
HH-CW8-1437
HH-CW8-1438
HH-CW8-1439
HH-CW8-1440
HH-CW8-1441
HH-CW8-1442
HH-CW8-1443
HH-CW8-1444
HH-CW8-1445
HH-CW8-1446
HH-CW8-1447
HH-CW8-1448
HH-CW8-1449
HH-CW8-1450
HH-CW8-1451
HH-CW8-1452
HH-CW8-1453
HH-CW8-1454
HH-CW8-1455
HH-CW8-1456
HH-CW8-1457
HH-CW8-1458
HH-CW8-1459
HH-CW8-1460
HH-CW8-1461
HH-CW8-1462
HH-CW8-1463
HH-CW8-1464
HH-CW8-1465
HH-CW8-1466
HH-CW8-1467
HH-CW8-1468
HH-CW8-1469
HH-CW8-1470
HH-CW8-1471
HH-CW8-1472
HH-CW8-1473
HH-CW8-1474
HH-CW8-1475
HH-CW8-1476
HH-CW8-1477
HH-CW8-1478
HH-CW8-1479
HH-CW8-1480
HH-CW8-1481
HH-CW8-1482
HH-CW8-1483
HH-CW8-1484
HH-CW8-1485
HH-CW8-1486
HH-CW8-1487
HH-CW8-1488
HH-CW8-1489
HH-CW8-1490
HH-CW8-1491
HH-CW8-1492
HH-CW8-1493
HH-CW8-1494
HH-CW8-1495
HH-CW8-1496
HH-CW8-1497
HH-CW8-1498
HH-CW8-1499
HH-CW8-1500
HH-CW8-1501
HH-CW8-1502
HH-CW8-1503
HH-CW8-1504
HH-CW8-1505
HH-CW8-1506
HH-CW8-1507
HH-CW8-1508
HH-CW8-1509
HH-CW8-1510
HH-CW8-1511
HH-CW8-1512
HH-CW8-1513
HH-CW8-1514
HH-CW8-1515
HH-CW8-1516
HH-CW8-1517
HH-CW8-1518
HH-CW8-1519
HH-CW8-1520
HH-CW8-1521
HH-CW8-1522
HH-CW8-1523
HH-CW8-1524
HH-CW8-1525
HH-CW8-1526
HH-CW8-1527
HH-CW8-1528
HH-CW8-1529
HH-CW8-1530
HH-CW8-1531
HH-CW8-1532
HH-CW8-1533
HH-CW8-1534
HH-CW8-1535
HH-CW8-1536
HH-CW8-1537
HH-CW8-1538
HH-CW8-1539
HH-CW8-1540
HH-CW8-1541
HH-CW8-1542
HH-CW8-1543
HH-CW8-1544
HH-CW8-1545
HH-CW8-1546
HH-CW8-1547
HH-CW8-1548
HH-CW8-1549
HH-CW8-1550
HH-CW8-1551
HH-CW8-1552
HH-CW8-1553
HH-CW8-1554
HH-CW8-1555
HH-CW8-1556
HH-CW8-1557
HH-CW8-1558
HH-CW8-1559
HH-CW8-1560
HH-CW8-1561
HH-CW8-1562
HH-CW8-1563
HH-CW8-1564
HH-CW8-1565
HH-CW8-1566
HH-CW8-1567
HH-CW8-1568
HH-CW8-1569
HH-CW8-1570
HH-CW8-1571
HH-CW8-1572
HH-CW8-1573
HH-CW8-1574
HH-CW8-1575
HH-CW8-1576
HH-CW8-1577
HH-CW8-1578
HH-CW8-1579
HH-CW8-1580
HH-CW8-1581
HH-CW8-1582
HH-CW8-1583
HH-CW8-1584
HH-CW8-1585
HH-CW8-1586
HH-CW8-1587
HH-CW8-1588
HH-CW8-1589
HH-CW8-1590
HH-CW8-1591
HH-CW8-1592
HH-CW8-1593
HH-CW8-1594
HH-CW8-1595
HH-CW8-1596
HH-CW8-1597
HH-CW8-1598
HH-CW8-1599
HH-CW8-1600
HH-CW8-1601
HH-CW8-1602
HH-CW8-1603
HH-CW8-1604
HH-CW8-1605
HH-CW8-1606
HH-CW8-1607
HH-CW8-1608
HH-CW8-1609
HH-CW8-1610
HH-CW8-1611
HH-CW8-1612
HH-CW8-1613
HH-CW8-1614
HH-CW8-1615
HH-CW8-1616
HH-CW8-1617
HH-CW8-1618
HH-CW8-1619
HH-CW8-1620
HH-CW8-1621
HH-CW8-1622
HH-CW8-1623
HH-CW8-1624
HH-CW8-1625
HH-CW8-1626
HH-CW8-1627
HH-CW8-1628
HH-CW8-1629
HH-CW8-1630
HH-CW8-1631
HH-CW8-1632
HH-CW8-1633
HH-CW8-1634
HH-CW8-1635
HH-CW8-1636
HH-CW8-1637
HH-CW8-1638
HH-CW8-1639
HH-CW8-1640
HH-CW8-1641
HH-CW8-1642
HH-CW8-1643
HH-CW8-1644
HH-CW8-1645
HH-CW8-1646
HH-CW8-1647
HH-CW8-1648
HH-CW8-1649
HH-CW8-1650
HH-CW8-1651
HH-CW8-1652
HH-CW8-1653
HH-CW8-1654
HH-CW8-1655
HH-CW8-1656
HH-CW8-1657
HH-CW8-1658
HH-CW8-1659
HH-CW8-1660
HH-CW8-1661
HH-CW8-1662
HH-CW8-1663
HH-CW8-1664
HH-CW8-1665
HH-CW8-1666
HH-CW8-1667
HH-CW8-1668
HH-CW8-1669
HH-CW8-1670
HH-CW8-1671
HH-CW8-



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 27

PROJECT NO. 8494.002

DRAWING E2.27

D:\Dropbox (Lean Photonetics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E27R Xtra Beacons - 16R.dwg 12/9/2019 8:26 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


BASE CAN & CONDUIT PLAN 28

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E2.28

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E20x Nav Beacons - 16R.dwg 12/9/2019 6:26 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E2.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. FOR TAXIWAY CENTERLINE LIGHT CONTRACTOR SHALL SURVEY EXISTING LOCATION TO INSTALL THE LIGHTS BACK AT THE SAME STATION OFFSET FROM THE SURVEY. CENTER OF BASECAN MUST BE A MINIMUM OF 2.5' FROM NEAREST PCC JOINT.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY NOTES

1. CONNECT (N) DUCTBANK & CONDUIT TO (E) ONE AT DEMO LIMIT.
2. PLUG & CAP DB FOR FUTURE. PROVIDE SURVEY LOCATION TO THE FAA.



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

BASE CAN & CONDUIT PLAN 29

PROJECT NO. 8494.002

DRAWING E2.29

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2XX New Basecans - 16R.dwg 12/9/2019 6:27 PM LEAN

LEGEND FOR NEW PLANS (E3.1 TO E3.29)

CONDUITS/CABLES	DESCRIPTION
R1CLN*	EXISTING AIRFIELD LIGHTING CONDUIT & CABLE TO REMAIN.
R1CLN*	NEW AIRFIELD LIGHTING CABLE TO BE INSTALLED IN EXISTING CONDUIT. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
R1CLN*	NEW 2" PVC SCHEDULE 40 CONDUIT & AIRFIELD LIGHTING CABLE TO BE INSTALLED. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
P P P P POWER 4–4" N.P.	EXISTING POWER DUCTBANK & CABLE TO REMAIN.
POWER 4–4" N.P.	EXISTING POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES.
POWER 4–4" N.P.	NEW POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES
C C C C COMM 4–4" N.P.	EXISTING COMMUNICATION DUCTBANK & CABLE TO REMAIN.
FAA FAA FAA FAA FAA MALSR POWER/COM 2–3" N.P.	EXISTING FAA DUCTBANK & CABLE TO REMAIN.
FAA MALSR POWER/COM 2–3" N.P.	EXISTING FAA DUCTBANK WITH NEW FAA CABLES.
FAA FAA FAA FAA FAA MALSR POWER/COM 2–3" N.P.	NEW FAA DUCTBANK WITH NEW FAA CABLES.
K K K K	NEW KERF TRENCH WITH NEW CABLES. REFER TO E500 SERIES DRAWINGS FOR DETAILS.

NOTES FOR GROUND WIRE:
CONTRACTOR SHALL INSTALL ONE #6, GREEN GROUND WIRE AND TERMINATE WIRE IN BASE CAN INTERNAL GROUND LUG. WIRE IS NOT SHOWN ON THE AREA PLANS, BUT SHALL BE PAID SEPARATELY. ONE GROUND WIRE SHALL BE INSTALLED FOR EACH CONDUIT WITH (N) 5KV FAA L–824 CABLE INSTALLED.

NO. OF CONDUITS CONDUIT SIZE DB TYPE POWER 4–4" N.P. R1A R1B CKT ID TO INSTALL CKT ID TO REMAIN BACKFILL NOTES	DUCTBANK DESCRIPTION BACKFILL NOTES: –N.P. = CONCRETE ENCASED IN NEW PAVEMENT –N.E. = CONCRETE ENCASED IN NON–PAVED EARTH

LIGHT FIXTURES ELEVATED	LIGHT FIXTURES IN–PAVEMENT	DESCRIPTION
L–862	L–850C	EXISTING BI–DIRECTIONAL RUNWAY EDGE LIGHT TO REMAIN.
L–862	L–850C	NEW LED BI–DIRECTIONAL RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–850C EB	NEW LED BI–DIRECTIONAL INPAVEMENT RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON EXISTING BASECAN.
L–862E	L–850D	EXISTING BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
L–862E	L–850D	NEW LED BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–850A	EXISTING BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT TO REMAIN.
	L–850A	NEW LED BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
L–861T	L–852T	EXISTING OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT TO REMAIN.
L–861T	L–852T	NEW LED OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–852A	EXISTING UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	NEW LED UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–852A EB	NEW LED UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON EXISTING BASECAN.
	L–852A	EXISTING BI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	NEW LED BI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT TO REMAIN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT FIXTURES AND TRANSFORMER TO BE REINSTALLED ON NEW BASECAN.

R2A–001 — FIXTURE ID
CKT: R2A — CIRCUIT ID
C: W/W — COLOR
(W: WHITE, Y: YELLOW, R: RED, G: GREEN, B: BLANK)


HANDHOLE & SENSOR	DESCRIPTION
	EXISTING POWER/COMMUNICATION/FAA HAND HOLE TO REMAIN.
HH–16ALS–07	NEW 4'X4'X4' AIRFIELD LIGHTING HAND HOLE TO BE INSTALLED.
	EXISTING POWER/COMMUNICATIONS/FAA MANHOLE TO REMAIN.
	EXISTING SURFACE SCAN SENSOR TO REMAIN.
	NEW SURFACE SCAN SENSOR TO BE INSTALLED. REFER TO E500 SERIES DRAWINGS FOR DETAILS.
	EXISTING JUNCTION CAN TO REMAIN.
	NEW L–867B 24" JUNCTION CAN WITH 1/2" COVER PLATE TO BE INSTALLED.
D	NEW L–867D 24" JUNCTION CAN WITH 1/2" COVER PLATE TO BE INSTALLED.
	EXISTING JUNCTION CAN PLAZA TO REMAIN.
	EXISTING RETROREFLECTIVE MARKER (L–853) TO REMAIN.
	NEW BLUE RETROREFLECTIVE MARKER (L–853) TO BE INSTALLED.

NOTES FOR LIGHT FIXTURES:
1. FOR ALL (N) LIGHT FIXTURES, INSTALL (N) TRANSFORMERS PER MANUFACTURER RECOMMENDATION.
2. FOR (N) LIGHT FIXTURES ON (E) BASE CAN, REUSE SPACER RINGS & FLANGE RING WITH PAVEMENT DAM.

NAVAID		DESCRIPTION
		EXISTING PAPI TO REMAIN.
		NEW PAPI SYSTEM & FOUNDATION TO BE INSTALLED.
		EXISTING WINDCONE TO REMAIN.
IN–PAVEMENT	ELEVATED	MALSR LIGHT. REFER TO E3 SERIES FOR WORK DESCRIPTION DETAILS.
IN–PAVEMENT	ELEVATED	5–LIGHT MALSR BAR. REFER TO E3 SERIES FOR WORK DESCRIPTION DETAILS.

SIGN	DESCRIPTION
	EXISTING AIRFIELD SIGN TO REMAIN.
	NEW SIGN PANEL TO BE INSTALLED ON EXISTING AIRFIELD SIGN.
	NEW AIRFIELD SIGN TO BE INSTALLED ON EXISTING FOUNDATION.
	NEW AIRFIELD SIGN TO BE INSTALLED ON NEW FOUNDATION.
L	EXISTING LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN PANEL.
L	NEW LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN PANEL (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND).
←L L→	EXISTING LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGN PANEL.
←L L→	NEW LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGN PANEL (BLACK LEGEND ON YELLOW BACKGROUND).
5	EXISTING LIGHTED RUNWAY DISTANCE REMAINING SIGN PANEL.
5	NEW LIGHTED RUNWAY DISTANCE REMAINING SIGN PANEL (WHITE LEGEND ON BLACK BACKGROUND).
25-7	EXISTING LIGHTED MANDATORY SIGN PANEL.
25-7	NEW LIGHTED MANDATORY SIGN PANEL (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND).
	EXISTING BLANK SIGN PANEL
	NEW BLANK SIGN PANEL

NO. OF MODULES




SIGN ID
CIRCUIT ID
FAA STYLE

1. SIGNS SHALL BE SIZE 3 & SIZE 4 (RDR SIGN), CLASS 2, MODE 2 AND STYLE AS INDICATED ON DRAWINGS.
2. SIGN LENGTHS:

NO. OF MODULES	1	2	3	4
APPROXIMATE SIGN LENGTH (FEET)	8'	12'	15'	18'


   A. SIGN LENGTHS MAY VARY DEPENDING ON MANUFACTURER. LENGTH SHOWN IS MEANT FOR BIDDING PURPOSE ONLY.
   B. CONFIRM LENGTH WITH MANUFACTURER PRIOR TO BID AND ADJUST FOUNDATION ACCORDINGLY. CONTRACTOR SHALL BE PAID FOR THE LENGTH OF SIGN (NO. OF MODULES) AS SHOWN ON THIS SCHEDULE. IF MANUFACTURER REQUIRES A LONGER SIGN THAN SHOWN, ANY ADDITIONAL COST OF SIGN & FOUNDATION SHALL BE THE RESPONSIBILITY AND COST OF THE CONTRACTOR WITH NO SEPARATE PAYMENT.
3. THE ANGLE OF THE ARROW FOR THE SIGN IS GIVEN ACCORDING TO THE BELOW CONVENTION. DEGREES UNDER THE ARROW DENOTES ANGLE.



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL



WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - SYMBOLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E3.00

D:\Dropbox (Lean Photometrics)\Active Projects\13908014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E300 Fixture Legend 16R.dwg 1/10/2020 11:27 AM LEAN

LEGEND FOR NEW PLANS (E3.1 TO E3.29)

CONDUITS/CABLES	DESCRIPTION
R1CLN*	EXISTING AIRFIELD LIGHTING CONDUIT & CABLE TO REMAIN.
R1CLN*	NEW AIRFIELD LIGHTING CABLE TO BE INSTALLED IN EXISTING CONDUIT. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
R1CLN*	NEW 2" PVC SCHEDULE 40 CONDUIT & AIRFIELD LIGHTING CABLE TO BE INSTALLED. "R1CLN" DENOTES CIRCUIT ID, WITH 1–1/C #8, 5KV, FAA L–824 CABLE. "*" DENOTES 2–1/C #8, 5KV, FAA L–824 CABLES.
P P P P POWER 4–4" N.P.	EXISTING POWER DUCTBANK & CABLE TO REMAIN.
POWER 4–4" N.P.	EXISTING POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES.
POWER 4–4" N.P.	NEW POWER DUCTBANK WITH NEW AIRFIELD LIGHTING POWER CABLES
C C C C COMM 4–4" N.P.	EXISTING COMMUNICATION DUCTBANK & CABLE TO REMAIN.
FAA FAA FAA FAA FAA MALSR POWER/COM 2–3" N.P.	EXISTING FAA DUCTBANK & CABLE TO REMAIN.
FAA MALSR POWER/COM 2–3" N.P.	EXISTING FAA DUCTBANK WITH NEW FAA CABLES.
FAA FAA FAA FAA FAA MALSR POWER/COM 2–3" N.P.	NEW FAA DUCTBANK WITH NEW FAA CABLES.
K K K K	NEW KERF TRENCH WITH NEW CABLES. REFER TO E500 SERIES DRAWINGS FOR DETAILS.

NOTES FOR GROUND WIRE:
CONTRACTOR SHALL INSTALL ONE #6, GREEN GROUND WIRE AND TERMINATE WIRE IN BASE CAN INTERNAL GROUND LUG. WIRE IS NOT SHOWN ON THE AREA PLANS, BUT SHALL BE PAID SEPARATELY. ONE GROUND WIRE SHALL BE INSTALLED FOR EACH CONDUIT WITH (N) 5KV FAA L–824 CABLE INSTALLED.

NO. OF CONDUITS CONDUIT SIZE DB TYPE 4–4 POWER R1A N.P. CKT ID TO INSTALL CKT ID TO REMAIN BACKFILL NOTES	DUCTBANK DESCRIPTION BACKFILL NOTES: –N.P. = CONCRETE ENCASED IN NEW PAVEMENT –N.E. = CONCRETE ENCASED IN NON–PAVED EARTH

LIGHT FIXTURES ELEVATED	LIGHT FIXTURES IN–PAVEMENT	DESCRIPTION
L–862	L–850C	EXISTING BI–DIRECTIONAL RUNWAY EDGE LIGHT TO REMAIN.
L–862	L–850C	NEW LED BI–DIRECTIONAL RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–850C EB	NEW LED BI–DIRECTIONAL INPAVEMENT RUNWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON EXISTING BASECAN.
L–862E	L–850D	EXISTING BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT TO REMAIN.
L–862E	L–850D	NEW LED BI–DIRECTIONAL RUNWAY THRESHOLD/END LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–850A	EXISTING BI–DIRECTIONAL RUNWAY CENTERLINE LIGHT TO REMAIN.
L–861T	L–852T	EXISTING OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT TO REMAIN.
L–861T	L–852T	NEW LED OMNI–DIRECTIONAL TAXIWAY EDGE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–852A	EXISTING UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	NEW LED UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
	L–852A EB	NEW LED UNI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON EXISTING BASECAN.
	L–852A	EXISTING BI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT TO REMAIN.
	L–852A	NEW LED BI–DIRECTIONAL L–852A TAXIWAY CENTERLINE LIGHT FIXTURE AND TRANSFORMER TO BE INSTALLED ON NEW BASECAN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT TO REMAIN.
L–804		EXISTING ELEVATED RUNWAY GUARD LIGHT FIXTURES AND TRANSFORMER TO BE REINSTALLED ON NEW BASECAN.

R2A–001 — FIXTURE ID
CKT: R2A — CIRCUIT ID
C: W/W — COLOR
(W: WHITE, Y: YELLOW, R: RED, G: GREEN, B: BLANK)


HANDHOLE & SENSOR	DESCRIPTION
	EXISTING POWER/COMMUNICATION/FAA HAND HOLE TO REMAIN.
HH–16ALS–07	NEW 4'X4'X4' AIRFIELD LIGHTING HAND HOLE TO BE INSTALLED.
	EXISTING POWER/COMMUNICATIONS/FAA MANHOLE TO REMAIN.
	EXISTING SURFACE SCAN SENSOR TO REMAIN.
	NEW SURFACE SCAN SENSOR TO BE INSTALLED. REFER TO E500 SERIES DRAWINGS FOR DETAILS.
	EXISTING JUNCTION CAN TO REMAIN.
	NEW L–867B 24" JUNCTION CAN WITH 1/2" COVER PLATE TO BE INSTALLED.
D	NEW L–867D 24" JUNCTION CAN WITH 1/2" COVER PLATE TO BE INSTALLED.
	EXISTING JUNCTION CAN PLAZA TO REMAIN.
	EXISTING RETROREFLECTIVE MARKER (L–853) TO REMAIN.
	NEW BLUE RETROREFLECTIVE MARKER (L–853) TO BE INSTALLED.

NOTES FOR LIGHT FIXTURES:
1. FOR ALL (N) LIGHT FIXTURES, INSTALL (N) TRANSFORMERS PER MANUFACTURER RECOMMENDATION.
2. FOR (N) LIGHT FIXTURES ON (E) BASE CAN, REUSE SPACER RINGS & FLANGE RING WITH PAVEMENT DAM.

NAVAID		DESCRIPTION
		EXISTING PAPI TO REMAIN.
		NEW PAPI SYSTEM & FOUNDATION TO BE INSTALLED.
		EXISTING WINDCONE TO REMAIN.
IN–PAVEMENT	ELEVATED	MALSR LIGHT. REFER TO E3 SERIES FOR WORK DESCRIPTION DETAILS.
IN–PAVEMENT	ELEVATED	5–LIGHT MALSR BAR. REFER TO E3 SERIES FOR WORK DESCRIPTION DETAILS.

SIGN	DESCRIPTION
	EXISTING AIRFIELD SIGN TO REMAIN.
	NEW SIGN PANEL TO BE INSTALLED ON EXISTING AIRFIELD SIGN.
	NEW AIRFIELD SIGN TO BE INSTALLED ON EXISTING FOUNDATION.
	NEW AIRFIELD SIGN TO BE INSTALLED ON NEW FOUNDATION.
L	EXISTING LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN PANEL.
L	NEW LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN PANEL (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND).
←L L→	EXISTING LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGN PANEL.
←L L→	NEW LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGN PANEL (BLACK LEGEND ON YELLOW BACKGROUND).
5	EXISTING LIGHTED RUNWAY DISTANCE REMAINING SIGN PANEL.
5	NEW LIGHTED RUNWAY DISTANCE REMAINING SIGN PANEL (WHITE LEGEND ON BLACK BACKGROUND).
25-7	EXISTING LIGHTED MANDATORY SIGN PANEL.
25-7	NEW LIGHTED MANDATORY SIGN PANEL (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND).
	EXISTING BLANK SIGN PANEL
	NEW BLANK SIGN PANEL

NO. OF MODULES




SIGN ID
CIRCUIT ID
FAA STYLE

1. SIGNS SHALL BE SIZE 3 & SIZE 4 (RDR SIGN), CLASS 2, MODE 2 AND STYLE AS INDICATED ON DRAWINGS.
2. SIGN LENGTHS:

NO. OF MODULES	1	2	3	4
APPROXIMATE SIGN LENGTH (FEET)	8'	12'	15'	18'

   A. SIGN LENGTHS MAY VARY DEPENDING ON MANUFACTURER. LENGTH SHOWN IS MEANT FOR BIDDING PURPOSE ONLY.
   B. CONFIRM LENGTH WITH MANUFACTURER PRIOR TO BID AND ADJUST FOUNDATION ACCORDINGLY. CONTRACTOR SHALL BE PAID FOR THE LENGTH OF SIGN (NO. OF MODULES) AS SHOWN ON THIS SCHEDULE. IF MANUFACTURER REQUIRES A LONGER SIGN THAN SHOWN, ANY ADDITIONAL COST OF SIGN & FOUNDATION SHALL BE THE RESPONSIBILITY AND COST OF THE CONTRACTOR WITH NO SEPARATE PAYMENT.
3. THE ANGLE OF THE ARROW FOR THE SIGN IS GIVEN ACCORDING TO THE BELOW CONVENTION. DEGREES UNDER THE ARROW DENOTES ANGLE.



SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - SYMBOLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.00**

C:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Pwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E300 Fixture Legend 16R.dwg 12/9/2019 8:27 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. INSTALL (N) LIGHTS, (N) TRANSFORMERS, (N) BASE CANS, AND (N) SNOW PLOW RINGS.
2. INSTALL (N) EMT, (N) BASE CANS AND REMOVE & REINSTALL LIGHTS.
3. INSTALL GFM MG-20 LIR POLE & ACCESSORIES AND T-BAR ON (N) FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES.
4. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET, JUNCTION BOX & FRANGIBLE BOLTS.
5. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY.
6. INSTALL GFM MG-30 LIR POLE & ACCESSORIES ON (E) FOUNDATION, REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY
7. REFER TO E4.12 & E4.14 FOR MALSR WIRING.
8. REUSE (E) CONDUIT & DUCTBANK.



PARTIAL KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.1

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RWY 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.23.dwg 12/9/2019 6:28 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. INSTALL (N) LIGHTS, (N) TRANSFORMERS, (N) BASE CANS, AND (N) SNOW PLOW RINGS.
2. INSTALL (N) EMT, (N) BASE CANS AND REMOVE & REINSTALL LIGHTS.
3. INSTALL GFM MG–20 LIR POLE & ACCESSORIES AND T–BAR ON (N) FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES.
4. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET, JUNCTION BOX & FRANGIBLE BOLTS.
5. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY.
6. INSTALL GFM MG–30 LIR POLE & ACCESSORIES ON (E) FOUNDATION, REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY
7. REFER TO E4.12 & E4.14 FOR MALSR WIRING.
8. REUSE (E) CONDUIT & DUCTBANK.



PARTIAL KEY MAP



LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 2

PROJECT NO. 8494.002

DRAWING E3.2

D:\Dropbox (Lean Photometrics)\Active Projects\19018RNA Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.2.dwg 12/9/2019 7:44 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.3**

D:\Dropbox (Lean Photometrics)\Active Projects\13018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:23 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 4

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.4

C:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:29 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 5

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.5**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:30 PM LEAN


MATCH LINE
(STA 50+52, SEE SHEET E3.20)
(STA 86+50, SEE SHEET E3.5)
(STA 100+25, SEE SHEET E3.7)
MATCH LINE
(STA 43+52, SEE SHEET E3.11)
RUNWAY 17R-35L
RUNWAY 8-26
TAXIWAY L
INSTALL (N) PANEL FOR NEW RUNWAY DESIGNATION
17L-35R
35L-17R
17R-35L
8-26
26-8
25-7
R1A-071 CKT: R1A C: W/W
R1B-073 CKT: R1B C: W/W
R1A-075 CKT: R1A C: W/W
R1B-077 CKT: R1B C: W/W
R1A-080 CKT: R1A C: W/W
R1B-082 CKT: R1B C: W/W
R1A-084 CKT: R1A C: W/W
R1B-086 CKT: R1B C: W/W
R1A-070 CKT: R1A C: W/W
R1B-072 CKT: R1B C: W/W
R1A-074 CKT: R1A C: W/W
R1B-076 CKT: R1B C: W/W
R1A-079 CKT: R1A C: W/W
R1B-081 CKT: R1B C: W/W
R1A-083 CKT: R1A C: W/W
R1B-085 CKT: R1B C: W/W
XN12 CKT: RS, STYLE 2 E: 2290560.78 N: 14856754.97
RD1-DR-10 CKT: RS, STYLE 2 E: 2290574.93 N: 14856699.07
RD1-DR-11 CKT: RS, STYLE 2 E: 2290285.47 N: 14856703.26
RD1-DR-12 CKT: RS, STYLE 2 E: 2290560.01 N: 14855579.63
RD1-DR-13 CKT: RS, STYLE 2 E: 2290265.87 N: 14855583.76
BN28 CKT: TAN, STYLE 2 E: 2290300.12 N: 14856713.64
117 CKT: RS, STYLE 2 E: 2290688.28 N: 14856483.45
118 CKT: RS, STYLE 2 E: 2290169.20 N: 14856674.31
118 CKT: RS, STYLE 2 E: 2290166.18 N: 14856462.56
119 CKT: RS, STYLE 2 E: 2290685.34 N: 14856274.19
120 CKT: RS, STYLE 2 E: 2290161.90 N: 14856282.15
121 CKT: RS, STYLE 2 E: 2290682.00 N: 14856044.32
305 CKT: R3 STYLE 2
306 CKT: R3, STYLE 2 E: 2290288.08 N: 14855915.77
307 CKT: R3, STYLE 2 E: 2290301.67 N: 14856416.13
307A CKT: RS, STYLE 2 E: 2290283.67 N: 14856416.90
308 CKT: R3, STYLE 2 E: 2290540.53 N: 14856412.19
308A CKT: RS, STYLE 2 E: 2290558.54 N: 14856412.42
310 CKT: R3, STYLE 2 E: 2290547.98 N: 14855911.92
4-4" POWER 16R PAPI*,R1GL* R1CLN*
4-4" POWER R1CLN*,RS 16R PAPI*,TAN,R1GL*
4-4" POWER RS, TAN, TB R1GL*,16R PAPI*
4-4" POWER 16R PAPI*, R3*
4-4" POWER: 16R PAPI*,R3*,RS*
6-4" POWER R3,TAN,TL R1GL,R1CLN*
10-4" POWER: R1A,R1B 16R PAPI*, RS
10-4" POWER R3
10-4" POWER R1A, R1B, RS
TWHS-25 CKT: TWHS
TWHS-26 CKT: TWHS
TWHS-27 CKT: TWHS
TWHS-28 CKT: TWHS
TWHS-71 CKT: TWHS C: G/B
TWHS-72 CKT: TWHS C: Y/B
TWHS-73 CKT: TWHS C: G/B
TWHS-74 CKT: TWHS C: Y/B
TWHS-75 CKT: TWHS C: G/B
TWHS-76 CKT: TWHS C: Y/B
R1CL-093 CKT: R1CL C: W/W
R1CL-094 CKT: R1CL C: W/W
R1CL-095 CKT: R1CL C: W/W
R1CL-096 CKT: R1CL C: W/W
R1CL-097 CKT: R1CL C: W/W
R1CL-098 CKT: R1CL C: W/W
R1CL-099 CKT: R1CL C: W/W
R1CL-100 CKT: R1CL C: W/W
R1CL-101 CKT: R1CL C: W/W
R1CL-102 CKT: R1CL C: W/W
R1CL-103 CKT: R1CL C: W/W
R1CL-104 CKT: R1CL C: W/W
R1CL-105 CKT: R1CL C: W/W
R1CL-106 CKT: R1CL C: W/W
R1CL-107 CKT: R1CL C: W/W
R1CL-108 CKT: R1CL C: W/W
R1CL-109 CKT: R1CL C: W/W
R1CL-110 CKT: R1CL C: W/W
R1CL-111 CKT: R1CL C: W/W
R1CL-112 CKT: R1CL C: W/W
R1CL-113 CKT: R1CL C: W/W
R1CL-114 CKT: R1CL C: W/W
R1CL-115 CKT: R1CL C: W/W
R1CL-116 CKT: R1CL C: W/W
R1CL-117 CKT: R1CL C: W/W
R1CL-118 CKT: R1CL C: W/W
R1CL-119 CKT: R1CL C: W/W
R1CL-120 CKT: R1CL C: W/W
TAN-23 CKT: TAN
TAN-24 CKT: TAN
TAN-25 CKT: TAN
TAN-26 CKT: TAN
TAN-27 CKT: TAN
TAN-28 CKT: TAN
TAN-29 CKT: TAN
TAN-30 CKT: TAN
TAN-31 CKT: TAN
TAN-32 CKT: TAN
TAN-33 CKT: TAN
TAN-34 CKT: TAN
TAN-35 CKT: TAN
TAN-36 CKT: TAN
TAN-37 CKT: TAN
TAN-38 CKT: TAN
TAN-39 CKT: TAN
TAN-40 CKT: TAN
TAN-41 CKT: TAN
TAN-42 CKT: TAN
TAN-43 CKT: TAN
RGL-RW5-4 CKT: R1GL
RGL-RW6-2 CKT: R1GL
RGL-BE4-2 CKT: R1GL
RGL-BE5-1 CKT: R1GL
R1A, R1B, RS
R1A,R1B,RS
R1A,R1B,RS,R3
R1A, R1B
R1A,R1B
R3,R1A
R3, TL
EB
TAXIWAY L
RUNWAY 8-26
RUNWAY 17R-35L
MH-RW5-01
MH-RW6-01
MH-RW6-04
MH-RW7-01
MH-RW7-04
MH-BE5-01
MH-BE5-02
MH-BE5-03
MH-BE6-01
MH-BE6-02
MH-BE6-03
MH-BE6-04
MH-BE6-06
MH-BE6-07
MH-BE6-08
HH-FAA430
HH-RW5-02
HH-RW6-02
HH-RW7-01
HH-RW7-02
HH-RW7-03
HH-RW7-04
HH-RW7-05
HH-RW7-06
HH-RW7-07
HH-RW7-08
HH-RW7-09
HH-RW7-10
HH-RW7-11
HH-RW7-12
HH-RW7-13
HH-RW7-14
HH-RW7-15
HH-RW7-16
HH-RW7-17
HH-RW7-18
HH-RW7-19
HH-RW7-20
HH-RW7-21
HH-RW7-22
HH-RW7-23
HH-RW7-24
HH-RW7-25
HH-RW7-26
HH-RW7-27
HH-RW7-28
HH-RW7-29
HH-RW7-30
HH-RW7-31
HH-RW7-32
HH-RW7-33
HH-RW7-34
HH-RW7-35
HH-RW7-36
HH-RW7-37
HH-RW7-38
HH-RW7-39
HH-RW7-40
HH-RW7-41
HH-RW7-42
HH-RW7-43
HH-RW7-44
HH-RW7-45
HH-RW7-46
HH-RW7-47
HH-RW7-48
HH-RW7-49
HH-RW7-50
HH-RW7-51
HH-RW7-52
HH-RW7-53
HH-RW7-54
HH-RW7-55
HH-RW7-56
HH-RW7-57
HH-RW7-58
HH-RW7-59
HH-RW7-60
HH-RW7-61
HH-RW7-62
HH-RW7-63
HH-RW7-64
HH-RW7-65
HH-RW7-66
HH-RW7-67
HH-RW7-68
HH-RW7-69
HH-RW7-70
HH-RW7-71
HH-RW7-72
HH-RW7-73
HH-RW7-74
HH-RW7-75
HH-RW7-76
HH-RW7-77
HH-RW7-78
HH-RW7-79
HH-RW7-80
HH-RW7-81
HH-RW7-82
HH-RW7-83
HH-RW7-84
HH-RW7-85
HH-RW7-86
HH-RW7-87
HH-RW7-88
HH-RW7-89
HH-RW7-90
HH-RW7-91
HH-RW7-92
HH-RW7-93
HH-RW7-94
HH-RW7-95
HH-RW7-96
HH-RW7-97
HH-RW7-98
HH-RW7-99
HH-RW7-100
HH-RW7-101
HH-RW7-102
HH-RW7-103
HH-RW7-104
HH-RW7-105
HH-RW7-106
HH-RW7-107
HH-RW7-108
HH-RW7-109
HH-RW7-110
HH-RW7-111
HH-RW7-112
HH-RW7-113
HH-RW7-114
HH-RW7-115
HH-RW7-116
HH-RW7-117
HH-RW7-118
HH-RW7-119
HH-RW7-120
HH-RW7-121
HH-RW7-122
HH-RW7-123
HH-RW7-124
HH-RW7-125
HH-RW7-126
HH-RW7-127
HH-RW7-128
HH-RW7-129
HH-RW7-130
HH-RW7-131
HH-RW7-132
HH-RW7-133
HH-RW7-134
HH-RW7-135
HH-RW7-136
HH-RW7-137
HH-RW7-138
HH-RW7-139
HH-RW7-140
HH-RW7-141
HH-RW7-142
HH-RW7-143
HH-RW7-144
HH-RW7-145
HH-RW7-146
HH-RW7-147
HH-RW7-148
HH-RW7-149
HH-RW7-150
HH-RW7-151
HH-RW7-152
HH-RW7-153
HH-RW7-154
HH-RW7-155
HH-RW7-156
HH-RW7-157
HH-RW7-158
HH-RW7-159
HH-RW7-160
HH-RW7-161
HH-RW7-162
HH-RW7-163
HH-RW7-164
HH-RW7-165
HH-RW7-166
HH-RW7-167
HH-RW7-168
HH-RW7-169
HH-RW7-170
HH-RW7-171
HH-RW7-172
HH-RW7-173
HH-RW7-174
HH-RW7-175
HH-RW7-176
HH-RW7-177
HH-RW7-178
HH-RW7-179
HH-RW7-180
HH-RW7-181
HH-RW7-182
HH-RW7-183
HH-RW7-184
HH-RW7-185
HH-RW7-186
HH-RW7-187
HH-RW7-188
HH-RW7-189
HH-RW7-190
HH-RW7-191
HH-RW7-192
HH-RW7-193
HH-RW7-194
HH-RW7-195
HH-RW7-196
HH-RW7-197
HH-RW7-198
HH-RW7-199
HH-RW7-200
HH-RW7-201
HH-RW7-202
HH-RW7-203
HH-RW7-204
HH-RW7-205
HH-RW7-206
HH-RW7-207
HH-RW7-208
HH-RW7-209
HH-RW7-210
HH-RW7-211
HH-RW7-212
HH-RW7-213
HH-RW7-214
HH-RW7-215
HH-RW7-216
HH-RW7-217
HH-RW7-218
HH-RW7-219
HH-RW7-220
HH-RW7-221
HH-RW7-222
HH-RW7-223
HH-RW7-224
HH-RW7-225
HH-RW7-226
HH-RW7-227
HH-RW7-228
HH-RW7-229
HH-RW7-230
HH-RW7-231
HH-RW7-232
HH-RW7-233
HH-RW7-234
HH-RW7-235
HH-RW7-236
HH-RW7-237
HH-RW7-238
HH-RW7-239
HH-RW7-240
HH-RW7-241
HH-RW7-242
HH-RW7-243
HH-RW7-244
HH-RW7-245
HH-RW7-246
HH-RW7-247
HH-RW7-248
HH-RW7-249
HH-RW7-250
HH-RW7-251
HH-RW7-252
HH-RW7-253
HH-RW7-254
HH-RW7-255
HH-RW7-256
HH-RW7-257
HH-RW7-258
HH-RW7-259
HH-RW7-260
HH-RW7-261
HH-RW7-262
HH-RW7-263
HH-RW7-264
HH-RW7-265
HH-RW7-266
HH-RW7-267
HH-RW7-268
HH-RW7-269
HH-RW7-270
HH-RW7-271
HH-RW7-272
HH-RW7-273
HH-RW7-274
HH-RW7-275
HH-RW7-276
HH-RW7-277
HH-RW7-278
HH-RW7-279
HH-RW7-280
HH-RW7-281
HH-RW7-282
HH-RW7-283
HH-RW7-284
HH-RW7-285
HH-RW7-286
HH-RW7-287
HH-RW7-288
HH-RW7-289
HH-RW7-290
HH-RW7-291
HH-RW7-292
HH-RW7-293
HH-RW7-294
HH-RW7-295
HH-RW7-296
HH-RW7-297
HH-RW7-298
HH-RW7-299
HH-RW7-300
HH-RW7-301
HH-RW7-302
HH-RW7-303
HH-RW7-304
HH-RW7-305
HH-RW7-306
HH-RW7-307
HH-RW7-308
HH-RW7-309
HH-RW7-310
HH-RW7-311
HH-RW7-312
HH-RW7-313
HH-RW7-314
HH-RW7-315
HH-RW7-316
HH-RW7-317
HH-RW7-318
HH-RW7-319
HH-RW7-320
HH-RW7-321
HH-RW7-322
HH-RW7-323
HH-RW7-324
HH-RW7-325
HH-RW7-326
HH-RW7-327
HH-RW7-328
HH-RW7-329
HH-RW7-330
HH-RW7-331
HH-RW7-332
HH-RW7-333
HH-RW7-334
HH-RW7-335
HH-RW7-336
HH-RW7-337
HH-RW7-338
HH-RW7-339
HH-RW7-340
HH-RW7-341
HH-RW7-342
HH-RW7-343
HH-RW7-344
HH-RW7-345
HH-RW7-346
HH-RW7-347
HH-RW7-348
HH-RW7-349
HH-RW7-350
HH-RW7-351
HH-RW7-352
HH-RW7-353
HH-RW7-354
HH-RW7-355
HH-RW7-356
HH-RW7-357
HH-RW7-358
HH-RW7-359
HH-RW7-360
HH-RW7-361
HH-RW7-362
HH-RW7-363
HH-RW7-364
HH-RW7-365
HH-RW7-366
HH-RW7-367
HH-RW7-368
HH-RW7-369
HH-RW7-370
HH-RW7-371
HH-RW7-372
HH-RW7-373
HH-RW7-374
HH-RW7-375
HH-RW7-376
HH-RW7-377
HH-RW7-378
HH-RW7-379
HH-RW7-380
HH-RW7-381
HH-RW7-382
HH-RW7-383
HH-RW7-384
HH-RW7-385
HH-RW7-386
HH-RW7-387
HH-RW7-388
HH-RW7-389
HH-RW7-390
HH-RW7-391
HH-RW7-392
HH-RW7-393
HH-RW7-394
HH-RW7-395
HH-RW7-396
HH-RW7-397
HH-RW7-398
HH-RW7-399
HH-RW7-400
HH-RW7-401
HH-RW7-402
HH-RW7-403
HH-RW7-404
HH-RW7-405
HH-RW7-406
HH-RW7-407
HH-RW7-408
HH-RW7-409
HH-RW7-410
HH-RW7-411
HH-RW7-412
HH-RW7-413
HH-RW7-414
HH-RW7-415
HH-RW7-416
HH-RW7-417
HH-RW7-418
HH-RW7-419
HH-RW7-420
HH-RW7-421
HH-RW7-422
HH-RW7-423
HH-RW7-424
HH-RW7-425
HH-RW7-426
HH-RW7-427
HH-RW7-428
HH-RW7-429
HH-RW7-430
HH-RW7-431
HH-RW7-432
HH-RW7-433
HH-RW7-434
HH-RW7-435
HH-RW7-436
HH-RW7-437
HH-RW7-438
HH-RW7-439
HH-RW7-440
HH-RW7-441
HH-RW7-442
HH-RW7-443
HH-RW7-444
HH-RW7-445
HH-RW7-446
HH-RW7-447
HH-RW7-448
HH-RW7-449
HH-RW7-450
HH-RW7-451
HH-RW7-452
HH-RW7-453
HH-RW7-454
HH-RW7-455
HH-RW7-456
HH-RW7-457
HH-RW7-458
HH-RW7-459
HH-RW7-460
HH-RW7-461
HH-RW7-462
HH-RW7-463
HH-RW7-464
HH-RW7-465
HH-RW7-466
HH-RW7-467
HH-RW7-468
HH-RW7-469
HH-RW7-470
HH-RW7-471
HH-RW7-472
HH-RW7-473
HH-RW7-474
HH-RW7-475
HH-RW7-476
HH-RW7-477
HH-RW7-478
HH-RW7-479
HH-RW7-480
HH-RW7-481
HH-RW7-482
HH-RW7-483
HH-RW7-484
HH-RW7-485
HH-RW7-486
HH-RW7-487
HH-RW7-488
HH-RW7-489
HH-RW7-490
HH-RW7-491
HH-RW7-492
HH-RW7-493
HH-RW7-494
HH-RW7-495
HH-RW7-496
HH-RW7-497
HH-RW7-498
HH-RW7-499
HH-RW7-500
HH-RW7-501
HH-RW7-502
HH-RW7-503
HH-RW7-504
HH-RW7-505
HH-RW7-506
HH-RW7-507
HH-RW7-508
HH-RW7-509
HH-RW7-510
HH-RW7-511
HH-RW7-512
HH-RW7-513
HH-RW7-514
HH-RW7-515
HH-RW7-516
HH-RW7-517
HH-RW7-518
HH-RW7-519
HH-RW7-520
HH-RW7-521
HH-RW7-522
HH-RW7-523
HH-RW7-524
HH-RW7-525
HH-RW7-526
HH-RW7-527
HH-RW7-528
HH-RW7-529
HH-RW7-530
HH-RW7-531
HH-RW7-532
HH-RW7-533
HH-RW7-534
HH-RW7-535
HH-RW7-536
HH-RW7-537
HH-RW7-538
HH-RW7-539
HH-RW7-540
HH-RW7-541
HH-RW7-542
HH-RW7-543
HH-RW7-544
HH-RW7-545
HH-RW7-546
HH-RW7-547
HH-RW7-548
HH-RW7-549
HH-RW7-550
HH-RW7-551
HH-RW7-552
HH-RW7-553
HH-RW7-554
HH-RW7-555
HH-RW7-556
HH-RW7-557
HH-RW7-558
HH-RW7-559
HH-RW7-560
HH-RW7-561
HH-RW7-562
HH-RW7-563
HH-RW7-564
HH-RW7-565
HH-RW7-566
HH-RW7-567
HH-RW7-568
HH-RW7-569
HH-RW7-570
HH-RW7-571
HH-RW7-572
HH-RW7-573
HH-RW7-574
HH-RW7-575
HH-RW7-576
HH-RW7-577
HH-RW7-578
HH-RW7-579
HH-RW7-580
HH-RW7-581
HH-RW7-582
HH-RW7-583
HH-RW7-584
HH-RW7-585
HH-RW7-586
HH-RW7-587
HH-RW7-588
HH-RW7-589
HH-RW7-590
HH-RW7-591
HH-RW7-592
HH-RW7-593
HH-RW7-594
HH-RW7-595
HH-RW7-596
HH-RW7-597
HH-RW7-598
HH-RW7-599
HH-RW7-600
HH-RW7-601
HH-RW7-602
HH-RW7-603
HH-RW7-604
HH-RW7-605
HH-RW7-606
HH-RW7-607
HH-RW7-608
HH-RW7-609
HH-RW7-610
HH-RW7-611
HH-RW7-612
HH-RW7-613
HH-RW7-614
HH-RW7-615
HH-RW7-616
HH-RW7-617
HH-RW7-618
HH-RW7-619
HH-RW7-620
HH-RW7-621
HH-RW7-622
HH-RW7-623
HH-RW7-624
HH-RW7-625
HH-RW7-626
HH-RW7-627
HH-RW7-628
HH-RW7-629
HH-RW7-630
HH-RW7-631
HH-RW7-632
HH-RW7-633
HH-RW7-634
HH-RW7-635
HH-RW7-636
HH-RW7-637
HH-RW7-638
HH-RW7-639
HH-RW7-640
HH-RW7-641
HH-RW7-642
HH-RW7-643
HH-RW7-644
HH-RW7-645
HH-RW7-646
HH-RW7-647
HH-RW7-648
HH-RW7-649
HH-RW7-650
HH-RW7-651
HH-RW7-652
HH-RW7-653
HH-RW7-654
HH-RW7-655
HH-RW7-656
HH-RW7-657
HH-RW7-658
HH-RW7-659
HH-RW7-660
HH-RW7-661
HH-RW7-662
HH-RW7-663
HH-RW7-664
HH-RW7-665
HH-RW7-666
HH-RW7-667
HH-RW7-668
HH-RW7-669
HH-RW7-670
HH-RW7-671
HH-RW7-672
HH-RW7-673
HH-RW7-674
HH-RW7-675
HH-RW7-676
HH-RW7-677
HH-RW7-678
HH-RW7-679
HH-RW7-680
HH-RW7-681
HH-RW7-682
HH-RW7-683
HH-RW7-684
HH-RW7-685
HH-RW7-686
HH-RW7-687
HH-RW7-688
HH-RW7-689
HH-RW7-690
HH-RW7-691
HH-RW7-692
HH-RW7-693
HH-RW7-694
HH-RW7-695
HH-RW7-696
HH-RW7-697
HH-RW7-698
HH-RW7-699
HH-RW7-700
HH-RW7-701
HH-RW7-702
HH-RW7-703
HH-RW7-704
HH-RW7-705
HH-RW7-706
HH-RW7-707
HH-RW7-708
HH-RW7-709
HH-RW7-710
HH-RW7-711
HH-RW7-712
HH-RW7-713
HH-RW7-714
HH-RW7-715
HH-RW7-716
HH-RW7-717
HH-RW7-718
HH-RW7-719
HH-RW7-720
HH-RW7-721
HH-RW7-722
HH-RW7-723
HH-RW7-724
HH-RW7-725
HH-RW7-726
HH-RW7-727
HH-RW7-728
HH-RW7-729
HH-RW7-730
HH-RW7-731
HH-RW7-732
HH-RW7-733
HH-RW7-734
HH-RW7-735
HH-RW7-736
HH-RW7-737
HH-RW7-738
HH-RW7-739
HH-RW7-740
HH-RW7-741
HH-RW7-742
HH-RW7-743
HH-RW7-744
HH-RW7-745
HH-RW7-746
HH-RW7-747
HH-RW7-748
HH-RW7-749
HH-RW7-750
HH-RW7-751
HH-RW7-752
HH-RW7-753
HH-RW7-754
HH-RW7-755
HH-RW7-756
HH-RW7-757
HH-RW7-758
HH-RW7-759
HH-RW7-760
HH-RW7-761
HH-RW7-762
HH-RW7-763
HH-RW7-764
HH-RW7-765
HH-RW7-766
HH-RW7-767
HH-RW7-768
HH-RW7-769
HH-RW7-770
HH-RW7-771
HH-RW7-772
HH-RW7-773
HH-RW7-774
HH-RW7-775
HH-RW7-776
HH-RW7-777
HH-RW7-778
HH-RW7-779
HH-RW7-780
HH-RW7-781
HH-RW7-782
HH-RW7-783
HH-RW7-784
HH-RW7-785
HH-RW7-786
HH-RW7-787
HH-RW7-788
HH-RW7-789
HH-RW7-790
HH-RW7-791
HH-RW7-792
HH-RW7-793
HH-RW7-794
HH-RW7-795
HH-RW7-796
HH-RW7-797
HH-RW7-798
HH-RW7-799
HH-RW7-800
HH-RW7-801
HH-RW7-802
HH-RW7-803
HH-RW7-804
HH-RW7-805
HH-RW7-806
HH-RW7-807
HH-RW7-808
HH-RW7-809
HH-RW7-810
HH-RW7-811
HH-RW7-812
HH-RW7-813
HH-RW7-814
HH-RW7-815
HH-RW7-816
HH-RW7-817
HH-RW7-818
HH-RW7-819
HH-RW7-820
HH-RW7-821
HH-RW7-822
HH-RW7-823
HH-RW7-824
HH-RW7-825
HH-RW7-826
HH-RW7-827
HH-RW7-828
HH-RW7-829
HH-RW7-830
HH-RW7-831
HH-RW7-832
HH-RW7-833
HH-RW7-834
HH-RW7-835
HH-RW7-836
HH-RW7-837
HH-RW7-838
HH-RW7-839
HH-RW7-840
HH-RW7-841
HH-RW7-842
HH-RW7-843
HH-RW7-844
HH-RW7-845
HH-RW7-846
HH-RW7-847
HH-RW7-848
HH-RW7-849
HH-RW7-850
HH-RW7-851
HH-RW7-852
HH-RW7-853
HH-RW7-854
HH-RW7-855
HH-RW7-856
HH-RW7-857
HH-RW7-858
HH-RW7-859
HH-RW7-860
HH-RW7-861
HH-RW7-862
HH-RW7-863
HH-RW7-864
HH-RW7-865
HH-RW7-866
HH-RW7-867
HH-RW7-868
HH-RW7-869
HH-RW7-870
HH-RW7-871
HH-RW7-872
HH-RW7-873
HH-RW7-874
HH-RW7-875
HH-RW7-876
HH-RW7-877
HH-RW7-878
HH-RW7-879
HH-RW7-880
HH-RW7-881
HH-RW7-882
HH-RW7-883
HH-RW7-884
HH-RW7-885
HH-RW7-886
HH-RW7-887
HH-RW7-888
HH-RW7-889
HH-RW7-890
HH-RW7-891
HH-RW7-892
HH-RW7-893
HH-RW7-894
HH-RW7-895
HH-RW7-896
HH-RW7-897
HH-RW7-898
HH-RW7-899
HH-RW7-900
HH-RW7-901
HH-RW7-902
HH-RW7-903
HH-RW7-904
HH-RW7-905
HH-RW7-906
HH-RW7-907
HH-RW7-908
HH-RW7-909
HH-RW7-910
HH-RW7-911
HH-RW7-912
HH-RW7-913
HH-RW7-914
HH-RW7-915
HH-RW7-916
HH-RW7-917
HH-RW7-918
HH-RW7-919
HH-RW7-920
HH-RW7-921
HH-RW7-922
HH-RW7-923
HH-RW7-924
HH-RW7-925
HH-RW7-926
HH-RW7-927
HH-RW7-928
HH-RW7-929
HH-RW7-930
HH-RW7-931
HH-RW7-932
HH-RW7-933
HH-RW7-934
HH-RW7-935
HH-RW7-936
HH-RW7-937
HH-RW7-938
HH-RW7-939
HH-RW7-940
HH-RW7-941
HH-RW7-942
HH-RW7-943
HH-RW7-944
HH-RW7-945
HH-RW7-946
HH-RW7-947
HH-RW7-948
HH-RW7-949
HH-RW7-950
HH-RW7-951
HH-RW7-952
HH-RW7-953
HH-RW7-954
HH-RW7-955
HH-RW7-956
HH-RW7-957
HH-RW7-958
HH-RW7-959
HH-RW7-960
HH-RW7-961
HH-RW7-962
HH-RW7-963
HH-RW7-964
HH-RW7-965
HH-RW7-966
HH-RW7-967
HH-RW7-968
HH-RW7-969
HH-RW7-970
HH-RW7-971
HH-RW7-972
HH-RW7-973
HH-RW7-974
HH-RW7-975
HH-RW7-976
HH-RW7-977
HH-RW7-978
HH-RW7-979
HH-RW7-980
HH-RW7-981
HH-RW7-982
HH-RW7-983
HH-RW7-984
HH-RW7-985
HH-RW7-986
HH-RW7-987
HH-RW7-988
HH-RW7-989
HH-RW7-990
HH-RW7-991
HH-RW7-992
HH-RW7-993
HH-RW7-994
HH-RW7-995
HH-RW7-996
HH-RW7-997
HH-RW7-998
HH-RW7-999
HH-RW7-1000
HH-RW7-1001
HH-RW7-1002
HH-RW7-1003
HH-RW7-1004
HH-RW7-1005
HH-RW7-1006
HH-RW7-1007
HH-RW7-1008
HH-RW7-1009
HH-RW7-1010
HH-RW7-1011
HH-RW7-1012
HH-RW7-1013
HH-RW7-1014
HH-RW7-1015
HH-RW7-1016
HH-RW7-1017
HH-RW7-1018
HH-RW7-1019
HH-RW7-1020
HH-RW7-1021
HH-RW7-1022
HH-RW7-1023
HH-RW7-1024
HH-RW7-1025
HH-RW7-1026
HH-RW7-1027
HH-RW7-1028
HH-RW7-1029
HH-RW7-1030
HH-RW7-1031
HH-RW7-1032
HH-RW7-1033
HH-RW7-1034
HH-RW7-1035
HH-RW7-1036
HH-RW7-1037
HH-RW7-1038
HH-RW7-1039
HH-RW7-1040
HH-RW7-1041
HH-RW7-1042
HH-RW7-1043
HH-RW7-1044
HH-RW7-1045
HH-RW7-1046
HH-RW7-1047
HH-RW7-1048
HH-RW7-1049
HH-RW7-1050
HH-RW7-1051
HH-RW7-1052
HH-RW7-1053
HH-RW7-1054
HH-RW7-1055
HH-RW7-1056
HH-RW7-1057
HH-RW7-1058
HH-RW7-1059
HH-RW7-1060
HH-RW7-1061
HH-RW7-1062
HH-RW7-1063
HH-RW7-1064
HH-RW7-1065
HH-RW7-1066
HH-RW7-1067
HH-RW7-1068
HH-RW7-1069
HH-RW7-1070
HH-RW7-1071
HH-RW7-1072
HH-RW7-1073
HH-RW7-1074
HH-RW7-1075
HH-RW7-1076
HH-RW7-1077
HH-RW7-1078
HH-RW7-1079
HH-RW7-1080
HH-RW7-1081
HH-RW7-1082
HH-RW7-1083
HH-RW7-1084
HH-RW7-1085
HH-RW7-1086
HH-RW7-1087
HH-RW7-1088
HH-RW7-1089
HH-RW7-1090
HH-RW7-1091
HH-RW7-1092
HH-RW7-1093
HH-RW7-1094
HH-RW7-1095
HH-RW7-1096
HH-RW7-1097
HH-RW7-1098
HH-RW7-1099
HH-RW7-1100
HH-RW7-1101
HH-RW7-1102
HH-RW7-1103
HH-RW7-1104
HH-RW7-1105
HH-RW7-1106
HH-RW7-1107
HH-RW7-1108
HH-RW7-1109
HH-RW7-1110
HH-RW7-1111
HH-RW7-1112
HH-RW7-1113
HH-RW7-1114
HH-RW7-1115
HH-RW7-1116
HH-RW7-1117
HH-RW7-1118
HH-RW7-1119
HH-RW7-1120
HH-RW7-1121
HH-RW7-1122
HH-RW7-1123
HH-RW7-1124
HH-RW7-1125
HH-RW7-1126
HH-RW7-1127
HH-RW7-1128
HH-RW7-1129
HH-RW7-1130
HH-RW7-1131
HH-RW7-1132
HH-RW7-1133
HH-RW7-1134
HH-RW7-1135
HH-RW7-1136
HH-RW7-1137
HH-RW7-1138
HH-RW7-1139
HH-RW7-1140
HH-RW7-1141
HH-RW7-1142
HH-RW7-1143
HH-RW7-1144
HH-RW7-1145
HH-RW7-1146
HH-RW7-1147
HH-RW7-1148
HH-RW7-1149
HH-RW7-1150
HH-RW7-1151
HH-RW7-1152
HH-RW7-1153
HH-RW7-1154
HH-RW7-1155
HH-RW7-1156
HH-RW7-1157
HH-RW7-1158
HH-RW7-1159
HH-RW7-1160
HH-RW7-1161
HH-RW7-1162
HH-RW7-1163
HH-RW7-1164
HH-RW7-1165
HH-RW7-1166
HH-RW7-1167
HH-RW7-1168
HH-RW7-1169
HH-RW7-1170
HH-RW7-1171
HH-RW7-1172
HH-RW7-1173
HH-RW7-1174
HH-RW7-1175
HH-RW7-1176
HH-RW7-1177
HH-RW7-1178
HH-RW7-1179
HH-RW7-1180
HH-RW7-1181
HH-RW7-1182
HH-RW7-1183
HH-RW7-1184
HH-RW7-1185
HH-RW7-1186
HH-RW7-1187
HH-RW7-1188
HH-RW7-1189
HH-RW7-1190
HH-RW7-1191
HH-RW7-1192
HH-RW7-1193
HH-RW7-1194
HH-RW7-1195
HH-RW7-1196
HH-RW7-1197
HH-RW7-1198
HH-RW7-1199
HH-RW7-1200
HH-RW7-1201
HH-RW7-1202
HH-RW7-1203
HH-RW7-1204
HH-RW7-1205
HH-RW7-1206
HH-RW7-1207
HH-RW7-1208
HH-RW7-1209
HH-RW7-1210
HH-RW7-1211
HH-RW7-1212
HH-RW7-1213
HH-RW7-1214
HH-RW7-1215
HH-RW7-1216
HH-RW7-1217
HH-RW7-1218
HH-RW7-1219
HH-RW7-1220
HH-RW7-1221
HH-RW7-1222
HH-RW7-1223
HH-RW7-1224
HH-RW7-1225
HH-RW7-1226
HH-RW7-1227
HH-RW7-1228
HH-RW7-1229
HH-RW7-1230
HH-RW7-1231
HH-RW7-1232
HH-RW7-1233
HH-RW7-1234
HH-RW7-1235
HH-RW7-1236
HH-RW7-1237
HH-RW7-1238
HH-RW7-1239
HH-RW7-1240
HH-RW7-1241
HH-RW7-1242
HH-RW7-1243
HH-RW7-1244
HH-RW7-1245
HH-RW7-1246
HH-RW7-1247
HH-RW7-1248
HH-RW7-1249
HH-RW7-1250
HH-RW7-1251
HH-RW7-1252
HH-RW7-1253
HH-RW7-1254
HH-RW7-1255
HH-RW7-1256
HH-RW7-1257
HH-RW7-1258
HH-RW7-1259
HH-RW7-1260
HH-RW7-1261
HH-RW7-1262
HH-RW7-1263
HH-RW7-1264
HH-RW7-1265
HH-RW7-1266
HH-RW7-1267
HH-RW7-1268
HH-RW7-1269
HH-RW7-1270
HH-RW7-1271
HH-RW7-1272
HH-RW7-1273
HH-RW7-1274
HH-RW7-1275
HH-RW7-1276
HH-RW7-1277
HH-RW7-1278
HH-RW7-1279
HH-RW7-1280
HH-RW7-1281
HH-RW7-1282
HH-RW7-1283
HH-RW7-1284
HH-RW7-1285
HH-RW7-1286
HH-RW7-1287
HH-RW7-1288
HH-RW7-1289
HH-RW7-1290
HH-RW7-1291
HH-RW7-1292
HH-RW7-1293
HH-RW7-1294
HH-RW7-1295
HH-RW7-1296
HH-RW7-1297
HH-RW7-1298
HH-RW7-1299
HH-RW7-1300
HH-RW7-1301
HH-RW7-1302
HH-RW7-1303
HH-RW7-1304
HH-RW7-1305
HH-RW7-1306
HH-RW7-1307
HH-RW7-1308
HH-RW7-1309
HH-RW7-1310
HH-RW7-1311
HH-RW7-1312
HH-RW7-1313
HH-RW7-1314
HH-RW7-1315
HH-RW7-1316
HH-RW7-1317
HH-RW7-1318
HH-RW7-1319
HH-RW7-1320
HH-RW7-1321
HH-RW7-1322
HH-RW7-1323
HH-RW7-1324
HH-RW7-1325
HH-RW7-1326
HH-RW7-1327
HH-RW7-1328
HH-RW7-1329
HH-RW7-1330
HH-RW7-1331
HH-RW7-1332
HH-RW7-1333
HH-RW7-1334
HH-RW7-1335
HH-RW7-1336
HH-RW7-1337
HH-RW7-1338
HH-RW7-1339
HH-RW7-1340
HH-RW7-1341
HH-RW7-1342
HH-RW7-1343
HH-RW7-1344
HH-RW7-1345
HH-RW7-1346
HH-RW7-1347
HH-RW7-1348
HH-RW7-1349
HH-RW7-1350
HH-RW7-1351
HH-RW7-1352
HH-RW7-1353
HH-RW7-1354
HH-RW7-1355
HH-RW7-1356
HH-RW7-1357
HH-RW7-1358
HH-RW7-1359
HH-RW7-1360
HH-RW7-1361
HH-RW7-1362
HH-RW7-1363
HH-RW7-1364
HH-RW7-1365
HH-RW7-1366
HH-RW7-1367
HH-RW7-1368
HH-RW7-1369
HH-RW7-1370
HH-RW7-1371
HH-RW7-1372
HH-RW7-1373
HH-RW7-1374
HH-RW7-1375
HH-RW7-1376
HH-RW7-1377
HH-RW7-1378
HH-RW7-1379
HH-RW7-1380
HH-RW7-1381
HH-RW7-1382
HH-RW7-1383
HH-RW7-1384
HH-RW7-1385
HH-RW7-1386
HH-RW7-1387
HH-RW7-1388
HH-RW7-1389
HH-RW7-1390
HH-RW7-1391
HH-RW7-1392
HH-RW7-1393
HH-RW7-1394
HH-RW7-1395
HH-RW7-1396
HH-RW7-1397
HH-RW7-1398
HH-RW7-1399
HH-RW7-1400
HH-RW7-1401
HH-RW7-1402
HH-RW7-1403
HH-RW7-1404
HH-RW7-1405
HH-RW7-1406
HH-RW7-1407
HH-RW7-1408
HH-RW7-1409
HH-RW7-1410
HH-RW7-1411
HH-RW7-1412
HH-RW7-1413
HH-RW7-1414
HH

MATCH LINE (STA 50+52, SEE SHEET E3.21)

(STA 100+25, SEE SHEET E3.6)

(STA 114+00, SEE SHEET E3.8)

MATCH LINE (STA 43+52, SEE SHEET E3.12)

RGL-RW8-1 CKT: R1GL
RGL-RW7-1 CKT: R1GL
TAXIWAY N
TEHS-014 CKT: TEHS C: G/Y
TEHS-015 CKT: TEHS C: G/G
TEHS-013 CKT: TEHS C: G/G
TEHS-012 CKT: TEHS C: G/B
TEHS-011 CKT: TEHS C: G/B
TEHS-010 CKT: TEHS C: G/B
TEHS-009 CKT: TEHS C: G/B
HH-RW7-03
NE2 CKT: TEHS, STYLE 2 E: 2290539.03 N: 14855322.45
NE3 CKT: TEHS, STYLE 2 E: 2290531.45 N: 14854823.11
45°
225°
4-4" N.E. POWER 16R PAPI*, R3*
4-4" N.P. POWER: R3, R1CLS* 16R PAPI* R1GL*
4-4" N.P. POWER: R1GL* 16R PAPI*R3
2-2" N.E. POWER R1CLS*
4-4" N.P. POWER R1CLS* TEHS* R1GL*
RD1-DR-14 CKT: RS, STYLE 2 E: 2290542.75 N: 14854579.67
RD1-DR-15 CKT: RS, STYLE 2 E: 2290252.78 N: 14854583.66
NW1 CKT: TWHS, STYLE 2 E: 2290280.54 N: 14855423.96
NW2 CKT: TWHS, STYLE 2 E: 2290269.53 N: 14854698.81
122 CKT: RS, STYLE 2 E: 2290143.36 N: 14855085.97
124 CKT: RS, STYLE 2 E: 2290138.07 N: 14854742.97
0° 180°
17R-35L
2-2" N.E. POWER 34L PAPI* R1GL*
4-4" N.P. POWER: TB,R1GL* 34L PAPI* TWHS*,RS
34L PAPI*
RUNWAY 17R-35L
+105
+110
R1A-088 CKT: R1A C: W/W
R1A-087 CKT: R1A C: W/W
R1A-092 CKT: R1A C: W/W
R1A-091 CKT: R1A C: W/W
R1A-096 CKT: R1A C: W/W
R1A-095 CKT: R1A C: W/W
R1A-100 CKT: R1A C: W/W
R1A-099 CKT: R1A C: W/W
R1B-090 CKT: R1B C: W/W
R1B-089 CKT: R1B C: W/W
R1B-094 CKT: R1B C: W/W
R1B-093 CKT: R1B C: W/W
R1B-098 CKT: R1B C: W/W
R1B-097 CKT: R1B C: W/W
R1CL-121 CKT: R1CL C: W/W
R1CL-122 CKT: R1CL C: W/W
R1CL-123 CKT: R1CL C: W/W
R1CL-124 CKT: R1CL C: W/W
R1CL-125 CKT: R1CL C: W/W
R1CL-126 CKT: R1CL C: W/W
R1CL-127 CKT: R1CL C: W/W
R1CL-128 CKT: R1CL C: W/W
R1CL-129 CKT: R1CL C: W/W
R1CL-130 CKT: R1CL C: W/W
R1CL-131 CKT: R1CL C: W/W
R1CL-132 CKT: R1CL C: W/W
R1CL-133 CKT: R1CL C: W/W
R1CL-134 CKT: R1CL C: W/W
R1CL-135 CKT: R1CL C: W/W
R1CL-136 CKT: R1CL C: W/W
R1CL-137 CKT: R1CL C: W/W
R1CL-138 CKT: R1CL C: W/W
R1CL-139 CKT: R1CL C: W/W
R1CL-140 CKT: R1CL C: R/W
R1CL-141 CKT: R1CL C: W/W
R1CL-142 CKT: R1CL C: R/W
R1CL-143 CKT: R1CL C: W/W
R1CL-144 CKT: R1CL C: R/W
R1CL-145 CKT: R1CL C: W/W
R1CL-146 CKT: R1CL C: R/W
R1CL-147 CKT: R1CL C: W/W
TWHS-77 CKT: TWHS C: G/B
TWHS-78 CKT: TWHS C: Y/B
TWHS-79 CKT: TWHS C: G/B
TWHS-80 CKT: TWHS C: Y/B
TWHS-81 CKT: TWHS C: G/B
TWHS-82 CKT: TWHS C: Y/B
TWHS-83 CKT: TWHS C: G/B
TWHS-84 CKT: TWHS C: Y/B
TWHS-85 CKT: TWHS C: G/B
TWHS-86 CKT: TWHS C: Y/B
TWHS-87 CKT: TWHS C: G/B
TWHS-88 CKT: TWHS C: Y/B
TWHS-89 CKT: TWHS C: G/B
TWHS-90 CKT: TWHS C: Y/B
TWHS-91 CKT: TWHS C: G/B
TWHS-92 CKT: TWHS C: Y/B
TWHS-93 CKT: TWHS C: G/B
TWHS-50 CKT: TWHS
TWHS-49 CKT: TWHS
TWHS-48 CKT: TWHS
TWHS-47 CKT: TWHS
TWHS-46 CKT: TWHS
TWHS-45 CKT: TWHS
TWHS-41 CKT: TWHS
TWHS-40 CKT: TWHS
TWHS-39 CKT: TWHS
TWHS-38 CKT: TWHS
TWHS-37 CKT: TWHS
TWHS-36 CKT: TWHS
TWHS-35 CKT: TWHS
TWHS-34 CKT: TWHS
TWHS-33 CKT: TWHS
TWHS-32 CKT: TWHS
TWHS-31 CKT: TWHS
TWHS-30 CKT: TWHS
TWHS-29 CKT: TWHS
RGL-BE6-2 CKT: R1GL
RGL-BE7-1 CKT: R1GL
MH-BE6-01
MH-BE6-02
MH-BE6-03
MH-BE6-04
MH-BE7-01
MH-BE7-02
MH-BE7-03
MH-BE7-04
MH-BE7-05
MH-BE7-06
MH-BE7-07
HH-BE7-01
HH-BE7-02
HH-BE7-03
HH-BE7-04
HH-BE7-05
HH-BE7-06
HH-BE7-07
COMM (AB)FAA 25-PR (16R LOC)
COMM (AB)FAA 25-PR (GS)
COMM P-SENSORS
FAA 25-PR CABLE TO LOCALIZER
FAA 25-PR CABLE (LOC)
TAXIWAY N
TAXIWAY B
TEHS*
RS*
R1GL*
TWHS*
R1A,R1B,RS
R1A,R1B,TWHS*
R1CL*
EB
TB
P


GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

KEY MAP



25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 7

PROJECT NO. 8494.002

DRAWING **E3.7**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:30 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 8

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.8

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.28.dwg 12/9/2019 6:31 PM LEAN



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.


PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. INSTALL (N) BASE CANS AND SNOW PLOW RINGS. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
2. INSTALL (N) EMT, (N) BASE CANS AND FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
3. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET, JUNCTION BOX & FRANGIBLE BOLTS.
4. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY. ICC CABINET TO REMAIN.
5. NOT USED.
6. REFER TO E4.12 & E4.14 FOR MALSR WIRING.
7. REUSE (E) CONDUIT & DUCTBANK.

PARTIAL KEY MAP



25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 9

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.9

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 1/10/2020 11:28 AM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. INSTALL (N) BASE CANS AND SNOW PLOW RINGS. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
2. INSTALL (N) EMT, (N) BASE CANS AND FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
3. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET, JUNCTION BOX & FRANGIBLE BOLTS.
4. INSTALL GFM MG–20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY. ICC CABINET TO REMAIN.
5. NOT USED.
6. REFER TO E4.12 & E4.14 FOR MALSR WIRING.
7. REUSE (E) CONDUIT & DUCTBANK.



PARTIAL KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 9

PROJECT NO. 8494.002

DRAWING E3.9

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.23.dwg 12/9/2019 2:44 PM LEAN



GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT


- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS

MALSR NOTES

1. INSTALL (N) BASE CANS AND SNOW PLOW RINGS. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
2. INSTALL (N) EMT, (N) BASE CANS AND FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
3. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET, JUNCTION BOX & FRANGIBLE BOLTS.
4. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY. ICC CABINET TO REMAIN.
5. NOT USED.
6. REFER TO E4.12 & E4.14 FOR MALSR WIRING.
7. REUSE (E) CONDUIT & DUCTBANK.



PARTIAL KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 10

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.10

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.23.dwg 12/9/2019 6:32 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 11

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.11

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Hwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:32 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 12

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.12

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:32 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 13

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.13

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.13.dwg 12/9/2019 6:33 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 14

PROJECT NO.
8494.002

DRAWING
E3.14

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RWA Rwy 16R-34L Reconst\01 Drawings\Working Drawings\Sheets\E3.28.dwg 12/9/2019 6:33 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 15

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.15

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:34 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 16

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.16

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Pwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.23.dwg 12/9/2019 6:34 PM LEAN




(STA ----, SEE SHEET E3.3)

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 17

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.17

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 8:34 PM LEAN

(STA 59+00, SEE SHEET E3.17)

(STA 72+75, SEE SHEET E3.19)

MATCH LINE

MATCH LINE

(STA ----, SEE SHEET E3.4)

INSTALL (N) PANEL FOR NEW RUNWAY DESIGNATION

INSTALL (N) PANEL FOR NEW RUNWAY DESIGNATION

INSTALL (N) PANEL FOR NEW RUNWAY DESIGNATION

RUNWAY 17L-35R


+60. +65. +70.

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 18

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.18

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:35 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

Wood Rodgers
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 19

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.19**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:35 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 20

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.20

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.20.dwg 12/9/2019 6:35 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 21

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.21**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.21.dwg 12/9/2019 6:36 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

Wood Rodgers
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 22

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E3.22

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.22.dwg 12/9/2019 6:39 PM LEAN




MATCH LINE (STA 78+52, SEE SHEET E3.24)

GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 23

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.23**

D:\Dropbox (Lean Photometrics)\Active Projects\19018018A - Wood Rogers RTIA Pwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.23.dwg 12/9/2019 6:36 PM LEAN




GENERAL NOTES


1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 24

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E3.24

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.24.dwg 12/9/2019 6:37 PM LEAN

MATCH LINE

(STA 71+52, SEE SHEET E3.24)



NO WORK THIS SHEET, FOR REFERENCE ONLY.

MATCH LINE


(STA 64+52, SEE SHEET E3.26)

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 25


PROJECT NO. 8494.002

DRAWING **E3.25**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.25.dwg 12/9/2019 6:37 PM LEAN

MATCH LINE

(STA 64+52, SEE SHEET E3.25)



MATCH LINE


(STA 57+52, SEE SHEET E3.20)

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 26


LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E3.26**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.26.dwg 12/9/2019 6:37 PM LEAN


MATCH LINE
(STA 36+52, SEE SHEET E3.11)
RUNWAY 8-26
EXISTING ATCT
MH-LN2-01
HH-LN2-02
HH-LN2-03
MH-LS2-04
MH-LS2-05
MH-LS2-06
MH-LS2-07
HH-LS2-13
JCP-LS2-03
HH-LS2-14
COMM (AB)FAA 25-PR, (2)12-PR, (AB)FAA 12-STR(RTR)
C-2A, C-2C & C-3 2-25PR(MALSR,LOC), 2-12PR(GS,RVR) UP IN CHASE TO 5TH LEVEL BELOW CONTROL CAB.
POWER R1B*, R1A*, R1CL*16RPAPI*, 34LPAPI*, R1CLN*, R1CLS*, RS*, TWHS*, R1GL* 20-2 N.E.
RPU, R3
COMM C-2A C-2B
POWER 7PAPI
POWER SPARE
COMM 2-8 N.P. (AB)FAA 25-PR, (2)12-PR, (AB)FAA 12-STR(RTR)
COMM 10-4 N.P. (AB)FAA 25-PR, (2)12-PR, (AB)FAA 12-STR(RTR)
COMM 2-8




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 28

PROJECT NO. 8494.002

DRAWING **E3.28**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.28.dwg 12/9/2019 6:38 PM LEAN




GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E0.03 & E3.00.
2. CONTRACTOR SHALL ADJUST EXISTING HANDHOLES TO REMAIN IN PAVEMENT LIMIT TO (N) GRADE.
3. REFER TO E5 SERIES FOR PAVEMENT SENSOR WORK.

PAVEMENT LIMIT

- (N) CONCRETE TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) AC PAVEMENT TO INSTALL, SEE CIVIL PLANS FOR DETAILS
- (N) SURFACE ROCK TO PLACE, SEE CIVIL PLANS FOR DETAILS



KEY MAP

25' 0 50'

SCALE: 1" = 50'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


NEW FIXTURE, CIRCUIT & SIGN LAYOUT - PLAN 29

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING **E3.29**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E3.29.dwg 12/9/2019 6:38 PM LEAN



1 - **(E) 16R MALSR SYSTEM**



2 - **(N) 16R MALSR SYSTEM**

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. ALL MATERIAL AND EQUIPMENT SHOULD BE CONTRACTOR FURNISHED UNLESS OTHERWISE NOTED AS GOVERNMENT FURNISHED MATERIAL (GFM).

KEY NOTES:

1. INSTALL (N) LIGHTS, (N) TRANSFORMERS, (N) BASE CANS, AND (N) SNOW PLOW RING.
2. INSTALL (N) EMT, (N) BASE CANS AND REMOVE & REINSTALL LIGHTS.
3. INSTALL GFM MG-20 LIR POLE & ACCESSORIES AND T-BAR ON (N) FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES.
4. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET AND JUNCTION BOX.
5. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY.
6. INSTALL GFM MG-30 LIR POLE & ACCESSORIES ON (E) FOUNDATION, REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY.

LEGEND:

———	GROUND PROFILE
—— – —— – ——	MALSR PROFILE
GFM	GOVERNMENT FURNISHED MATERIAL

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

RUNWAY 16R MALSR PROFILE


PROJECT NO. 8494.002

DRAWING **E4.01**

D:\Dropbox (Lean Photometrics)\Active Projects\13018004 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E501 MALSR.dwg 12/9/2019 6:39 PM LEAN



1 - **(E) 34L MALSR SYSTEM**



2 - **(N) 34L MALSR SYSTEM**

GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SHEETS E0.01 TO E1.00.
2. ALL MATERIAL AND EQUIPMENT SHOULD BE CONTRACTOR FURNISHED UNLESS OTHERWISE NOTED AS GOVERNMENT FURNISHED MATERIAL (GFM).

KEY NOTES:

1. INSTALL (N) BASE CANS AND SNOW PLOW RINGS. REMOVE & REINSTALL LIGHT FIXTURES AND TRANSFORMERS.
2. INSTALL (N) EMT, (N) BASE CANS AND FOUNDATION. REMOVE & REINSTALL LIGHT FIXTURES.
3. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (N) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY, ICC CABINET AND JUNCTION BOX.
4. INSTALL GFM MG-20 LIR POLE & ACCESSORIES ON (E) FOUNDATION. REMOVE & REINSTALL FLASHER LIGHT ASSEMBLY. ICC CABINET TO REMAIN

LEGEND:

———	GROUND PROFILE
— – — – —	MALSR PROFILE
GFM	GOVERNMENT FURNISHED MATERIAL

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

RUNWAY 34L MALSR PROFILE


PROJECT NO. 8494.002

DRAWING **E4.02**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E501 MALSR.dwg 12/9/2019 6:39 PM LEAN

LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE DEMOLISHED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI-FLUSH, 240V
- A B 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- MALSR STATION HANDHOLE TO BE REMOVED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN



NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER-CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #1/0 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. REMOVE HIGH VOLTAGE CABLE FROM ICC TO FLASHER.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW-GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.

DISCLAIMER: PLANS DERIVED FROM EXISTING FAA AS-BUILTS. EXISTING CONDITIONS MAY DIFFER FROM PLANS.

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

1 - 16R MALSR WIRING DIAGRAM - EXISTING/DEMO
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

16R MALSR SLD - EXISTING/DEMO

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E4.11

D:\Dropbox (Lean Photometrics)\Active Projects\L190780\A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E410 MALSR SLD 16R.dwg 12/9/2019 6:39 PM LEAN

LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE INSTALLED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI–FLUSH, 240V
- 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- (N) MALSR STATION HANDHOLE TO BE INSTALLED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN



NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER–CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #6 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. NOT USED.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW–GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. INSTALL NEW POLE AND INSTALL NEW 3KV RATED CABLES FROM ICC TO FLASHER.
11. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.
12. NOT USED.
13. IF ANY EXISTING MALSR MANHOLE HAS A SURGE PROTECTOR, REMOVE AND REINSTALL SURGE PROTECTOR INTO NEW MANHOLE. (4)

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

1 / – 17R MALSR WIRING DIAGRAM - PROPOSED
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021120 01/30/2020

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R–34L RECONSTRUCTION

17R MALSR SLD - PROPOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E4.12

D:\Dropbox (Lean Photometrics)\Active Projects\L19078D\A Wood Rogers RTIA Rwy 16R–34L Recon\01 Drawings\Working Drawings\Sheets\E410 MALSR SLD 16R.dwg 1/28/2020 11:56 AM LEAN

LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE INSTALLED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI-FLUSH, 240V
- 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- (N) MALSR STATION HANDHOLE TO BE INSTALLED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN



NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER-CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #6 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. NOT USED.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW-GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. INSTALL NEW POLE AND INSTALL NEW 3KV RATED CABLES FROM ICC TO FLASHER.
11. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.
12. NOT USED.
13. MALSR STATION HAND HOLE SHALL BE INSTALLED WITH SURGE PROTECTOR efi iAR 120/240V

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

1 17R MALSR WIRING DIAGRAM - PROPOSED
N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


17R MALSR SLD - PROPOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E4.12

D:\Dropbox (Lean Photometrics)\Active Projects\19078018A Wood Rogers RTN Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E410 MALSR SLD 16R.dwg 12/9/2019 6:39 PM LEAN



LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE DEMOLISHED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI-FLUSH, 240V
- A B 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- MALSR STATION HANDHOLE TO BE REMOVED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN

NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER-CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #1/0 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. REMOVE HIGH VOLTAGE CABLE FROM ICC TO FLASHER.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW-GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

DISCLAIMER: PLANS DERIVED FROM EXISTING FAA AS-BUILTS. EXISTING CONDITIONS MAY DIFFER FROM PLANS.

1 - **34L MALSR WIRING DIAGRAM - EXISTING/DEMO**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


34L MALSR SLD - EXISTING/DEMO

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONES: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E4.13**

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4\10 MALSR SLD 16R.dwg 12/9/2019 6:39 PM LEAN



1 - **35L MALSR WIRING DIAGRAM - PROPOSED**
N.T.S.

LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE INSTALLED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI-FLUSH, 240V
- A B 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- (N) MALSR STATION HANDHOLE TO BE INSTALLED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN

NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER-CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #1/0 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. NOT USED.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW-GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. INSTALL NEW POLE AND INSTALL NEW 3KV RATED CABLES FROM ICC TO FLASHER.
11. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.
12. NOT USED.
13. IF ANY EXISTING MALSR MANHOLE HAS A SURGE PROTECTOR, REMOVE AND REINSTALL SURGE PROTECTOR INTO NEW MANHOLE. (A4)

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
A4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

DORON LEVY, LICENSED ELECTRICAL ENGINEER, STATE OF NEVADA, No. 021120, 01/30/2019

WOOD RODGERS
Building Relationships, One Project at a Time
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


35L MALSR SLD - PROPOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E4.14

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.10 MALSR SLD 16R.dwg 7/28/2020 11:56 AM LEAN



LEGENDS:

- FADED LINEWORK DENOTES EXISTING CABLE/WIRING TO REMAIN
- BOLD LINEWORK DENOTES EXISTING CABLE/WIRING TO BE INSTALLED
- LIGHT BAR, 5 EACH, PAR 38, 120V 120W
- LIGHT BAR, 5 EACH, SEMI-FLUSH, 240V
- A B 240V TRANSFORMER
- SEQUENCED FLASHERS
- THRESHOLD LIGHTS
- GROUND ROD SEE NOTE 3
- (N) MALSR STATION HANDHOLE TO BE INSTALLED
- FADED DENOTES EXISTING HANDHOLE TO REMAIN

NOTES:

1. SEE ASSOCIATED ELECTICAL DRAWINGS FOR WIRING AT EACH STATION.
2. NOT USED.
3. INSTALL COPPER-CLAD STEEL GROUND ROD 3/4" X 10' AT EACH LIGHT STATION AND GROUND EQUIPMENT & STRUCTURE.
4. INSTALL #1/0 BARE COPPER BURIED GUARD WIRE ABOVE ALL CABLE RUNS IN TRENCH.
5. NOT USED.
6. SEE E4.21 FOR SEMIFLUSH THRESHOLD INSTALLATION.
7. NOT USED.
8. NOT USED.
9. ALL CABLES USED IN STEADY BURNING LIGHTS ABOVE GROUND SHALL BE THWN 600V STRANDED, BELOW-GROUND CABLES SHALL BE USE/XLP 600V STRANDED OR OTHER RATED FOR UNDERGROUND USE.
10. INSTALL NEW POLE AND INSTALL NEW 3KV RATED CABLES FROM ICC TO FLASHER.
11. CRIMPING TOOL 1/8" OR 3/16" SHALL BE APPROVED BY RESIDENT ENGINEER AND BE RECOMMENDED BY THE SPLICE/CRIMP MANUFACTURER.
12. NOT USED.
13. MALSR STATION HAND HOLE SHALL BE INSTALLED WITH SURGE PROTECTOR efi iAR 120/240V

GENERAL NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. REFER TO AREA PLAN AND MALSR PROFILE PLAN FOR WORK DESCRIPTION OF EACH STATION.

1 / - 35L MALSR WIRING DIAGRAM - PROPOSED
N.T.S.

FOR BIDDING PURPOSES ONLY
SUPERSEDED

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


35L MALSR SLD - PROPOSED

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002


DRAWING E4.14

D:\Dropbox (Lean Photometrics)\Active Projects\19078014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E410 MALSR SLD 16R.dwg 12/9/2019 6:39 PM LEAN




1 - 17R MALSR WIRING DIAGRAM - DISTRIBUTION UNIT

N.T.S.



2 - 35L MALSR WIRING DIAGRAM - DISTRIBUTION UNIT

N.T.S.



3 - 17R & 35L MALSR WIRING DIAGRAM - FLASHER LIGHT UNITS

N.T.S.

DETAIL NOTES:

1. F/A 17R PANEL BOARD.
2. F/A JUNCTION BOX.
3. FOR FLASHER POWER WIRING REFER TO DRAWING E4.12 & E4.14.
4. TERMINATION OF TRIGGER WIRES TO FLASHER STATIONS 20 AND 22.

   STATION 20
   CONNECT TRIGGER WIRE FROM PIN #8 IN THE INDIVIDUAL CONTROL CABINET TO PIN #6-TB2 IN THE JCT BOX.

   STATION 22
   CONNECT TRIGGER WIRE FROM PIN #8 IN THE INDIVIDUAL CONTROL CABINET TO PIN #5-TB2 IN THE JCT BOX.
5. SEE ELECTRICAL LAYOUT DRAWING FOR ADDITIONAL NOTES.

GENERAL NOTES:

1. FOR LEGEND, ABBREVIATIONS AND GENERAL ELECTRICAL NOTES, REFER TO DRAWINGS E0.01 & E0.02.

SHEET NOTES:

1. FURNISH AND INSTALL FLASHER POWER AND TRIGGER CONDUCTORS FROM INDIVIDUAL CONTROL CABINET TO FLASHER HEAD INSTALL ON NEW LIR POLE. FAA TO PROVIDE 3KV CABLE.
2. ROUTE CONDUCTORS IN SINGLE 3/4" LIQUID TIGHT FLEXIBLE METAL CONDUIT WITH EXTERIOR GROUND BUSHINGS AND #6, GREEN 600V BONDING JUMPER.

CONTROL WIRE COLOR CODING
(AT JUNCTION BOX TB-2)

1.	WHITE (from blu/wht)	- SPARE
2.	WHITE (from grn/wht)	- SPARE
3.	WHITE (from brn/wht)	- SPARE
4.	BLUE (from blu/wht)	- TRIGGER #1
5.	GREEN	- TRIGGER #2
6.	BROWN	- TRIGGER #3
7.	ORANGE	- TRIGGER #4
8.	GRAY	- TRIGGER #
9.	BLUE (from blu/red)	- MEDIUM
10.	RED (from blu/red)	- HIGH
11.	WHITE (org/wht)	- SPARE
12.	WHITE (gray/wht)	- SPARE

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021120 01/13/2020

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR WIRING DIAGRAM - DISTRIBUTION UNIT


PROJECT NO. 8494.002

DRAWING **E4.15**


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4.10 MALSR SLD 16R.dwg 1/10/2020 12:17 PM LEAN



1 - **17R MALSR WIRING DIAGRAM - DISTRIBUTION UNIT**
N.T.S.



2 - **35L MALSR WIRING DIAGRAM - DISTRIBUTION UNIT**
N.T.S.



3 - **17R & 35L MALSR WIRING DIAGRAM - FLASHER LIGHT UNITS**
N.T.S.

DETAIL NOTES:

1. F/I 16R PANEL BOARD.
2. F/I JUNCTION BOX.
3. FOR FLASHER POWER WIRING REFER TO DRAWING E4.12 & E4.14.
4. TERMINATION OF TRIGGER WIRES TO FLASHER STATIONS 20 AND 22.

   STATION 20
   CONNECT TRIGGER WIRE FROM PIN #8 IN THE INDIVIDUAL CONTROL CABINET TO PIN #6-TB2 IN THE JCT BOX.

   STATION 22
   CONNECT TRIGGER WIRE FROM PIN #8 IN THE INDIVIDUAL CONTROL CABINET TO PIN #5-TB2 IN THE JCT BOX.
5. SEE ELECTRICAL LAYOUT DRAWING FOR ADDITIONAL NOTES.

GENERAL NOTES:

1. FOR LEGEND, ABBREVIATIONS AND GENERAL ELECTRICAL NOTES, REFER TO DRAWINGS E0.01 & E0.02.

SHEET NOTES:

1. FURNISH AND INSTALL FLASHER POWER AND TRIGGER CONDUCTORS FROM INDIVIDUAL CONTROL CABINET TO FLASHER HEAD INSTALL ON NEW LIR POLE. FAA TO PROVIDE 3KV CABLE.
2. ROUTE CONDUCTORS IN SINGLE 3/4" LIQUID TIGHT FLEXIBLE METAL CONDUIT WITH EXTERIOR GROUND BUSHINGS AND #6, GREEN 600V BONDING JUMPER.

CONTROL WIRE COLOR CODING
(AT JUNCTION BOX TB-2)

1.	WHITE (from blu/wht)	- SPARE
2.	WHITE (from grn/wht)	- SPARE
3.	WHITE (from brn/wht)	- SPARE
4.	BLUE (from blu/wht)	- TRIGGER #1
5.	GREEN	- TRIGGER #2
6.	BROWN	- TRIGGER #3
7.	ORANGE	- TRIGGER #4
8.	GRAY	- TRIGGER #
9.	BLUE (from blu/red)	- MEDIUM
10.	RED (from blu/red)	- HIGH
11.	WHITE (org/wht)	- SPARE
12.	WHITE (gray/wht)	- SPARE

SUPERSEDED

FOR BIDDING PURPOSES ONLY

REFER TO WIRING DIAGRAM ON DRAWINGS E4.12

REFER TO WIRING DIAGRAM ON DRAWINGS E4.14

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR WIRING DIAGRAM - DISTRIBUTION UNIT

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E4.15

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E2410 MALSR SLD 16R.dwg 12/9/2019 6:39 PM LEAN




1 / - 16R & 34L MALSR INPAVEMENT THRESHOLD BAR PLAN
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

SHEET NOTES:

1. ALL LIGHT BASES SHALL BE GROUNDED. THE GROUND WIRE SHALL BE RUN THROUGH EACH BASE IN THE LIGHT BARS AND GROUNDED AT EACH BASECAN.
2. INSTALL 2" CONDUIT TO NEAREST DRAIN, SLOPE MIN. 2%.
3. BASE CAN AND FIXTURE TOLERANCES SHALL MEET THE FOLLOWING:
   A. LONGITUDINAL: ±2' FROM STATIONING WITH ENGINEER'S APPROVAL.
   B. TRANSVERSE: ±1/4" FROM LINE OF LIGHTS.
   C. LEVEL/TILT: ±1/2 DEGREE FROM HORIZONTAL
   D. AZIMUTH: ±1/2 DEGREE FROM LINE OF LIGHTS (FOR BIDIRECTIONAL FIXTURES)
   E. HEIGHT: EDGE OF LIGHT FIXTURE +0", −1/16" RELATIVE TO ADJACENT PAVEMENT (LOW SIDE OF SLOPED PAVEMENT).
4. REFER TO DRAWING E4.22 FOR MALSR THRESHOLD WIRING DETAILS.



2 / - NEW INPAVEMENT LIGHT ON 24" DEEP BASE CAN INSTALLATION DETAIL IN NEW PCC PAVEMENT 16R & 34L MALSR THRESHOLD BAR
N.T.S.

DETAIL 2 NOTES:

1. DETAIL REFERS TO INSTALLATION OF 24" L-868C BASE CAN WITH EXTENSION.
2. ALL HARDWARE FOR LIGHTS SUCH AS BOLTS, WASHERS, ETC. SHALL BE STAINLESS STEEL.
3. CORE AND REMOVE 36" DIAMETER BY MINIMUM 14" DEEP CORE IN P-201S AND PREPARED SUBGRADE..
4. CUT TRENCH FOR CONDUIT IN P-201S AND PREPARED SUBGRADE.
5. INSTALL NEW BASE CAN AND COVER PLATE. USE ALIGNMENT JIG.
6. INSTALL REBAR CAGE, GROUND ROD, GROUND WIRE CONDUIT AND COUNTERPOISE. GROUND THE REBAR CABLE AND BASE CAN VIA EXOTHERMIC WELD USING 1/0 COUNTERPOISE.
7. POUR P-610 CONCRETE ANCHOR TO LEVEL OF P-201S.
8. BACKFILL CONDUIT TRENCH WITH P-610 TO LEVEL OF P-201S. TROWEL SMOOTH TOP OF P-610, LEVEL WITH THE P-201S.
9. AFTER PLACEMENT OF P-501, CORE OUT TOP TO EXPOSE TOP OF BASE CAN.
10. INSTALL EXTENSION, SNOW PLOW RING, SPACER PACKAGE, CABLE, TRANSFORMER, CONNECTORS AND LIGHT FIXTURE.
11. COMPLETE INSTALLATION AS SHOWN IN DETAIL 2, SHEET E4.25. PROVIDE 3' CABLE SLACK IN BASE CAN.
12. THE USE OF 2" LIQUID TIGHT FLEXIBLE NON-METALLIC CONDUIT (LFNC) TO CONNECT THE 2"SCHEDULE 40 CONDUIT TO THE LIGHT BASE CAN IS ALLOWABLE, PROVIDED THE FOLLOWING:
    A. OVERALL LENGTH OF THE LFNC INCLUDING TERMINAL ADAPTORS / FITTINGS IS NOT GREATER THAN 18".
    B. THE LFNC IS CONNECTED TO THE LIGHT BASE CAN BY A TERMINAL ADAPTOR FITTING AND LOCK NUT WITH AN INSULATED BUSHING OR A THREADED HUB.
    C. BOTH LFNC AND TERMINAL ADAPTOR / FITTINGS ARE UL LISTED FOR DIRECT BURIED APPLICATIONS IN CONCRETE.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 1


PROJECT NO. 8494.002

DRAWING **E4.21**

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4.20 MALSR Details 16R.dwg 1/10/2020 12:17 PM LEAN



1 — 16R & 34L MALSR INPAVEMENT THRESHOLD BAR PLAN
N.T.S.



2 — NEW INPAVEMENT LIGHT ON 24" DEEP BASE CAN INSTALLATION DETAIL IN NEW PCC PAVEMENT 16R & 34L MALSR THRESHOLD BAR
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

SHEET NOTES:

1. ALL LIGHT BASES SHALL BE GROUNDED. THE GROUND WIRE SHALL BE RUN THROUGH EACH BASE IN THE LIGHT BARS AND GROUNDED AT EACH BASECAN.
2. INSTALL 2" CONDUIT TO NEAREST DRAIN, SLOPE MIN. 2%.
3. BASE CAN AND FIXTURE TOLERANCES SHALL MEET THE FOLLOWING:
   A. LONGITUDINAL: ±2' FROM STATIONING WITH ENGINEER'S APPROVAL.
   B. TRANSVERSE: ±1/4" FROM LINE OF LIGHTS.
   C. LEVEL/TILT: ±1/2 DEGREE FROM HORIZONTAL
   D. AZIMUTH: ±1/2 DEGREE FROM LINE OF LIGHTS (FOR BIDIRECTIONAL FIXTURES)
   E. HEIGHT: EDGE OF LIGHT FIXTURE +0", −1/16" RELATIVE TO ADJACENT PAVEMENT (LOW SIDE OF SLOPED PAVEMENT).
4. REFER TO DRAWING E4.22 FOR MALSR THRESHOLD WIRING DETAILS.

DETAIL 2 NOTES:

1. DETAIL REFERS TO INSTALLATION OF 24" L-868C BASE CAN WITH EXTENSION.
2. ALL HARDWARE FOR LIGHTS SUCH AS BOLTS, WASHERS, ETC. SHALL BE STAINLESS STEEL.
3. CORE AND REMOVE 36" DIAMETER BY MINIMUM 14" DEEP CORE IN P-201S AND PREPARED SUBGRADE..
4. CUT TRENCH FOR CONDUIT IN P-201S AND PREPARED SUBGRADE.
5. INSTALL NEW BASE CAN AND COVER PLATE. USE ALIGNMENT JIG.
6. INSTALL REBAR GAGE, GROUND ROD, GROUND WIRE CONDUIT AND COUNTERPOISE. GROUND THE REBAR CABLE AND BASE CAN VIA EXOTHERMIC WELD USING 1/0 COUNTERPOISE.
7. POUR P-610 CONCRETE ANCHOR TO LEVEL OF P-201S.
8. BACKFILL CONDUIT TRENCH WITH P-610 TO LEVEL OF P-201S. TROWEL SMOOTH TOP OF P-610, LEVEL WITH THE P-201S.
9. AFTER PLACEMENT OF P-501, CORE OUT TOP TO EXPOSE TOP OF BASE CAN.
10. INSTALL EXTENSION, SNOW PLOW RING, SPACER PACKAGE, CABLE, TRANSFORMER, CONNECTORS AND LIGHT FIXTURE.
11. COMPLETE INSTALLATION AS SHOWN IN DETAIL 2, SHEET E4.25. PROVIDE 3' CABLE SLACK IN BASE CAN.
12. THE USE OF 2" LIQUID TIGHT FLEXIBLE NON-METALLIC CONDUIT (LFNC) TO CONNECT THE 2" SCHEDULE 40 CONDUIT TO THE LIGHT BASE CAN IS ALLOWABLE, PROVIDED THE FOLLOWING:
    A. OVERALL LENGTH OF THE LFNC INCLUDING TERMINAL ADAPTORS / FITTINGS IS NOT GREATER THAN 18".
    B. THE LFNC IS CONNECTED TO THE LIGHT BASE CAN BY A TERMINAL ADAPTOR FITTING AND LOCK NUT WITH AN INSULATED BUSHING OR A THREADED HUB.
    C. BOTH LFNC AND TERMINAL ADAPTOR / FITTINGS ARE UL LISTED FOR DIRECT BURIED APPLICATIONS IN CONCRETE.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS, ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 1


PROJECT NO. 8494.002

DRAWING E4.21

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4.21 MALSR Details 16R.dwg 12/9/2019 6:39 PM LEAN

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



DETAIL 1 NOTES:

1. EQUIPMENT GROUND NOT SHOWN. INSTALL #6 GREEN EQUIPMENT GROUND WITH WIRES IN RACEWAY TO EACH CAN AND CONNECT TO INTERNAL GROUND LUG.

1/- **16R & 34L MALSR THRESHOLD BAR WIRING DETAIL**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 2

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E4.22

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:39 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



DETAIL 1 NOTES:

1. REFER TO STRUCTURAL INSTALLATION FOR CONCRETE.
2. INSTALL EXTENSION, SPACER PACKAGE, & LIGHT FIXTURE FOR ALL BASE CANS. REFER TO E4.25 FOR LIGHT INSTALLATION.

MALSR STATIONS
16R 2, 4, 6, & 8 INSTALLATION PLAN
34L 2, 4, 6, 8, & 12 INSTALLATION PLAN
1/- N.T.S.



DETAIL 2 NOTES:

1. DETAIL REFERS TO INSTALLATION OF 24" L-868C BASE CAN WITH EXTENSION.
2. ALL HARDWARE FOR LIGHTS SUCH AS BOLTS, WASHERS, ETC. SHALL BE STAINLESS STEEL.
3. CORE AND REMOVE 36" DIAMETER BY MINIMUM 14" DEEP CORE IN P-201S AND PREPARED SUBGRADE.
4. CUT TRENCH FOR CONDUIT IN P-201S AND PREPARED SUBGRADE.
5. INSTALL NEW BASE CAN AND COVER PLATE. USE ALIGNMENT JIG.
6. INSTALL REBAR CAGE, GROUND ROD, GROUND WIRE CONDUIT AND COUNTERPOISE. GROUND THE REBAR CABLE AND BASE CAN VIA EXOTHERMIC WELD USING 1/0 COUNTERPOISE.
7. POUR P-610 CONCRETE ANCHOR TO LEVEL OF P-201S.
8. BACKFILL CONDUIT TRENCH WITH P-610 TO LEVEL OF P-201S. TROWEL SMOOTH TOP OF P-610, LEVEL WITH THE P-201S.
9. AFTER PLACEMENT OF P-501, CORE OUT TOP TO EXPOSE TOP OF BASE CAN.
10. INSTALL EXTENSION, SNOW PLOW RING, SPACER PACKAGE, CABLE, TRANSFORMER, CONNECTORS AND LIGHT FIXTURE.
11. COMPLETE INSTALLATION AS SHOWN IN DETAIL 2, SHEET E4.25. PROVIDE 3' CABLE SLACK IN BASE CAN.
12. THE USE OF 2" LIQUID TIGHT FLEXIBLE NON-METALLIC CONDUIT (LFNC) TO CONNECT THE 2" SCHEDULE 40 CONDUIT TO THE LIGHT BASE CAN IS ALLOWABLE, PROVIDED THE FOLLOWING:
    A. OVERALL LENGTH OF THE LFNC INCLUDING TERMINAL ADAPTORS / FITTINGS IS NOT GREATER THAN 18".
    B. THE LFNC IS CONNECTED TO THE LIGHT BASE CAN BY A TERMINAL ADAPTOR FITTING AND LOCK NUT WITH AN INSULATED BUSHING OR A THREADED HUB.
    C. BOTH LFNC AND TERMINAL ADAPTOR / FITTINGS ARE UL LISTED FOR DIRECT BURIED APPLICATIONS IN CONCRETE.

NEW INPAVEMENT LIGHT ON 24" DEEP BASE CAN
INSTALLATION DETAIL IN NEW PCC PAVEMENT
2/- N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 3

PROJECT NO. 8494.002


DRAWING E4.23

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.23 MALSR Details 16R.dwg 1/10/2020 12:17 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



DETAIL 1 NOTES:

1. REFER TO STRUCTURAL INSTALLATION FOR CONCRETE.
2. INSTALL EXTENSION, SPACER PACKAGE, & LIGHT FIXTURE FOR ALL BASE CANS. REFER TO E4.25 FOR LIGHT INSTALLATION.

MALSR STATIONS
16R 2, 4, 6, & 8 INSTALLATION PLAN
34L 2, 4, 6, 8, & 12 INSTALLATION PLAN
1 / - N.T.S.



DETAIL 2 NOTES:

1. DETAIL REFERS TO INSTALLATION OF 24" L-868C BASE CAN WITH EXTENSION.
2. ALL HARDWARE FOR LIGHTS SUCH AS BOLTS, WASHERS, ETC. SHALL BE STAINLESS STEEL.
3. CORE AND REMOVE 36" DIAMETER BY MINIMUM 14" DEEP CORE IN P-201S AND PREPARED SUBGRADE.
4. CUT TRENCH FOR CONDUIT IN P-201S AND PREPARED SUBGRADE.
5. INSTALL NEW BASE CAN AND COVER PLATE. USE ALIGNMENT JIG.
6. INSTALL REBAR GAGE, GROUND ROD, GROUND WIRE CONDUIT AND COUNTERPOISE. GROUND THE REBAR CABLE AND BASE CAN VIA EXOTHERMIC WELD USING 1/0 COUNTERPOISE.
7. POUR P-610 CONCRETE ANCHOR TO LEVEL OF P-201S.
8. BACKFILL CONDUIT TRENCH WITH P-610 TO LEVEL OF P-201S. TROWEL SMOOTH TOP OF P-610, LEVEL WITH THE P-201S.
9. AFTER PLACEMENT OF P-501, CORE OUT TOP TO EXPOSE TOP OF BASE CAN.
10. INSTALL EXTENSION, SNOW PLOW RING, SPACER PACKAGE, CABLE, TRANSFORMER, CONNECTORS AND LIGHT FIXTURE.
11. COMPLETE INSTALLATION AS SHOWN IN DETAIL 2, SHEET E4.25. PROVIDE 3' CABLE SLACK IN BASE CAN.
12. THE USE OF 2" LIQUID TIGHT FLEXIBLE NON-METALLIC CONDUIT (LFNC) TO CONNECT THE 2" SCHEDULE 40 CONDUIT TO THE LIGHT BASE CAN IS ALLOWABLE, PROVIDED THE FOLLOWING:
    A. OVERALL LENGTH OF THE LFNC INCLUDING TERMINAL ADAPTORS / FITTINGS IS NOT GREATER THAN 18".
    B. THE LFNC IS CONNECTED TO THE LIGHT BASE CAN BY A TERMINAL ADAPTOR FITTING AND LOCK NUT WITH AN INSULATED BUSHING OR A THREADED HUB.
    C. BOTH LFNC AND TERMINAL ADAPTOR / FITTINGS ARE UL LISTED FOR DIRECT BURIED APPLICATIONS IN CONCRETE.

NEW INPAVEMENT LIGHT ON 24" DEEP BASE CAN
INSTALLATION DETAIL IN NEW PCC PAVEMENT
2 / - N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E4.23

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.23 MALSR Details 16R.dwg 12/9/2019 6:39 PM LEAN



DETAIL 1 NOTES:

1. EQUIPMENT GROUND NOT SHOWN. INSTALL #6 GREEN EQUIPMENT GROUND WITH WIRES IN RACEWAY TO EACH CAN AND CONNECT TO GROUND LUG.

1 / -

MALSR 16R STATIONS 2, 4, 6, & 8 WIRING DETAIL
MALSR 34L STATIONS 2, 4, 6, 8, & 12 WIRING DETAIL

N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 4

PROJECT NO. 8494.002

DRAWING E4.24


D: \Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4420 MALSR Details 16R.dwg 12/9/2019 6:39 PM LEAN



NOTES FOR FIXTURE INSTALLATION

1. CONTRACTOR SHALL ADJUST THE FIXTURE HEIGHT BY PLACING A 2' LEVEL ACROSS THE PAVEMENT SLOPE AND INCREMENTALLY PLACING 1/16" SPACER RINGS UNTIL TOP OF FIXTURE TOUCHES THE 2' LEVEL. ONCE THE FIXTURE TOUCHES THE LEVEL REMOVE THE LAST SPACER RING SO THAT FIXTURE IS +0" TO −1/16" BELOW LEVEL.

1/- MEASURING FIXTURE ELEVATION DETAIL
N.T.S.




DETAIL 2 NOTES:

1. CONSTRUCTION AND INSTALLATION SHALL BE PER FAA−C−1391 AND INDIVIDUAL SITE REQUIREMENTS.
2. ALL GROUNDING SHALL BE IN ACCORDANCE WITH FAA−STD−019.
3. 2" PVC CONDUIT SHALL BE SCH 40 AND MEET THE REQUIREMENTS OF NEMA TC6.
4. ALL LIGHT BASES SHALL BE GROUNDED AS SHOWN. THE #6 GREEN GROUND WIRE SHALL BE RUN THROUGH EACH BASE IN THE LIGHT BAR.
5. ANTI−SEIZE COMPOUND SHALL BE APPLIED TO ALL THREADS ON BOLTS. BOLTS SHALL BE STAINLESS STEEL WITH FULL THREAD ENGAGEMENT.
6. USE #1/0 BARE GND TO CONNECT EXTERNAL GROUND LUGS OF BASE CANS FOR MALSR IN−PAVEMENT LIGHTS TO THE GROUND ROD AT EACH BASE CAN.
7. BASE CAN AND FIXTURE TOLERANCES SHALL MEET THE FOLLOWING:
   A. LONGITUDINAL: ±2' FROM STATIONING WITH ENGINEER'S APPROVAL.
   B. TRANSVERSE: ±1/4" FROM LINE OF LIGHTS.
   C. LEVEL/TILT: ±1/2 DEGREE FROM HORIZONTAL
   D. AZIMUTH: ±1/2 DEGREE FROM LINE OF LIGHTS (FOR BIDIRECTIONAL FIXTURES)
   E. HEIGHT: EDGE OF LIGHT FIXTURE +0", −1/16" RELATIVE TO ADJACENT PAVEMENT (LOW SIDE OF SLOPED PAVEMENT). NOTE: CORRECTION RINGS SHALL NOT BE ALLOWED. ONLY APPROVED METHOD TO CORRECT ERROR IS TO REPLACE BASE CAN AT CONTRACTORS EXPENSE.
8. THE USE OF 2" LIQUID TIGHT FLEXIBLE NON−METALLIC CONDUIT (LFNC) TO CONNECT THE 2" SCHEDULE 40 CONDUIT TO THE LIGHT BASE CAN IS ALLOWABLE, PROVIDED THE FOLLOWING:
   A. OVERALL LENGTH OF THE LFNC INCLUDING TERMINAL ADAPTORS / FITTINGS IS NOT GREATER THAN 18".
   B. THE LFNC IS CONNECTED TO THE LIGHT BASE CAN BY A TERMINAL ADAPTOR FITTING AND LOCK NUT WITH AN INSULATED BUSHING OR A THREADED HUB.
   C. BOTH LFNC AND TERMINAL ADAPTOR / FITTINGS ARE UL LISTED FOR DIRECT BURIED APPLICATIONS IN CONCRETE.

2/- MALSR BASE CAN AND LIGHT FIXTURE INSTALLATION DETAIL
N.T.S.

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



DETAIL 3 NOTES:

1. AFTER REMOVING 18 1/2" CORE, REMOVE THE PLYWOOD COVER & MUD−PLATE ALONG WITH ANY DIRT, GRIT AND OTHER MATERIAL, WHICH MAY HAVE SEEPED INTO THE BASE CAN. INSTALL CABLE (PROVIDE 3' FEET OF SLACK FOR CONNECTIONS AS MEASURED FROM THE FINISHED PAVEMENT GRADE), BRICK, ISOLATION TRANSFORMER(S), AND TAGS AND MAKE ALL NECESSARY SPLICES.
2. INSTALL BASIC SPACER PACKAGE (INCLUDING SPACER RINGS AND SNOW PLOW RING) OF APPROPRIATE THICKNESS AND NUMBER TO ENSURE THAT THE TOP OUTSIDE EDGE OF THE FIXTURE (OR 3/4" COVER PLATE) IS +0" TO −1/16" WITH RESPECT TO FINISHED GRADE. SEE DETAIL 1 THIS SHEET FOR MEASUREMENT INSTRUCTIONS. INSTALL O−RING AND PROVIDE A THIN LAYER OF SELF−LEVELING SILICONE BETWEEN THE SPACER RINGS, SNOW PLOW RING, AND TOP SECTION. ENSURE THAT SILICONE DRYS ENOUGH OR IS CLEANED FROM SURFACE TO ENSURE THAT NO SEALER GETS ON THE STAINLESS STEEL BOLTS DURING FIXTURE PLACEMENT.
3. FILL VOID AROUND THE BASE CAN WITH P−606 SEALER COMPOUND UP TO THE BOTTOM OF THE SNOW PLOW RING.
4. THE BASIC PACKAGE FOR L−868C BASE CANS SHALL INCLUDE: 1 EA 3/4" SNOW PLOW RING WITH 1.75" THICK SNOW RING, 1 EA 1/4" SPACER RING, 1 EA 1/8" SPACER RING, AND AN ADDITIONAL SPACER RING AS REQUIRED TO MEET FINAL GRADE (MAX. 3/8" TO MIN. 1/16" THICK). NO MORE THAN 2 SPACER RINGS SHALL BE USED TO ACHIEVE FINAL GRADE.
5. GROUNDING: CONNECT #6 AWG GROUND WIRE TO INTERNAL GROUND LUG IN EVERY BASE CAN.
6. IN ORDER TO MAINTAIN TIMELY COMPLETION OF THE PHASING, CONTRACTOR SHALL HAVE A MINIMUM OF SPARE MATERIAL SUCH AS TRANSFORMERS, SPACER RINGS OF VARIOUS SIZES, SPLICE KITS, CABLE, AND ALL OTHER ACCESSORIES AT THE JOB SITE AT ALL TIMES. EQUIPMENT WILL NOT BE AVAILABLE FROM THE FAA.
7. CONTRACTOR SHALL FURNISH BOLTS WITH VARYING LENGTHS TO ENSURE PROPER DEPTH AS SHOWN ON DETAIL. ALL BOLTS SHALL BE THREADED FULL LENGTH (NO SHOULDER BOLTS.) ALL BOLTS MUST BE LONG ENOUGH TO PROVIDE FULL THREAD ENAGEMENT AND EXTEND BEYOND BOTTOM PORTION OF FLANGE, MINIMUM 1/4" MAX. 3/4".

3/- MALSR INPAVEMENT LIGHT FIXTURE INSTALLATION - ELEVATION
N.T.S.



4/- MALSR INPAVEMENT LIGHT FIXTURE - PLAN
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno−Tahoe International Airport

RUNWAY 16R−34L RECONSTRUCTION


MALSR DETAIL 5

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949−502−8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E4.25

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A Wood Rogers RTN Rwy 16R−34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN




1 / - 16R & 34L MALSR STATION 10 INSTALLATION PLAN
N.T.S.

KEY NOTES:

1. FOR LEGEND, ABBREVIATIONS AND GENERAL ELECTRICAL NOTES, REFER TO DRAWINGS E0.01 THRU E0.02.
2. ALL MATERIAL AND EQUIPMENT FOR THIS STATION SHALL BE NEW, FURNISHED AND INSTALLED BY CONTRACTOR.

SHEET NOTES:

1. ALL LIGHT BASES SHALL BE GROUNDED. PROVIDE AN INTERNAL GROUND WIRE IN EACH BASE CAN AND TERMINATE INSIDE THE BASE CANS INTERNAL GROUND LUG. BASE CAN SHALL ALSO BE SUPPLIED WITH 12" PIGTAIL WELDED TO EXTERIOR OF BASE CAN.



2 / - 16R & 34L MALSR STATION 10 ELEVATION
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 6

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO.
8494.002

DRAWING
E4.26

D:\Dropbox (Lean Photometrics)\Active Projects\L19018011A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.26 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



DETAIL 1 NOTES:

1. EQUIPMENT GROUND NOT SHOWN. INSTALL #6 GREEN EQUIPMENT GROUND WITH WIRES IN RACEWAY TO EACH CAN AND CONNECT TO INTERNAL GROUND LUG.

1/- 16R & 34L MALSR STATION 10 WIRING DETAIL

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 7

PROJECT NO. 8494.002

DRAWING E4.27

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.27 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN





PLAN- 5 LIGHT FRANGIBLE BAR FOR ELEVATED MALSR STATION (16R STATION 12 & 34L STATION 14)


1/- N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.








ELEVATION VIEW FOR ELEVATED MALSR STATION

2/- N.T.S.



DETAIL "A" FOR STEADY BURNING LIGHTS

2A/- N.T.S.

MALSR WIRING CONNECTION FOR STEADY BURNING LIGHTS AT LIR STATIONS

2/- N.T.S.

NOTES:

1A. THE POWER CABLES SHALL BE CONTINUOUS BETWEEN THE LIGHT STATIONS. WHERE SPLICES ARE REQUIRED, THE CONDUCTORS SHALL BE JOINED WITH COMPRESSION SOLDERLESS WIRE CONNECTORS SEALED AND INSULATED WITH HEAT SHRINK TUBING.

1B. "TEE" SPLICED FOR SPLICING THE #12 WIRES OF THE LOWER CABLE CONDUCTORS TO THE POWER SERVICE CABLES SHALL BE JOINED WITH SOLDERLESS WIRE CONNECTORS AND SEALED WITH SELF SEALING HEAT–SHRINKABLE TUBING.

2. LONG SECTIONS OF BURIED GUARD WIRES SHALL BE CONNECTED TO A GROUND ROD ON MAXIMUM 300' SPACING.

3. LEAVE 3 FEET SLACK IN EACH CABLE AT EACH LIGHT BAR.

4. FIELD ATTACHED CONNECTOR, L–823 PLUG AND RECEPTACLE (AC 150–5343–26A).

5. COUPLING THREADS TO BE CLEANED AND COATED WITH SILICONE ANTI–SEIZE COMPOUND.

6. LIGHTS SHALL BE INSTALLED ON A SINGLE CONCRETE FOUNDATION INSTEAD OF A PIER OR PEDESTAL FOUNDATION.

7. CONNECTOR CLAMP PROVIDES FOR HOLDING LOWER SECTION OF L–823 WHILE REMOVING UPPER SECTION.

8. DRILL A HOLE IN THE CABLE CLAMP AND INSTALL A GREEN GROUND FROM GROUND LUG IN LIGHT BASE TO GROUND CONN. IN LAMP HOLDER USE MALE/FEMALE CRIMP–ON CONN. TO ALLOW #16 "GREEN" TO BE DISCONNECTED.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021160 DATE: 12/11/2019

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 8

PROJECT NO. 8494.002


DRAWING E4.28


D:\Dropbox (Lean Photometrics)\Active Projects\L1907801A Wood Rogers RTA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4.28 MALSR Details 16R.dwg 1/10/2020 12:17 PM LEAN



PLAN- 5 LIGHT FRANGIBLE BAR FOR ELEVATED MALSR STATION (16R STATION 12 & 34L STATION 14)


1/- N.T.S.






MALSR WIRING CONNECTION FOR STEADY BURNING LIGHTS AT LIR STATIONS

2/- N.T.S.



ELEVATION VIEW FOR ELEVATED MALSR STATION

2/- N.T.S.



DETAIL "A" FOR STEADY BURNING LIGHTS

2A/- N.T.S.

NOTES:

1A. THE POWER CABLES SHALL BE CONTINUOUS BETWEEN THE LIGHT STATIONS. WHERE SPLICES ARE REQUIRED, THE CONDUCTORS SHALL BE JOINED WITH COMPRESSION SOLDERLESS WIRE CONNECTORS SEALED AND INSULATED WITH HEAT SHRINK TUBING.

1B. "TEE" SPLICED FOR SPLICING THE #12 WIRES OF THE LOWER CABLE CONDUCTORS TO THE POWER SERVICE CABLES SHALL BE JOINED WITH SOLDERLESS WIRE CONNECTORS AND SEALED WITH SELF SEALING HEAT–SHRINKABLE TUBING.

2. LONG SECTIONS OF BURIED GUARD WIRES SHALL BE CONNECTED TO A GROUND ROD ON MAXIMUM 300' SPACING.

3. LEAVE 3 FEET SLACK IN EACH CABLE AT EACH LIGHT BAR.

4. FIELD ATTACHED CONNECTOR, L–823 PLUG AND RECEPTACLE (AC 150–5343–26A).

5. COUPLING THREADS TO BE CLEANED AND COATED WITH SILICONE ANTI–SEIZE COMPOUND.

6. LIGHTS SHALL BE INSTALLED ON A SINGLE CONCRETE FOUNDATION INSTEAD OF A PIER OR PEDESTAL FOUNDATION.

7. CONNECTOR CLAMP PROVIDES FOR HOLDING LOWER SECTION OF L–823 WHILE REMOVING UPPER SECTION.

8. DRILL A HOLE IN THE CABLE CLAMP AND INSTALL A GREEN GROUND FROM GROUND LUG IN LIGHT BASE TO GROUND CONN. IN LAMP HOLDER USE MALE/FEMALE CRIMP–ON CONN. TO ALLOW #16 "GREEN" TO BE DISCONNECTED.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 8

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E4.28


D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4#20 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN




PLAN VIEW
SCALE: NTS




2 - MALSR WIRING CONNECTION FOR STEADY BURNING LIGHTS AT LIR STATIONS
N.T.S.




3 - MG-20 MOUNTING STAND ASSY
N.T.S.



1 - 16R MALSR STATIONS14 MG-20 ELEVATION VIEW
N.T.S.



4 - LB - WIRING LEG DETAIL
N.T.S.



NOTE:
1. FRANGIBLE ANCHOR (FUSE) BOLTS SHALL BE USED FOR ALL LIR MOUNTING STANDS LOCATED WITHIN THE RUNWAY SAFETY AREA.

5 - FRANGIBLE ANCHOR (FUSE) BOLT
N.T.S.

NOTES:
1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 9


PROJECT NO. 8494.002

DRAWING E4.29


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.29 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN




PLAN VIEW
SCALE: NTS




2 - MG-20 MOUNTING STAND ASSY
N.T.S.




3 - FLASHER STATION ICC AND JB ELEVATION
N.T.S.




1 - 16R & 34L MALSR STATIONS 16, 18, & 20 MG-20 ELEVATION VIEW
N.T.S.



4 - EMT LEG MOUNTED TO GRMC COUPLING
N.T.S.



5 - EMT LEG MOUNTED TO FLOOR FLANGE
N.T.S.



NOTE:
1. FRANGIBLE ANCHOR (FUSE) BOLTS SHALL BE USED FOR ALL LIR MOUNTING STANDS LOCATED WITHIN THE RUNWAY SAFETY AREA.

6 - FRANGIBLE ANCHOR (FUSE) BOLT
N.T.S.

NOTES:
1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021201 01/13/2020

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 10


PROJECT NO. 8494.002

DRAWING **E4.30**


D:\Dropbox (Lean Photometrics)\Active Projects\8494801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 1/10/2020 12:17 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.




PLAN VIEW
SCALE: NTS




2 - MG-20 MOUNTING STAND ASSY
N.T.S.




3 - FLASHER STATION ICC AND JB ELEVATION
N.T.S.




1 - 16R & 34L MALSR STATIONS 16, 18, & 20 MG-20 ELEVATION VIEW
N.T.S.



4 - EMT LEG MOUNTED TO GRMC COUPLING
N.T.S.



5 - EMT LEG MOUNTED TO FLOOR FLANGE
N.T.S.



NOTE:

1. FRANGIBLE ANCHOR (FUSE) BOLTS SHALL BE USED FOR ALL LIR MOUNTING STANDS LOCATED WITHIN THE RUNWAY SAFETY AREA.

6 - FRANGIBLE ANCHOR (FUSE) BOLT
N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS, ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 10

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING **E4.30**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4xx MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN



PLAN VIEW
SCALE: NTS



1 / - 16R MALSR STATION 24 MG-30 ELEVATION VIEW
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 11


PROJECT NO.
8494.002

DRAWING
E4.31

D:\Dropbox (Lean Photometrics)\Active Projects\L19078O1A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN



PLAN VIEW
SCALE: NTS



1 — 16R MALSR STATION 22, & 34L MALSR STATIONS 22 & 24 MG-20 ELEVATION VIEW
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS, ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 12

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO.
8494.002

DRAWING
E4.32


D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN



1 - TYPICAL STEADY BURNING LAMPHOLDER INSTALLATION ON LIR
N.T.S.



2 - TYPICAL FLASHER LIGHT INSTALLATION ON LIR
N.T.S.



NOTE:

1. INDENTIFY ALL LIGHT STATIONS WITH FLEXIBLE ADHESIVE TYPE WEATHER-PROOF LABELS HAVING WHITE LETTERS ON A BLACK BACKGROUND. PLACE STATIONS AS APPROVED.
2. LETTERS ARE 1" HIGH HELVETICA MED, @ 57% LENGTH. MATERIAL CAN BE SCHOTCHCAL 220 GERBER FILM, WITH LEXAN LAMINATION FACES.
3. ACTUAL LABELS SHALL BE APPROVED BY THE PROJECT ENGINEER. SEE PLAN PROFILE DRAWING FOR AIMING ANGLE AT STATION.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 13


PROJECT NO.
8494.002

DRAWING
E4.33


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.20 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN



PLAN VIEW




PLAN VIEW



SECTION A

1 / - 16R MALSR STATIONS 14
SCALE: 1" = 1'-0"



SECTION A

2 / - 16R & 34L MALSR STATIONS 16 THRU 20
SCALE: 1" = 1'-0"

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 14


PROJECT NO.
8494.002

DRAWING
E4.34

D:\Dropbox (Lean Photometrics)\Active Projects\L1907801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN




DISTRIBUTION RACK DETAIL VIEW
(SEE ELECTRICAL DRAWINGS DETAILS FOR SCHEMATIC)
1 / - N.T.S.




EQUIPMENT FOUNDATION DETAIL
2 / - N.T.S.

DETAIL 5 NOTES:


1. ALL EXTERNAL HARDWARE SHALL BE STAINLESS STEEL, AS APPROVED. ALL CUT EDGES SHALL BE FILLED SMOOTH AND TREATED WITH COLD GALVANIZING COMPOUND.
2. IDENTIFY DISTRIBUTION PANEL AND JUNCTION BOX WITH WEATHER-PROOF LABELS HAVING WHITE LETTERS ON A BLACK BACKGROUND. SAMPLE LABELS ARE SHOWN BELOW. ACTUAL LABELS SHALL BE APPROVED BY THE OWNER.



IDENTIFICATION LABELS
5 / - N.T.S.



MALS DISTRIBUTION RACK - ELEVATION FRONT VIEW
3 / - N.T.S.



MALS DISTRIBUTION RACK - PLAN VIEW
4 / - N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 15

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING **E4.35**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E4.20 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN

L5005
LIFTING DEVICE

(Gear guard removed for clarity)



NSN No.: 8200-00-300-1728

NOTES:
Used to raise & lower MG style LIR Masts over 10' tall. (L5006 required for MG-30 & MG-40)
(1) Required per system (not per mast). Units are portable, and intended to be moved from station to station.
Lifting device requires L5004 anchor plate to be installed in PPC foundation.


GENERAL NOTES:
Material: 6061 T6 Aluminum (except where noted)
Finish: Matte Anodize MIL A 8625 Type 2 Class I
Heavy Duty version (L-5005H) available with heavier stainless cable and connections.

JAQUITH INDUSTRIES INC. ~ 600 EAST BRIGHTON AVE, SYRACUSE, NEW YORK 13205 ~ PH: (315) 478-5700 ~ FAX: (315) 478-5707

www.jaquith.com

1 - MALSR LIFTING DEVICE
N.T.S.

L5016
ADJUSTABLE MAINTENANCE STAND



DRAWING NOTES:
Millimeters shown in []
Maintenance Stand has 30"[762] of total adjustment, in 3"[76.2] increments. L5016 is a portable Aluminum Maintenance Stand for use where a permanent stand is not practical

GENERAL NOTES:
Material: 6061 T6 Aluminum (except where noted)
Finish: Matte Anodize MIL A 8625 Type 2 Class I
Repair/Replacement parts available upon request

JAQUITH INDUSTRIES INC. ~ 600 EAST BRIGHTON AVE, SYRACUSE, NEW YORK 13205 ~ PH: (315) 478-5700 ~ FAX: (315) 478-5707

www.jaquith.com

2 - ADJUSTABLE MAINTENANCE STAND
N.T.S.

SHEET NOTES:

1. CONTRACTOR SHALL PROVIDE 2 SETS OF L5005 LIFTING DEVICE AND 2 SETS OF L5016 ADJUSTABLE MAINTENANCE STAND.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 16

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E4.36


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.20 MALSR Details 16R.dwg 12/9/2019 6:40 PM LEAN

HANDHOLE NOTES:


1. EQUIPMENT NOTES:
   1.1. EQUIPMENT AND MATERIALS SALL BE FURNISHED AND INSTALLED BY CONTRACTOR INCLUDING GROUNDING AND SADDLE RACKS
   1.2. HANDHOLES ARE PROVIDED WITH HOLES AS SHOWN. CONTRACTOR SHALL CORE-DRILL ADDITIONAL HOLES AS REQUIRED.
2. CONTRACTOR SHALL PROVIDE A STAINLESS STEEL ID TAG WITH THE FOLLOWING DESIGNATION: "AFL" WHERE "##" IS THE RESPECTIVE HAND HOLE IDENTIFICATION.
3. TWO NON-METALLIC SADDLE RACKS SHALL BE INSTALLED ON EACH WALL OF THE HANDHOLE.
4. CONTRACTOR SHALL I.D. EACH CABLE ENTERING & EXITING HANDHOLE.
5. CONTRACTOR SHALL INSTALL A 3/4" DIA. 10' LONG COPPER CLAD GROUND ROD.
6. CONTRACTOR SHALL GROUT AROUND ALL DUCTS ENTERING THE HANDHOLE
7. HANDHOLE SHALL BE NO MORE THAN 3" ABOVE SURROUNDING GROUND WITH BACKFILL MATCHING THE TOP OF THE COVER, SLOPING AWAY FROM THE HANDHOLE.
8. INSTALL A #1/0 BARE CU BONDING CONDUCTOR FOR HANDHOLE COVER. HANDHOLE COVER AND FRAME SHALL A THREADED HOLE TO ACCEPT A GROUND LUG. FURNISH AND INSTALL A GROUND LUG ON COVER AND FRAME TO CONNECT THE #1/0 CONDUCTOR AND EXOTHERMICALLY WELD TO GROUND ROD. PROVIDE SUFFICIENT SLACK TO OPEN COVER. SECURE 1/0 TO HANDHOLE WALLS ABOVE FLOOR.
9. NOT USED.
10. ALL BACKFILL AROUND HANDHOLES SHALL BE IN ACCORDANCE WITH ITEM AIRPORT CIVIL SPECIFICATIONS FOR BACKFILL. AT A MINIMUM COMPACT NATIVE FILL TO 90%.
11. INSTALL GROUNDING BUSHINGS ON ALL GRS CONDUIT AND GROUND TO GROUND LOOP WITH #2 AWG BARE COPPER CONDUCTOR VIA MECHANICAL LUG.
12. NOT USED.
13. 8" COMPACTED GRAVEL PER SPECIFICATIONS UNDER PULL BOX TO ASSURE UNIFORM DISTRIBUTION OF SOIL PRESSURE AND DRAINAGE.
14. CONDUITS ENTERING PULL BOX SHALL BE FITTED WITH BELL ENDS AND EXTEND 1" INSIDE OF THE HANDHOLE. ALL CONDUIT ENTRANCES SHALL BE NEATLY GROUTED AND SEALED WITH A PLASTIC CONDUIT PLUG.
15. CABLES SHALL CIRCLE THE INTERIOR PERIMETER OF THE HANDHOLE PRIOR TO EXITING TO PROVIDE SLACK FOR FUTURE SPLICE.
16. ALL CIRCUITS SHALL BE TAGGED IN HANDHOLE.
17. DUCTBANKS SHALL BE SLOPED TOWARD HANDHOLES 3" PER 100' FOR DRAINAGE.
18. 3/4"DIA. X 10' COPPER CLAD GROUND INSTALLED AT EACH HANDHOLE. GND ROD SHALL BE PLACED 6FT FROM THE HANDHOLE. #1/0 BARE COPPER CADWELDED TO GND ROD AND ROUTED TO HANDHOLE TO GND COVER AND CONDUITS.
19. PULL BOX COVERS SHALL BE EQUIPPED WITH A 36"X36" CLEAR OPENING , SPRING LOADED LIFTING DEVICE. EAST JORDAN MODEL #00819724B01 OR APPROVED EQUAL.



2 - SADDLE RACK
N.T.S.



PLAN VIEW



B - SECTION
N.T.S.

A - SECTION
N.T.S.

1 - HANDHOLE (AIRCRAFT RATED)
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

SADDLE RACK INSTALLATION GUIDELINES:

1. BE SURE THE SURFACE OF THE CONCRETE WALL IS FLAT AND SMOOTH.
2. ONE FASTENER SHOULD BE INSTALLED IN EACH OF THE SADDLE RACKS ELONGATED HOLES.
3. INSTALL EACH DROP-IN ANCHOR AS SHOWN ON THIS DRAWING AND AS DESCRIBED BELOW:
   A. DRILL A 5/8" DIA. HOLE 2-3/32" DEEP.
   B. BLOW OUT HOLE.
   C. DRIVE ANCHOR 3/32" TO 5/32" BELOW THE SURFACE OF THE CONCRETE.
   D. EXPAND ANCHOR WITH FRT112 SETTING TOOL. ANCHOR IS PROPERLY SET WHEN SHOULDER OF SETTING TOOL IS FLUSH WITH THE TOP OF ANCHOR.
4. INSTALL THE FLAT WASHER AND TIGHTEN THE CAP SCREW JUST ENOUGH TO ATTAIN A SNUG FIT. AVOID HIGH SCREW TORQUE WHICH INDUCES COMPRESSIVE STRESS.

STRUCTURAL NOTES, HANDHOLE SHALL BE AIRCRAFT RATED:

1. CONCRETE: 28 DAY COMPRESSIVE STRENGTH f'c = 7,000 psi
2. REBAR: ASTM A-615 GRADE 60
3. MESH: ASTM A-185 GRADE 65
4. DESIGN: FAA AC 150/5320-6E AIRPORT PAVEMENT DESIGN AND EVALUATION, APPENDIX 3 DESIGN OF STRUCTURES FOR HEAVY AIRPLANES
5. LOADS: 100,000 LBS. WHEEL LOADS
6. PROVIDE STRUCTURAL ENGINEER DRAWINGS STAMPED BY STATE OF NEVADA STRUCTURAL ENGINEER.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 17

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E4.37


D:\Dropbox (Lean Photometrics)\Active Projects\L19078014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 12/9/2019 6:41 PM LEAN

SHEET NOTES:


1. MARKING TAPE 6" WIDE RED POLYETHYLENE TAPE WITH LEGEND "CAUTION ELECTRICAL LINES BELOW" (BRADY IDENTOLINE OR EQUAL) PLACED AT 12" ABOVE CONDUIT.
2. AT LOCATIONS WHERE A POWER AND COMM. CONDUIT SHARE THE SAME DUCT BANK, SEPARATE COLUMN OF CONDUITS BY 12" INSIDE TRENCH. (THIS IS THE CONFIGURATION SHOWN) OTHERWISE SEPARATION MAY BE 3" WIDE. COMMUNICATION (FIBER & CONTROL) SHALL NOT SHARE THE SAME CONDUIT AS POWER.
3. IN ALL NEW 4" CONDUITS TO SERVE EITHER FIBER OR CONTROL COMMUNICATION, CONTRACTOR SHALL INSTALL 3–1.25" INNERDUCT. PULL CONTROL WIRE & FIBER IN INNERDUCT. ALL SPARE INNERDUCTS SHALL HAVE A PULL STRING INSTALLED IN THEM.
4. PROVIDE PULL STRING IN ALL POWER OR COMMUNICATION SPARE CONDUITS.

DUCTBANK NOTES:


1. INSTALL PULL ROPE IN ALL CONDUITS.
2. INSTALL THE SIDES OF THE DUCTBANK WITH A NEAT VERTICAL FACE, OR FORMING IF NECESSARY. THE CONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL AND INCIDENTALS NECESSARY FOR FORMWORK. FORMWORK SHALL NOT BE SEPARATELY MEASURED BUT SHALL BE CONSIDERED INCIDENTAL TO THE RESPECTIVE DUCTBANK PAY ITEM.
3. CONTRACTOR SHALL ANTICIPATE DEWATERING ALL TRENCHES. ALL WATER SHALL BE DISCHARGED PER THE APPLICABLE ENVIRONMENTAL REGULATIONS. SUBCONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL, EROSION CONTROL AND INCIDENTALS NECESSARY FOR DEWATERING. DEWATERING SHALL NOT BE SEPARATELY MEASURED FOR PAYMENT. DEWATERING IS INCIDENTAL TO THE VARIOUS DUCTBANK PAY ITEMS. CONTRACTOR SHALL HAUL SPOILS OFF AIRPORT PROPERTY IN ACCORDANCE WITH APPLICABLE RULES. COST IS INCIDENTAL TO COST OF TRENCH.
4. GROUNDING RODS SHALL BE INSTALLED AT APPROXIMATELY 90–FOOT INTERVALS USING EXOTHERMIC WELDS TO ACHIEVE GROUND RESISTANCE OF LESS THAN 10 OHMS. THE SPACING BETWEEN GROUND RODS MUST VARY 10% TO 20% TO PREVENT RESONANCE. INSTALL THE GROUND RODS APPROXIMATELY 6–FEET FROM DUCTBANK ON EITHER SIDE OF TRENCH.
5. TERMINATE 1/0 GUARD WIRE AT HANDHOLE OR BUILDING GROUND ROD BY EXOTHERMIC WELD.
6. BARE COPPER CABLE SHALL BE 7 STRANDED, CLASS A.
7. MINIMUM 3 INCH CONCRETE BETWEEN REBAR AND OUTER EDGE OF THE CONDUIT AND BETWEEN REBAR AND EDGE OF ENCASEMENT
8. USE TYPICAL 4 #4 REBAR AND MAXIMUM 30" SPACING BETWEEN REBARS




4 - TYPICAL COUNTERPOISE GUARD WIRE CONNECTION TO GROUND ROD - TOP VIEW
N.T.S.




1 - FAA DUCTBANK IN NON-PAVED EARTH
N.T.S.




2 - FAA DUCTBANK IN NEW ASPHALT
N.T.S.




3 - FAA DUCTBANK IN NEW PCC
N.T.S.



A - FAA 2-WAY DUCTBANK
N.T.S.



B - FAA 4-WAY DUCTBANK
N.T.S.



C - FAA 6-WAY DUCTBANK
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

MALSR DETAIL 18

PROJECT NO. 8494.002

DRAWING **E4.38**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM


D:\Dropbox (Lean Photometrics)\Active Projects\U19018O1A Wood Rogers RWY 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E420 MALSR Details 16R.dwg 7/30/2020 9:50 AM LEAN

SHEET NOTES:


1. MARKING TAPE 6" WIDE RED POLYETHYLENE TAPE WITH LEGEND "CAUTION ELECTRICAL LINES BELOW" (BRADY IDENTOLINE OR EQUAL) PLACED AT 12" ABOVE CONDUIT.
2. AT LOCATIONS WHERE A POWER AND COMM. CONDUIT SHARE THE SAME DUCT BANK, SEPARATE COLUMN OF CONDUITS BY 12" INSIDE TRENCH. (THIS IS THE CONFIGURATION SHOWN) OTHERWISE SEPARATION MAY BE 3" WIDE. COMMUNICATION (FIBER & CONTROL) SHALL NOT SHARE THE SAME CONDUIT AS POWER.
3. IN ALL NEW 4" CONDUITS TO SERVE EITHER FIBER OR CONTROL COMMUNICATION, CONTRACTOR SHALL INSTALL 3-1.25" INNERDUCT. PULL CONTROL WIRE & FIBER IN INNERDUCT. ALL SPARE INNERDUCTS SHALL HAVE A PULL STRING INSTALLED IN THEM.
4. PROVIDE PULL STRING IN ALL POWER OR COMMUNICATION SPARE CONDUITS.

DUCTBANK NOTES:


1. INSTALL PULL ROPE IN ALL CONDUITS.
2. INSTALL THE SIDES OF THE DUCTBANK WITH A NEAT VERTICAL FACE, OR FORMING IF NECESSARY. THE CONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL AND INCIDENTALS NECESSARY FOR FORMWORK. FORMWORK SHALL NOT BE SEPARATELY MEASURED BUT SHALL BE CONSIDERED INCIDENTAL TO THE RESPECTIVE DUCTBANK PAY ITEM.
3. CONTRACTOR SHALL ANTICIPATE DEWATERING ALL TRENCHES. ALL WATER SHALL BE DISCHARGED PER THE APPLICABLE ENVIRONMENTAL REGULATIONS. SUBCONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL, EROSION CONTROL AND INCIDENTALS NECESSARY FOR DEWATERING. DEWATERING SHALL NOT BE SEPARATELY MEASURED FOR PAYMENT. DEWATERING IS INCIDENTAL TO THE VARIOUS DUCTBANK PAY ITEMS. CONTRACTOR SHALL HAUL SPOILS OFF AIRPORT PROPERTY IN ACCORDANCE WITH APPLICABLE RULES. COST IS INCIDENTAL TO COST OF TRENCH.
4. GROUNDING RODS SHALL BE INSTALLED AT APPROXIMATELY 90-FOOT INTERVALS USING EXOTHERMIC WELDS TO ACHIEVE GROUND RESISTANCE OF LESS THAN 10 OHMS. THE SPACING BETWEEN GROUND RODS MUST VARY 10% TO 20% TO PREVENT RESONANCE. INSTALL THE GROUND RODS APPROXIMATELY 6-FEET FROM DUCTBANK ON EITHER SIDE OF TRENCH.
5. TERMINATE 1/0 GUARD WIRE AT HANDHOLE OR BUILDING GROUND ROD BY EXOTHERMIC WELD.
6. BARE COPPER CABLE SHALL BE 7 STRANDED, CLASS A.
7. MINIMUM 3 INCH CONCRETE BETWEEN REBAR AND OUTER EDGE OF THE CONDUIT AND BETWEEN REBAR AND EDGE OF ENCASEMENT
8. USE TYPICAL 4 #4 REBAR AND MAXIMUM 30" SPACING BETWEEN REBARS




1 - **FAA DUCTBANK IN NON-PAVED EARTH**
N.T.S.




2 - **FAA DUCTBANK IN NEW ASPHALT**
N.T.S.




3 - **FAA DUCTBANK IN NEW PCC**
N.T.S.




A - **FAA 2-WAY DUCTBANK**
N.T.S.



B - **FAA 4-WAY DUCTBANK**
N.T.S.



C - **FAA 6-WAY DUCTBANK**
N.T.S.



4 - **TYPICAL COUNTERPOISE GUARD WIRE CONNECTION TO GROUND ROD - TOP VIEW**
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY
SUPERSEDED

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


MALSR DETAIL 18

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E4.38**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018011A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E4.38 MALSR Details 16R.dwg 12/9/2019 6:41 PM LEAN



GENERAL NOTES

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE SEE SHEETS E0.01 TO E0.03 & E2.00.
2. INSTALL NEW NEMA 4X 120/240-480V STEP DOWN TRANSFORMER AND DISCONNECT AT EACH RPU RACK.

LEGEND

- ——— (N) PAVEMENT SENSOR CABLE IN KERF OR CONDUIT
- - - - (N) PAVEMENT SENSOR CABLE IN (E) CONDUIT
- _ _ _ _ (E) PAVEMENT SENSOR CABLE IN (E) CONDUIT
- (SS)N (N) PAVEMENT SENSOR
- (N) TEMPERATURE SENSOR
- (SS) (E) EXISTING PAVEMENT SENSOR
- RPU (E) EXISTING RPU
- RPUN (N) RPU CABINET & ELECTRONICS

PAVEMENT SENSORS SCHEDULE

RPU# AND DESCRIPTION	SENSOR #	SENSOR NAME	COMMENTS
RPU-1 TWY D & B	S1-1	TWY B8 RAMP	
	S1-2	16R & TWY D	
	S1-3	TWY B & G/H	
	S1-4	16R TWY A&B	
RPU-3 TWY K BETWEEN A/B	S3-1	16R & J	
	S3-2	TWY A/K	
	S3-3	TWY L & B	
	S3-4	16R & J/B	
RPU-5 TWY A/N	S5-1	TWY P/RWY 16R	
	S5-2	34L SOUTH A	
	S5-3	34L SOUTH Q	
	S5-4	RWY 16R/TWY P	
RPU-6 TWY B/N	S6-1	16R & TWY N	
	S6-2	7-25 & B	
	S6-3	TWY A BETWEEN N/P	
	S6-4	TWY N BETWEEN 16R & B	

SCALE: NTS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR OVERVIEW

PROJECT NO. 8494.002

DRAWING **E5.00**

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E520 Pavement Sensor AP - 16R.dwg 12/9/2019 6:41 PM LEAN



KEY NOTES:

1. FOR SENSOR INSTALLATION REFER TO DETAIL E5.15
2. INSTALL (N) KERF BETWEEN JUNCTION CAN AND SENSOR, CONNECT SENSOR CABLE TO TYPE V CABLE AT THE NEAREST JUNCTION CAN
3. SPLICE NEW TYPE V PAVEMENT SENSOR CABLE TO SENSOR PIGTAIL CABLE AT THIS LOCATION.

0 125'

SCALE: 1" = 125'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR 1


PROJECT NO. 8494.002

DRAWING **E5.01**

D:\Dropbox (Lean Photometrics)\Active Projects\1901801A - Wood Rogers RHA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E5201 Pavement Sensor AP – 16R.dwg 12/9/2019 6:41 PM LEAN

KEY NOTES:

1. FOR SENSOR INSTALLATION REFER TO DETAIL E5.15
2. INSTALL (N) KERF BETWEEN JUNCTION CAN AND SENSOR, CONNECT SENSOR CABLE TO TYPE V CABLE AT THE NEAREST JUNCTION CAN
3. NEW L-867D JUNCTION CAN
4. NEW 2" CONDUIT BETWEEN JUNCTION CAN AND THE NEAREST EXISTING CONDUIT OR HANDHOLE WITH TYPE V CABLE
5. SPLICE NEW TYPE V PAVEMENT SENSOR CABLE TO SENSOR PIGTAIL CABLE AT THIS LOCATION.
6. CORE 17" HOLE TO REMOVE SPACER PACKAGE. ADJUST L-868B TO GRADE & INSTALL 3/4" COVER PLATE. REFER TO DETAIL E6.07.
7. CORE 17" HOLE & ADJUST L-867B BASE CAN TO GRADE. REFER TO DETAIL E6.07.



0 125'

SCALE: 1" = 125'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR 2


PROJECT NO. 8494.002

DRAWING **E5.02**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E520 Pavement Sensor AP - 16R.dwg 12/9/2019 8:41 PM LEAN

KEY NOTES:

1. FOR SENSOR INSTALLATION REFER TO DETAIL E5.15
2. INSTALL (N) KERF BETWEEN JUNCTION CAN AND SENSOR, CONNECT SENSOR CABLE TO TYPE V CABLE AT THE NEAREST JUNCTION CAN
3. NEW L-867D JUNCTION CAN
4. NEW 2" CONDUIT BETWEEN JUNCTION CAN AND THE NEAREST EXISTING CONDUIT OR HANDHOLE WITH TYPE V CABLE
5. SPLICE NEW TYPE V PAVEMENT SENSOR CABLE TO SENSOR PIGTAIL CABLE AT THIS LOCATION.



FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR 3

PROJECT NO. 8494.002


DRAWING **E5.03**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E5203 Pavement Sensor AP - 16R.dwg 12/9/2019 8:41 PM LEAN

KEY NOTES:

1. FOR SENSOR INSTALLATION REFER TO DETAIL E5.15
2. INSTALL (N) KERF BETWEEN JUNCTION CAN AND SENSOR, CONNECT SENSOR CABLE TO TYPE V CABLE AT THE NEAREST JUNCTION CAN
3. SPLICE NEW TYPE V PAVEMENT SENSOR CABLE TO SENSOR PIGTAIL CABLE AT THIS LOCATION.



0 125'

SCALE: 1" = 125'

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR 4


PROJECT NO. 8494.002

DRAWING **E5.04**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A - Wood Rogers RITA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E520 Pavement Sensor AP - 1R5.dwg 12/9/2019 8:42 PM LEAN

LEGEND:

- NEW RPU (A, B) — DATA UNIT A (A) — DATA UNIT B (B)
- HANDHOLE (HH)
- MANHOLE
- (E) L-867 JUNCTION CAN
- (N) L-867D JUNCTION CAN
- (N) PAVEMENT SENSOR (SS)
- (N) NEW SUBSURFACE TEMPERATURE PROBE (T)
- EXISTING TYPE V PAVEMENT SENSOR CABLE
- NEW SENSOR PIGTAIL CABLE (4 PAIR 24 AWG AND SHIELD, PUR, HIGH DENSITY POLYETHYLENE LEAD ISOLATION) IN (N) KERF WIREWAY
- NEW TYPE V PAVEMENT SENSOR CABLE
- SPLICE NEW TYPE V CABLE INTO NEW SENSOR CABLE.



1 / - **RPU-1: SINGLE LINE**
SCALE: NTS

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR SLD RPU-1


PROJECT NO. 8494.002

DRAWING **E5.11**

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN

LEGEND:

- RPU (A / B) — NEW RPU
  - A — DATA UNIT A
  - B — DATA UNIT B
- HH — HANDHOLE
- MANHOLE
- (E) L-867 JUNCTION CAN
- (N) L-867D JUNCTION CAN
- SS (N) — (N) PAVEMENT SENSOR
- T (N) — (N) NEW SUBSURFACE TEMPERATURE PROBE
- EXISTING TYPE V PAVEMENT SENSOR CABLE
- NEW SENSOR PIGTAIL CABLE (4 PAIR 24 AWG AND SHIELD, PUR, HIGH DENSITY POLYETHYLENE LEAD ISOLATION) IN (N) KERF WIREWAY
- NEW TYPE V PAVEMENT SENSOR CABLE
- SPLICE NEW TYPE V CABLE INTO NEW SENSOR CABLE.



1 / - RPU-3: SINGLE LINE
SCALE: NTS

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR SLD
RPU-3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO.
8494.002

DRAWING
E5.12

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN

LEGEND:

- NEW RPU
  - A — DATA UNIT A
  - B — DATA UNIT B
- HANDHOLE
- MANHOLE
- (E) L-867 JUNCTION CAN
- (N) L-867D JUNCTION CAN
- (N) PAVEMENT SENSOR
- (N) NEW SUBSURFACE TEMPERATURE PROBE
- EXISTING TYPE V PAVEMENT SENSOR CABLE
- NEW SENSOR PIGTAIL CABLE (4 PAIR 24 AWG AND SHIELD, PUR, HIGH DENSITY POLYETHYLENE LEAD ISOLATION) IN (N) KERF WIREWAY
- NEW TYPE V PAVEMENT SENSOR CABLE
- SPLICE NEW TYPE V CABLE INTO NEW SENSOR CABLE.



1 / - RPU-5: SINGLE LINE
SCALE: NTS

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR SLD
RPU-5


PROJECT NO.
8494.002

DRAWING
E5.13

D:\Dropbox (Lean Photometrics)\Active Projects\L19018DIA - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN

LEGEND:

- NEW RPU (A / B / RPU / N)
- A — DATA UNIT A
- B — DATA UNIT B
- HH — HANDHOLE
- MANHOLE
- (E) L-867 JUNCTION CAN
- (N) L-867D JUNCTION CAN
- SS N — (N) PAVEMENT SENSOR
- T N — (N) NEW SUBSURFACE TEMPERATURE PROBE
- EXISTING TYPE V PAVEMENT SENSOR CABLE
- NEW SENSOR PIGTAIL CABLE (4 PAIR 24 AWG AND SHIELD, PUR, HIGH DENSITY POLYETHYLENE LEAD ISOLATION) IN (N) KERF WIREWAY
- NEW TYPE V PAVEMENT SENSOR CABLE
- SPLICE NEW TYPE V CABLE INTO NEW SENSOR CABLE.



1 / - RPU-6: SINGLE LINE
SCALE: NTS

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR SLD
RPU-6

PROJECT NO.
8494.002

DRAWING
E5.14

D:\Dropbox (Lean Photometrics)\Active Projects\L19078DIA Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN




1 - RUNWAY PAVEMENT SENSOR INSTALLATION

NOTE:

FOR BIDDING PURPOSES ASSUME LENGTH FROM BASE CAN TO SENSOR & PROBE IS APPROX. 90'. OBTAIN LOCATIONS FROM MFG.


SHEET NOTES:

1. CUT TYPE IIA SENSOR CABLE LONG ENOUGH TO MAKE CONNECTION A MINIMUM OF 2' ABOVE THE BASE CAN.
2. DO NOT INSTALL NEW SENSOR AND CABLE RUN IN SAME SLOT AND LOCATION OF EXISTING SENSOR. EXCESSIVE EPOXY AROUND SENSOR MAKES MEASUREMENT INACCURATE.
3. INSTALL SENSOR PER MANUFACTURER'S INSTRUCTIONS.
4. CUT NEW SENSOR APPROXIMATELY 24" FROM EXISTING SENSOR. FIELD VERIFY THE LOCATION WITH RENO CONTRACT MANAGER.




1A - BASE CAN EDGE DETAIL

N.T.S.




A - SECTION



2 - PAVEMENT SENSOR AND TEMPERATURE PROBE SENSOR INSTALLATION

RUNWAY PAVEMENT SENSORS AND TEMPERATURE PROBE NOTES

1. REFER TO VAISALA PAVEMENT SENSOR AND SUB-SURFACE TEMPERATURE PROBE INSTALLATION MANUAL, PART NO. M10032EN-B FOR COMPLETE INSTALLATION PROCEDURES AND DIRECTIONS. VAISALA PHONE: 1-877-824-7252.
2. NEW SENSORS AND ALL ASSOCIATED EQUIPMENT SHALL BE INSTALLED BY CONTRACTOR AT LOCATIONS SHOWN ON DRAWINGS, AS APPROVED BY ENGINEER.
3. INSTALL SENSORS AND TEMPERATURE PROBE IN ACCORDANCE WITH DETAIL AND MANUFACTURER'S INSTRUCTIONS. INSTALL NEW SENSOR AND PROBE CABLE FROM SENSOR AND PROBE LOCATION TO JB OUTSIDE SHOULDER PAVEMENT. CONNECT NEW SENSORS AND PROBE CABLES TO EXISTING CABLES IN JB WHICH EXTEND TO THE RPU.
4. PERFORM CONTINUITY AND RESISTANCE TEST OF SENSORS AT REMOTE PROCESSING UNIT IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS PROVIDED WITH SENSOR UNIT TO VERIFY PROPER OPERATION. ADJUST OR REPAIR AS REQUIRED.
5. SENSOR LOCATIONS AT, S1-2 & S5-4, CONTAIN A DEEP TEMPERATURE PROBE; FOR LOCATIONS WITH THE SURFACE SENSOR ONLY, DO NOT PERFORM 18" DEEP DRILL AND SAW CUT FOR TEMPERATURE PROBE.



B - SECTION

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
Building Relationships, One Project at a Time
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport


RUNWAY 16R-34L RECONSTRUCTION

PAVEMENT SENSOR INSTALLATION

PROJECT NO. 8494.002

DRAWING E5.15

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN



1A - **RPU 1 RWY 16R, INTERSECTION OF TWY D & B**
N.T.S.



1B - **RPU 3 RWY 16R TWY K BETWEEN A/B**
N.T.S.

GENERAL NOTES:

1. FOR GENERAL NOTES AND ABBREVIATIONS SEE SHEETS E0.01 TO E1.00.


SHEET NOTES:

A. REPLACE (E) RPU CABINET WITH (N) RWS200 NEMA 4X STAINLESS STEEL CABINET AND ALL ACCESSORIES, IF APPLICABLE, INCLUDING: WIND SENSOR WMT700, RAIN DETECTOR DRD11A, HUMIDITY & TEMPERATURE SENSOR HMP155E, VISIBILITY SENSOR PWD22, PRESSURE SENSOR PTB110, ANTENNA W1000


B. PROVIDE NEW L–810(L) OBSTRUCTION LIGHT,

C. INSTALL (N) FOUNDATION MOUNTING POLES, REUSE INCOMING POWER AND GROUNDING CABLE, INSTALL CONDUIT, RECONNECT (E) CONDUIT AND CABLE INTO (N) NEMA 4X ENCLOSURE CABINET.


D. REMOVE EXISTING TRANSFORMER AND DISCONNECT. INSTALL NEW NEMA 4X 120/240–480V TRANSFORMER AND DISCONNECT AT EACH RPU STATION.



2B - **RPU 3 RWY 16R TWY K BETWEEN A/B**
N.T.S.



1C - **RPU 5&6 BETWEEN TWY A&B AT N**
N.T.S.



2C - **RPU 5&6 BETWEEN TWY A&B AT N**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER. 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R PAVEMENT SENSOR RPU

PROJECT NO.
8494.002

DRAWING
E5.16

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photonics)\Active Projects\L1801801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVD SLD – 16R.dwg 12/9/2019 6:42 PM LEAN



16R PAVEMENT SENSOR RPU UNITS CABINET RPU-3 & RPU-5

2 / -

N.T.S.

SHEET NOTES:

1. ALL DIMENSION AND LAYOUT SHOWN ARE FOR REFERENCE AND BIDDING PURPOSE ONLY. CONTRACTOR SHALL FIELD VERIFY ALL FINAL EQUIPMENT LAYOUT WITH MANUFACTURER AND GET APPROVAL FROM CONTRACT MANAGER, AND ITT PRIOR TO INSTALLING ANY INFRASTRUCTURE. ALL ITEMS SHOWN ARE NEW AND SHALL BE F/I BY THE CONTRACTOR UON AS (E).
2. THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF EQUIPMENT LAYOUT AND POINT-TO-POINT ELEMENTARY WIRING DIAGRAMS. FIELD TESTING AND COMMISSIONING SHALL BE CONSIDERED INCIDENTAL. 4
3. PHENOLIC LEGEND SHALL BE AFFIX ON ALL ELECTRICAL & ITT ENCLOSURE. COORDINATE WITH ITT ON LEGENDS IN ENCLOSURES AND CABLES.
4. SCOPE OF WORK FOR SYSTEM INTEGRATION MIGHT BE OUTSIDE THE CONFORMS OF CONTRACT WORK AREA. CONTRACTOR SHALL COORDINATE ESCORT, AND TRAVEL FOR THE SYSTEM INTEGRATOR TO/FROM THE SITE AREA. CONTRACTOR SHALL BE RESPONSIBLE FOR HIRING, MANAGING, AND IMPLEMENTING THE SECURITY SERVICES

KEY NOTES:

(1) APPLICABLE TO RPU-5 ONLY

DETAIL NOTES:

1. MODEM ROUTER WR21M WITH ANTENNA W1000 OR APPROVED EQUAL
2. VAISALA DATA MANAGEMENT UNIT DMU701
3. VAISALA ROAD INTERFACE UNIT DRI701
4. NOT USED
5. NOT USED
6. NOT USED
7. NOT USED
8. NOT USED
9. NOT USED
10. BATTERY BACKUP
11. AC/DC POWER SUPPLY DIN RAIL 220 INPUT, 24V DC OUTPUT 10A
12. DUPLEX OUTLET
13. AC INPUT ASSEMBLY
14. 24X30X12 NEMA 4X ENCLOSURE
15. TYPE V SURFACE SENSOR EXTENSION CABLE, VAISALA 42110002 OR APPROVED EQUAL. REUSE CABLE FROM RPU TO NEAREST JUNCTION CAN OR HANDHOLE CLOSEST TO SENSOR.
16. CAT 6 OSP NETWORK PATCH CORD, 4 PAIR 24AWG
17. NOT USED

1 / -

16R PAVEMENT SENSOR RPU UNITS - SINGLE LINE

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R PAVEMENT SENSOR SINGLE LINE

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E5.17

D:\Dropbox (Lean Photometrics)\Active Projects\U19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 1/28/2020 11:56 AM LEAN



16R PAVEMENT SENSOR RPU UNITS CABINET RPU-3 & RPU-5

2 / - N.T.S.

SHEET NOTES:


1. ALL DIMENSION AND LAYOUT SHOWN ARE FOR REFERENCE AND BIDDING PURPOSE ONLY. CONTRACTOR SHALL FIELD VERIFY ALL FINAL EQUIPMENT LAYOUT WITH MANUFACTURER AND GET APPROVAL FROM CONTRACT MANAGER, AND ITT PRIOR TO INSTALLING ANY INFRASTRUCTURE. ALL ITEMS SHOWN ARE NEW AND SHALL BE F/I BY THE CONTRACTOR UON AS (E).
2. THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF EQUIPMENT LAYOUT AND POINT–TO–POINT ELEMENTARY WIRING DIAGRAMS. ANY ADDITIONAL WORK ASSOCIATED WITH INTEGRATING THE CCTV SYSTEM AND ENCLOSURE SECURITY SYSTEM SHALL BE INCLUDED. FIELD TESTING AND COMMISSIONING SHALL BE CONSIDERED INCIDENTAL.
3. PHENOLIC LEGEND SHALL BE AFFIX ON ALL ELECTRICAL & ITT ENCLOSURE. COORDINATE WITH ITT ON LEGENDS IN ENCLOSURES AND CABLES.
4. SCOPE OF WORK FOR SYSTEM INTEGRATION MIGHT BE OUTSIDE THE CONFORMS OF CONTRACT WORK AREA. CONTRACTOR SHALL COORDINATE ESCORT, AND TRAVEL FOR THE SYSTEM INTEGRATOR TO/FROM THE SITE AREA. CONTRACTOR SHALL BE RESPONSIBLE FOR HIRING, MANAGING, AND IMPLEMENTING THE SECURITY SERVICES

KEY NOTES:

(1) APPLICABLE TO RPU–5 ONLY

DETAIL NOTES:

1. MODEM ROUTER WR21M WITH ANTENNA W1000 OR APPROVED EQUAL
2. VAISALA DATA MANAGEMENT UNIT DMU701
3. VAISALA ROAD INTERFACE UNIT DRI701
4. NOT USED
5. NOT USED
6. NOT USED
7. NOT USED
8. NOT USED
9. NOT USED
10. BATTERY BACKUP
11. AC/DC POWER SUPPLY DIN RAIL 220 INPUT, 24V DC OUTPUT 10A
12. DUPLEX OUTLET
13. AC INPUT ASSEMBLY
14. 24X30X12 NEMA 4X ENCLOSURE
15. TYPE V SURFACE SENSOR EXTENSION CABLE, VAISALA 42110002 OR APPROVED EQUAL. REUSE CABLE FROM RPU TO NEAREST JUNCTION CAN OR HANDHOLE CLOSEST TO SENSOR.
16. CAT 6 OSP NETWORK PATCH CORD, 4 PAIR 24AWG
17. NOT USED



16R PAVEMENT SENSOR RPU UNITS - SINGLE LINE

1 / - N.T.S.

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R PAVEMENT SENSOR SINGLE LINE

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E5.17

D:\Dropbox (Lean Photometrics)\Active Projects\L1907801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E5\16 NAV4D SLD - 16R.dwg 12/9/2019 6:42 PM LEAN



16R PAVEMENT SENSOR RPU UNITS CABINET RPU-1 & RPU-6

2 / -

N.T.S.

SHEET NOTES:


1. ALL DIMENSION AND LAYOUT SHOWN ARE FOR REFERENCE AND BIDDING PURPOSE ONLY. CONTRACTOR SHALL FIELD VERIFY ALL FINAL EQUIPMENT LAYOUT WITH MANUFACTURER AND GET APPROVAL FROM CONTRACT MANAGER, AND ITT PRIOR TO INSTALLING ANY INFRASTRUCTURE. ALL ITEMS SHOWN ARE NEW AND SHALL BE F/I BY THE CONTRACTOR UON AS (E).
2. THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF EQUIPMENT LAYOUT AND POINT-TO-POINT ELEMENTARY WIRING DIAGRAMS. FIELD TESTING AND COMMISSIONING SHALL BE CONSIDERED INCIDENTAL. (4)
3. PHENOLIC LEGEND SHALL BE AFFIX ON ALL ELECTRICAL & ITT ENCLOSURE. COORDINATE WITH ITT ON LEGENDS IN ENCLOSURES AND CABLES.
4. SCOPE OF WORK FOR SYSTEM INTEGRATION MIGHT BE OUTSIDE THE CONFORMS OF CONTRACT WORK AREA. CONTRACTOR SHALL COORDINATE ESCORT, AND TRAVEL FOR THE SYSTEM INTEGRATOR TO/FROM THE SITE AREA. CONTRACTOR SHALL BE RESPONSIBLE FOR HIRING, MANAGING, AND IMPLEMENTING THE SECURITY SERVICES

KEY NOTES:

(1) APPLICABLE TO RPU-1 ONLY

DETAIL NOTES:

1. MODEM ROUTER WR21M WITH ANTENNA W1000 OR APPROVED EQUAL
2. VAISALA DATA MANAGEMENT UNIT DMU701
3. VAISALA ROAD INTERFACE UNIT DRI701
4. VAISALA POWER MANAGEMENT UNIT PMU701
5. VAISALA WIND SENSOR WMT700
6. RAIN DETECTOR DRD11A
7. PRESSURE SENSOR PTB110
8. HUMIDITY SENSOR HMP-155E
9. VISIBILITY SENSOR PWD22
10. BATTERY BACKUP
11. AC/DC POWER SUPPLY DIN RAIL 220 INPUT, 24V DC OUTPUT 10A
12. DUPLEX OUTLET
13. AC INPUT ASSEMBLY
14. 24X30X12 NEMA 4X ENCLOSURE
15. TYPE V SURFACE SENSOR EXTENSION CABLE, VAISALA 42110002 OR APPROVED EQUAL. REUSE CABLE FROM RPU TO NEAREST JUNCTION CAN OR HANDHOLE CLOSEST TO SENSOR.
16. CAT 6 OSP NETWORK PATCH CORD, 4 PAIR 24AWG
17. VAISALA ZZ45049 6 LED CABLE, OR APPROVED EQUAL
18. VAISALA TEMPERATURE PROBE SENSOR



1 / -

16R PAVEMENT SENSOR RPU UNITS - SINGLE LINE

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
4	ADDENDUM #4	01/30/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
Buildings Relationships One Project at a Time
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R PAVEMENT SENSOR SINGLE LINE

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E5.18

D:\Dropbox (Lean Photometrics)\Active Projects\L19018017A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E5.18 NAVAID SLD - 16R.dwg 1/28/2020 11:56 AM LEAN



16R PAVEMENT SENSOR RPU UNITS CABINET RPU-1 & RPU-6

2 / - N.T.S.

SHEET NOTES:


1. ALL DIMENSION AND LAYOUT SHOWN ARE FOR REFERENCE AND BIDDING PURPOSE ONLY. CONTRACTOR SHALL FIELD VERIFY ALL FINAL EQUIPMENT LAYOUT WITH MANUFACTURER AND GET APPROVAL FROM CONTRACT MANAGER, AND ITT PRIOR TO INSTALLING ANY INFRASTRUCTURE. ALL ITEMS SHOWN ARE NEW AND SHALL BE F/I BY THE CONTRACTOR UON AS (E).
2. THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF EQUIPMENT LAYOUT AND POINT-TO-POINT ELEMENTARY WIRING DIAGRAMS. ANY ADDITIONAL WORK ASSOCIATED WITH INTEGRATING THE CCTV SYSTEM AND ENCLOSURE SECURITY SYSTEM SHALL BE INCLUDED. FIELD TESTING AND COMMISSIONING SHALL BE CONSIDERED INCIDENTAL.
3. PHENOLIC LEGEND SHALL BE AFFIX ON ALL ELECTRICAL & ITT ENCLOSURE. COORDINATE WITH ITT ON LEGENDS IN ENCLOSURES AND CABLES.
4. SCOPE OF WORK FOR SYSTEM INTEGRATION MIGHT BE OUTSIDE THE CONFORMS OF CONTRACT WORK AREA. CONTRACTOR SHALL COORDINATE ESCORT, AND TRAVEL FOR THE SYSTEM INTEGRATOR TO/FROM THE SITE AREA. CONTRACTOR SHALL BE RESPONSIBLE FOR HIRING, MANAGING, AND IMPLEMENTING THE SECURITY SERVICES

KEY NOTES:

(1) APPLICABLE TO RPU-1 ONLY

DETAIL NOTES:

1. MODEM ROUTER WR21M WITH ANTENNA W1000 OR APPROVED EQUAL
2. VAISALA DATA MANAGEMENT UNIT DMU701
3. VAISALA ROAD INTERFACE UNIT DRI701
4. VAISALA POWER MANAGEMENT UNIT PMU701
5. VAISALA WIND SENSOR WMT700
6. RAIN DETECTOR DRD11A
7. PRESSURE SENSOR PTB110
8. HUMIDITY SENSOR HMP-155E
9. VISIBILITY SENSOR PWD22
10. BATTERY BACKUP
11. AC/DC POWER SUPPLY DIN RAIL 220 INPUT, 24V DC OUTPUT 10A
12. DUPLEX OUTLET
13. AC INPUT ASSEMBLY
14. 24X30X12 NEMA 4X ENCLOSURE
15. TYPE V SURFACE SENSOR EXTENSION CABLE, VAISALA 42110002 OR APPROVED EQUAL. REUSE CABLE FROM RPU TO NEAREST JUNCTION CAN OR HANDHOLE CLOSEST TO SENSOR.
16. CAT 6 OSP NETWORK PATCH CORD, 4 PAIR 24AWG
17. VAISALA ZZ45049 6 LED CABLE, OR APPROVED EQUAL
18. VAISALA TEMPERATURE PROBE SENSOR



1 / - **16R PAVEMENT SENSOR RPU UNITS - SINGLE LINE** N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER. 11, 2019
SCALE: AS SHOWN
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


16R PAVEMENT SENSOR SINGLE LINE

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E5.18


D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E516 NAVAID SLD - 16R.dwg 12/9/2019 6:42 PM LEAN



NOTES FOR STEP 1:

1. INSTALL CONDUIT PRIOR TO PAVING OPERATIONS.

1A - STEP 1: INSTALL CONDUIT
N.T.S.




NOTES FOR STEP 2:

1. AFTER PAVING OPERATIONS, CORE 30" HOLE. EXCAVATE HOLE TO INSTALL NEW L-867B BASE CAN.
2. INSTALL STEEL REINFORCEMENT CAGE AND POSITION BASE CAN. STUB CONDUITS INTO BASE CAN. ADJUSTMENTS TO CONDUIT LOCATION SHALL BE ACCOMPLISHED USING A MINIMUM BEND RADIUS PER NEC.
3. POUR P-610 CONCRETE CEMENT UP TO ASPHALT SURFACE AND ALLOW TO CURE PER MFG'S RECOMMENDATIONS. USE BOLTS TO SECURE ALIGNMENT JIG TO AC SURFACE SO JIG DOESN'T MOVE DURING CONCRETE POUR.
4. REMOVE ALIGNMENT JIG AND RE-INSTALL MUD-PLATE AND PLYWOOD COVER, IF FIXTURE IS NOT IMMEDIATELY INSTALLED.


1B - STEP 2: INSTALL BASE CAN
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



2 - BASE CAN EDGE DETAIL
N.T.S.




NOTES FOR STEP 3:

1. INSTALL GASKET & FIXTURE.


1C - STEP 3: INSTALL LIGHT FIXTURE
N.T.S.

1 - INSTALL L-867B BASE CAN IN NEW ASPHALT (FOR ELEVATED RWY OR TWY EDGE LIGHTS OR JUNCTION CAN)
N.T.S.



NOTES FOR ID MARKER:

1. CONTRACTOR SHALL REMOVE EXISTING TAG PRIOR TO MILLING.
2. BRONZE MARKERS TO BE EMBEDDED IN FRESH CONCRETE AT TIME OF POUR. STAMP WITH POWERING CIRCUIT IDENTIFICATION AS SHOWN ON PLANS WHEN CONCRETE IS CURED. PLACE ON RUNWAY OR TAXIWAY SIDE OF BASE OR AS DIRECTED BY OWNER.
3. ALL LIGHTING CABLES ENTERING OR LEAVING OR PASSING THROUGH A CABLE MANHOLE, HANDHOLE, PULLBOX, OR LIGHTING FIXTURE BASE SHALL BE IDENTIFIED ON EACH SIDE OF OF EACH L-823 CONNECTOR KIT WITH AN INDIVIDUAL IDENTIFICATION TAG INDICATING EACH LIGHTING CIRCUIT. ALSO MARK WITH TAPE PER COLOR CODE IN SPECIFICATION L-108.
4. TAGS SHALL BE NON-FERRIOUS METAL OF TYPE AND SIZE AS SPECIFIED UNDER ITEM L-108, CONNECT TO CABLE WITH PLASTIC CABLE TIE.



3 - LIGHT FIXTURE IDENTIFICATION MARKER DETAIL
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E6.01


D:\Dropbox (Lean Photometrics)\Active Projects\L1907801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E601 Details 16R.dwg 12/9/2019 6:42 PM LEAN



NOTES FOR STEP 1:

1. AFTER MILLING OPERATIONS, INSTALL BASE CAN SO THAT A MINIMUM 3" (MAXIMUM 8") EXTENSION WILL BE USED. COORDINATE WITH GENERAL CONTRACTOR THE FINAL PAVEMENT GRADE TO OBTAIN REQUIRED EXTENSION HEIGHT. USE ALIGNMENT JIG AS SUPPLIED BY JAQUITH (AW9100 OR APPROVED EQUAL). BASE CAN MAY NEED TO BE INSTALLED BELOW MILLED SURFACE TO ENSURE COMPLIANCE.
2. INSTALL STEEL REINFORCEMENT CAGE AND POSITION BASE CAN. STUB CONDUITS INTO BASE CAN. ADJUSTMENTS TO CONDUIT LOCATION SHALL BE ACCOMPLISHED USING A MINIMUM BEND RADIUS PER NEC.
3. POUR RAPID SET CONCRETE CEMENT UP TO 1" BELOW MILLED ASPHALT SURFACE AND ALLOW TO CURE PER MFG'S RECOMMENDATIONS. USE BOLTS TO SECURE ALIGNMENT JIG TO MILLED SURFACE SO JIG DOESN'T MOVE DURING CONCRETE POUR.
4. REMOVE ALIGNMENT JIG AND RE-INSTALL MUD-PLATE AND PLYWOOD COVER.
5. BEFORE AND AFTER POURING, VERIFY LOCATION AND AZIMUTH OF BASE CAN. CANS NOT INSTALLED CORRECTLY SHALL BE REMOVED AND NEW CAN TO BE INSTALLED AT CONTRACTOR'S OWN EXPENSE. AZIMUTH CORRECTION RING WILL NOT BE ALLOWED.

1A / - **STEP 1**
N.T.S.




NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

NOTES FOR STEP 2:

1. BEFORE PAVING, CONTRACTOR SHALL APPLY TACK COAT AND CRACK CONTROL COATED PAVING FABRIC.
2. IT IS POSSIBLE THAT DEPTH OF ASPHALT SURFACE AROUND BASE IS SLIGHTLY DEEPER AROUND THE CAN THAN IN OTHER LOCATIONS. CONTRACTOR SHALL TAKE SPECIAL CARE IN COMPACTING THIS AREA PROPERLY.
3. AFTER PAVEMENT OVERLAY, CORE A MAXIMUM 2" DIAMETER HOLE TO LOCATE CENTER OF CAN AND REMOVE CORE.
4. MEASURE TO DETERMINE HEIGHT OF EXTENSION AND RECORD DATA FOR EACH FIXTURE. PROVIDE HEIGHT OF EXTENSION TO ENGINEER ON FIXTURE SCHEDULE PRIOR TO ORDERING. THE EXTENSION SHALL BE NO LESS THAN 3" BUT NO MORE THAN 6". NOTE, THE HEIGHT AT THE MIDDLE OF THE FIXTURE MAY BE 1/8" TALLER THAN THE ELEVATION OF THE FIXTURE ON THE LOW SIDE OF THE PAVEMENT. TAKE THIS INTO ACCOUNT WHEN PERFORMING CALCULATIONS TO DETERMINE THE EXTENSION HEIGHT.

1B / - **STEP 2**
N.T.S.



NOTES FOR STEP 3:

1. AFTER CORRECT EXTENSION IS ON SITE, CORE 14" DIA. HOLE TO 1" BELOW TOP OF BASE CAN.
2. REMOVE MUDPLATE AND PLYWOOD COVER. INSTALL EXTENSION, SPACER RINGS, AND FLANGE/PAVEMENT RING.
3. FILL VOID AROUND EXTENSION WITH P-606. NOTE; CONTRACTOR MAY HAVE TO POUR P-606 TO 2" BELOW FINAL GRADE AS A FIRST LIFT AND THEN AFTER IT HARDENS, THE CONTRACTOR MAY NEED TO POUR ANOTHER LIFT. REFER TO P-606 MANUFACTURING DETAILS.
4. INSTALL FIXTURE OR STEEL PLATE, SPACERS AND FLANGE RING AND COMPLETE AS SHOWN IN DETAIL 1 ON SHEET E6.04.

1C / - **STEP 3**
N.T.S.

1 / - **INSTALL L-868B BASE CAN IN NEW ASPHALT (FOR INPAVEMENT R/W EDGE LIGHTS OR COVER PLATE)**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 2

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E6.02


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Hwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E601 Details 16R.dwg 12/9/2019 6:42 PM LEAN




1 - TYPICAL L-868B 24" DEEP BASE CAN
N.T.S.



2 - REBAR DETAIL FOR ALL L-868B BASE CANS
N.T.S.




3 - SECTION
N.T.S.



4 - TYPICAL INSTALLATION DETAIL FOR NEW OR REINSTALLED INPAVEMENT FIXTURE ON NEW L-868B BASE CAN IN NEW CONCRETE PAVEMENT
N.T.S.

NOTES:

* CONTRACTOR SHALL EXCAVATE AS REQUIRED TO REMOVE EXISTING BASE CAN



5 - CONDUIT INSTALLATION IN NEW PANEL (SECTION)
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

SHEET NOTES:

1. THE SPACER RING IS DESIGNED AS A NOMINAL 0.75" THICKNESS. THE SPACER RING MAY BE REQUIRED TO BE THINNER OR THICKER DEPENDING ON BASE CAN INSTALLATION AND PAVING TECHNIQUES. THE CONTRACTOR SHALL BE RESPONSIBLE TO MEASURE AND DETERMINE THE EXACT REQUIRED THICKNESS OF EACH INDIVIDUAL SPACER RING REQUIRED TO PUT THE AIRFIELD LIGHTING FIXTURE AT THE CORRECT ELEVATION, AZIMUTH AND ROTATION PER FAA ADVISORY CIRCULAR 150/5345-46 LATEST EDITION. A MAXIMUM OF THREE RINGS (SPACER, BEVEL OR FLANGE RING) MAY BE STACKED TOGETHER WITH A MAXIMUM HEIGHT OF 2-3/16". THE CONTRACTOR'S BID PRICE SHALL INCLUDE FURNISHING AND INSTALLING ALL SPACER RINGS. BASE CANS, SPACER RINGS AND FLANGE RING SHALL BE GALVANIZED WITH GROOVE FOR O-RING EPOXY COATING NOT REQUIRED.
2. THE P-606 SEALER SHALL FILL THE VOID TO WITHIN 0.125" OF THE TOP EDGE OF THE CONCRETE RING AT THE LOWEST CONCRETE ELEVATION. ANY OVER POURS SHALL BE REPLACED BY THE CONTRACTOR AT THEIR EXPENSE.
3. ALL BASE CAN INSTALLATION TECHNIQUES, METHODS, MATERIALS, ETC. SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL PRIOR TO THE START OF WORK.
4. IMMEDIATELY AFTER THE HOLES ARE CORED IN THE ASPHALT TREATED BASE COURSE, THE BASE CANS SHALL BE INSTALLED AND THE P-610 PLACED SO AS TO PREVENT WATER FORM ENTERING THE STABILIZED SUBGRADE.
5. BEFORE PAVING MAY PROCEED, THE CONTRACTOR SHALL DEMONSTRATE TO THE RTIA PROJECT MANAGER BY SURVEY THAT THE BASE CANS ARE AT THE CORRECT ELEVATION, AZIMUTH AND ROTATION AND THAT THE PROPER CLEARANCE EXISTS BETWEEN THE BASE CAN AND THE PAVING TRAIN.
6. THE FINISHED PAVEMENT SURFACE SHALL BE PROTECTED FROM FOREIGN SUBSTANCES WHICH WOULD CAUSE STAINING, I.E.. OIL, P-605, ETC. THE CONTRACTOR SHALL IMMEDIATELY CLEAN ALL SPILLS AND CORRECT/CLEAN ANY STAINED SURFACES AT THE CONTRACTORS EXPENSE.
7. USE ACETATE RESISTANT, CONDUCTIVE SEALANT BETWEEN ADAPTER/SPACE RINGS. ALSO, USE BETWEEN ADAPTER/SPACER RING AND BASE CAN. DO NOT INSTALL EXCESSIVE AMOUNTS OF SEALANT. THE SEALANT SHALL NOT ACT A BARRIER BETWEEN THE SPACER RING(S) AND BASE CAN AND ADAPTER RING AND FLANGE RING. METAL TO METAL CONTACT SHALL BE MAINTAINED BETWEEN THE BASE CAN, SPACER RING(S) AND ADAPTER RING AND FLANGE RING.
8. THE FIXTURE MOUNTING BOLTS SHALL EXTEND THROUGH THE BASE CAN MOUNTING FLANGE INTO THE BASE CAN A MINIMUM OF 1/2". THE BOLTS SHALL HAVE ENOUGH THREAD LENGTH SO THEY DO NOT SHOULDER OUT BEFORE THE FIXTURE IS SECURELY TIGHTENED. THE BOLTS SHALL BE TORQUE PER THE MANUFACTURERS RECOMMENDATIONS. THE BOLTS SHALL BE SUPPLIED WITH CEC LOCK WASHERS.
9. THE NUMBER OF HUBS FOR A BASE CAN SHALL BE AS SHOWN ON THE PLANS.
10. IF 4' REQUIRES REMOVAL OF ANOTHER PANEL, CONTRACTOR MAY FIELD ADJUST TRENCH TO ALLOW FOR CONDUIT PER RTIA CONTRACT MANAGER. REFER TO DETAIL 2 ON SHEET E6.04.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 3

PROJECT NO. 8494.002

DRAWING E6.03

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018D\A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E601 Details 16R.dwg 12/9/2019 6:42 PM LEAN



NOTES:

1. AFTER REMOVING 14" CORE, REMOVE THE PLYWOOD COVER & MUD−PLATE ALONG WITH ANY DIRT, GRIT AND OTHER MATERIAL, WHICH MAY HAVE SEEPED INTO THE BASE CAN. INSTALL CABLE (PROVIDE 3' FEET OF SLACK FOR CONNECTIONS AS MEASURED FROM THE GROUND), BRICK, ISOLATION TRANSFORMER(S), AND TAGS AND MAKE ALL NECESSARY SPLICES.

2. INSTALL BASIC SPACER PACKAGE (INCLUDING SPACER RINGS AND FLANGE RING WITH EPOXY DAM) OF APPROPRIATE THICKNESS AND NUMBER TO ENSURE THAT THE TOP OUTSIDE EDGE OF THE FIXTURE (OR 3/4" COVER PLATE) IS +0" TO −1/16" WITH RESPECT TO FINISHED GRADE. SEE DETAIL 2 ON SHEET E−5.5 FOR MEASUREMENT INSTRUCTIONS. INSTALL O−RING AND PROVIDE A THIN LAYER OF SILICONE SEALER BETWEEN THE SPACER RINGS, FLANGE, AND TOP SECTION. ENSURE THAT SEALER DRYS ENOUGH OR IS CLEANED FROM SURFACE TO ENSURE THAT NO SEALER GETS ON THE STAINLESS STEEL BOLTS DURING FIXTURE PLACEMENT. AT THE COMPLETION OF THE PROJECT, AS PART OF THE FINAL ACCEPTANCE, THE CONTRACTOR AND INSPECTOR SHALL OPEN 5% OF THE FIXTURES AND VERIFY THAT THERE IS NO SILICON ON THE BOLTS. IF FIXTURE CAN'T BE REMOVED EASILY, THEN CONTRACTOR SHALL OPEN/CLOSE ALL OF THE FIXTURES.

3. FILL VOID AROUND THE BASE CAN WITH P−606 SEALER COMPOUND UP TO 1/8" BELOW TOP OF FLANGE RING WITH EPOXY DAM. REMOVE ANY SIKAFLEX OR P−606 THAT HAS POURED OVER THE EPOXY DAM.

4. THE BASIC PACKAGE FOR L−868B BASE CANS SHALL INCLUDE: 1 EA 3/8" FLANGE RING WITH EPOXY DAM, 1 EA 1/4" SPACER RING, 1 EA 1/8" SPACER RING, AND AN ADDITIONAL SPACER RING AS REQUIRED TO MEET FINAL GRADE (MAX. 3/8" TO MIN. 1/16" THICK). NO MORE THAN 3 SPACER RINGS SHALL BE USED TO ACHIEVE FINAL GRADE.

5. GROUNDING: CONNECT #6 AWG GROUND WIRE TO INTERNAL GROUND LUG IN EVERY BASE CAN. CONTRACTOR SHALL ASSUME THAT EVERY EXISTING BASE CAN NEEDS TO BE RETROFITTED WITH AN INTERNAL GROUND LUG. (SEE SPECIFICATIONS FOR INSTRUCTIONS) CONNECT #6 AWG GROUND WIRE TO INTERNAL GROUND LUG. AT LOCATIONS SHOWN ON THE DRAWINGS. CONTRACTOR SHALL ALSO INSTALL EXTERNAL GROUND LUG AND CONNECT TO 3/4" BY 10' DEEP GROUND ROD, BY COPPER WIRE AS REQUIRED AND SHOWN ON THE DRAWINGS.

6. IN ORDER TO MAINTAIN TIMELY COMPLETION OF THE PHASING, CONTRACTOR SHALL HAVE A MINIMUM OF SPARE MATERIAL SUCH AS TRANSFORMERS, SPACER RINGS OF VARIOUS SIZES, SPLICE KITS, CABLE, AND ALL OTHER ACCESSORIES AT THE JOB SITE AT ALL TIMES.


7. CONTRACTOR SHALL FURNISH BOLTS WITH VARYING LENGTHS TO ENSURE PROPER DEPTH AS SHOWN ON DETAIL. ALL BOLTS SHALL BE THREADED FULL LENGTH (NO SHOULDER BOLTS.) ALL BOLTS MUST BE LONG ENOUGH TO PROVIDE FULL THREAD ENAGEMENT AND EXTEND BEYOND BOTTOM PORTION OF FLANGE, MINIMUM 1/4" MAX. 1/2".

1 / - FIXTURE INSTALLATION - ELEVATION
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.

2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



NOTES:

1. LOCATE EXISTING CONDUIT WHICH IS BEING INTERCEPTED AND FIELD VERIFY CONDUIT DEPTH.

2. SAW CUT A 4'x4' MINIMUM SECTION OF PAVEMENT AND HAND EXCAVATE AT POINT OF CONNECTION. CUT CONDUIT AND CHISEL OUT AN AREA AROUND CONDUIT END.

3. CLEAN CONDUIT AND INSTALL A COUPLING.

4. SAW CUT OR KERF TRENCH FOR NEW CONDUIT TO EXCAVATED HOLE AREA.

5. INSTALL NEW CONDUIT AS INDICATED IN CONDUIT INSTALLATIONS.

6. IF EXISTING CONDUIT DEPTH IS LESS THAN THE NEW CONDUIT TRANSITION TO GREATER DEPTH.

7. RESTORE THE CEMENT TREATED BASE BY POURING (N) P−610.

2 / - EXISTING CONDUIT CONNECTION DETAIL
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno−Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

ELECTRICAL DETAIL 4

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949−502−8687
WWW.LEANCORP.COM


PROJECT NO.
8494.002

DRAWING
E6.04

D:\Dropbox (Lean Photometrics)\Active Projects\1907801A Wood Rogers RTH Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E601 Details 16R.dwg 12/9/2019 6:43 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



1 - (E) RUNWAY CENTERLINE LIGHTING SECONDARY CIRCUIT TYPICAL (WIRING DIAGRAM)


N.T.S.

DETAIL SHOWN TO ASSIST CONTRACTOR IN DEMOLITION. NEW RW CENTERLINE CONFIGURATION HAS 5KV TRANSFORMER INSIDE EVERY BASECAN.




2 - L-867B OR L-867D JUNCTION CAN DETAIL

N.T.S.



3 - TEMPORARY ABOVE GROUND CONDUIT-CONNECTION TO (E) LIGHT BASECANS

SCALE: NTS



4 - RETROREFLECTIVE MARKER

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME.
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 5

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E6.05**

D:\Dropbox (Lean Photometrics)\Active Projects\190760\A Wood Rogers RTN Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E601 Details 16R.dwg 12/9/2019 6:43 PM LEAN



NOTES:

1. THE CABLE SHALL BE THOROUGHLY CLEANED PRIOR TO THE INSTALLATION OF THE L-823 CONNECTOR KIT. CABLE END STRIPPER & PENCILER SHALL BE RIPLEY PART# WS-49 OR APPROVED EQUAL.
2. INSTALLATION OF THE PIN/RECEPTACLE SHALL BE COMPLETED WITH "CRIMPING" TOOL THOMAS & BETTS MODEL# TBM45S OR APPROVED EQUAL.
3. ALL FIELD MADE JOINTS SHALL BE WRAPPED WITH 3" OF SCOTCH SUPER 88 TAPE, OR APPROVED EQUAL, 1 1/2" ON EACH SIDE OF JOINT AND HALF LAPPED.
4. INSTALL 2 LAYERS OF SCOTCH 130C RUBBER TAPE. 1/2" LAPPED EXTENSION, 1" EACH SIDE OF JOINT.
5. PROVIDE AMERACE 54 SUPER KITS OR APPROVED EQUAL. WRAP JOINT WITH SCOTCH SUPER 88 TAPE OR APPROVED EQUAL.
6. CONTRACTOR SHALL REMOVE CABLE SPREADER PRIOR TO INSTALLATION OF CABLE TO CONNECTOR.
7. SPLICE THE RETURN CONDUCTOR IF IN SAME CONDUIT WITH THE SUPPLY CONDUCTOR AT FIXTURE LOCATIONS ENDING WITH 5 OR 0. CONTRACTOR SHALL SPLICE ONLY WHEN REQUIRED. LOCATIONS OF RETURN SPLICE ARE TO BE AS-BUILT.

1/- **TYPICAL L-824 (5KV) CABLE CONNECTOR DETAIL**
N.T.S.

AIRFIELD CIRCUIT MARKINGS

	WEST VAULT		EAST VAULT
CKT	MARKING COLOR(S)	CKT	MARKING COLOR(S)
R1A	ORANGE	R2A	RED
R1B	GREEN	R2B	RED-GRAY
R1CLA	BROWN-YELLOW	R2S	RED-ORANGE
R1CLB	WHITE	CLN	RED-YELLOW
R1CLN	GREEN-WHITE	CLS	RED-BROWN
R1CLS	GRAY	16L PAPI	PURPLE
RS	RED	34R PAPI	ORANGE
16R PAPI	PURPLE	25 PAPI	BLUE-YELLOW
34L PAPI	BROWN	MAIN W/C	GREEN-YELLOW
R3	RED-BLUE	TCN	BLUE
TAN	BLUE-PURPLE-ORANGE	TCS	BLUE-GRAY
TAS	GREEN-RED	TXN	BLUE-ORANGE
TBN	BLUE	TF	BLUE-BROWN
TBS	GREEN-BLUE	TNE	GREEN-BLUE
TJ	YELLOW	TSE	RED-WHITE
TL	ORANGE-PURPLE	TWHS	PURPLE-WHITE
TNW	YELLOW-PURPLE	TEHS	WHITE-BLUE
7 PAPI	(NO MARKINGS)		
RPU	YELLOW SPIRAL		
R1GL	RED-YELLOW-RED		
TSW	YELLOW-GRAY		
R3S	RED-PURPLE		

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 6

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E6.06

D:\Dropbox (Lean Photometrics)\Active Projects\L19078014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E611 Sign Details 16R.dwg 12/9/2019 6:43 PM LEAN




1 - ADJUSTING EXISTING BASE CAN TO GRADE DETAIL
N.T.S.

ADJUSTMENT TO GRADE STEPS:


1. CORE 17" CORE TO 1" BELOW L868B OR L867B BASE CAN.
2. CHIP & REMOVE CONCRETE FROM AROUND BASE CAN.
3. INSTALL SPACERS & FLANGE RING WITH PAVEMENT DAM FOR L-868B BASE CAN. INSTALL SPACER RINGS FOR L867B BASE CAN.
4. INSTALL P-606 EPOXY TO FILL VOID.
5. INSTALL 3/4" COVER PLATES. COVER PLATES MUST HAVE COUNTER SUNK HOLES SO BOLT HEADS DO NOT PROTRUDE ABOVE COVER.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



2 - DETAIL A FOR L-868B BASE CAN
N.T.S.



3 - DETAIL B FOR L-867B BASE CAN
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS, ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


ELECTRICAL DETAIL 7

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E6.07

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E607 Details 16R.dwg 12/9/2019 6:43 PM LEAN




1 / - AFL 1W-2" CONDUIT IN NON-PAVED EARTH
N.T.S.



2 / - AFL CONDUIT INSTALLATION IN EXISTING ASPHALT OVERLAY
N.T.S.

NOTES:

1. THIS DETAIL APPLIES TO CONDUIT INSTALLATION IN AREAS OUTSIDE OF THE CIVIL DEMO PAVING CONSTRUCTION LIMITS.
2. SAWCUT 6" WIDE TRENCH IN ASPHALT PAVEMENT TO MIN. 20" DEPTH. THOROUGHLY CLEAN CUT.
3. ENCASE WITH CONCRETE AS SHOWN.
4. COMPLETE ASPHALT PAVEMENT RESTORATION AS SHOWN.



3 / - AFL CONDUIT INSTALLATION IN NEW ASPHALT OVERLAY
N.T.S.


NOTES:

1. 6" WIDE TRENCH IN ASPHALT PAVEMENT TO MIN. 24" DEPTH. THOROUGHLY CLEAN CUT.
2. ENCASE WITH CONCRETE AS SHOWN.


DUCTBANK NOTES:

1. INSTALL PULLROPE IN ALL CONDUITS.
2. INSTALL THE SIDES OF THE DUCTBANK WITH A NEAT VERTICAL FACE, OR FORMING IF NECESSARY. THE CONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL AND INCIDENTALS NECESSARY FOR FORMWORK. FORMWORK SHALL NOT BE SEPARATELY MEASURED BUT SHALL BE CONSIDERED INCIDENTAL TO THE RESPECTIVE DUCTBANK PAY ITEM.
3. CONTRACTOR SHALL ANTICIPATE DEWATERING ALL TRENCHES. ALL WATER SHALL BE DISCHARGED PER THE APPLICABLE ENVIRONMENTAL REGULATIONS. SUBCONTRACTOR SHALL FURNISH ALL LABOR, EQUIPMENT, MATERIAL, EROSION CONTROL AND INCIDENTALS NECESSARY FOR DEWATERING. DEWATERING SHALL NOT BE SEPARATELY MEASURED FOR PAYMENT. DEWATERING IS INCIDENTAL TO THE VARIOUS DUCTBANK PAY ITEMS. CONTRACTOR SHALL HAUL SPOILS OF AIRPORT PROPERTY IN ACCORDANCE WITH APPLICABLE RULES. COST IS INCIDENTAL TO COST OF TRENCH.
4. GROUNDING RODS SHALL BE INSTALLED AT APPROXIMATELY 90-FOOT INTERVALS USING EXOTHERMIC WELDS TO ACHIEVE GROUND RESISTANCE OF LESS THAN 10 OHMS. THE SPACING BETWEEN GROUND RODS MUST VARY 10% TO 20% TO PREVENT RESONANCE. INSTALL THE GROUND RODS APPROXIMATELY 6-FEET FROM DUCTBANK ON EITHER SIDE OF TRENCH.
5. TERMINATE 1/0 GUARD WIRE AT HANDHOLE OR BUILDING GROUND ROD BY EXOTHERMIC WELD.
6. BARE COPPER CABLE SHALL BE 7 STRANDED, CLASS A.
7. ALL CONCRETE ENCASEMENT SHALL BE RED DYE CONCRETE.
8. MINIMUM 3 INCH CONCRETE BETWEEN REBAR AND OUTER EDGE OF THE CONDUIT AND BETWEEN REBAR AND EDGE OF ENCASEMENT
9. USE TYPICAL 4 #4 REBAR AND MAXIMUM 30" SPACING BETWEEN REBARS


NOTES:




4 / - CONDUIT INSTALLATION IN NEW CONCRETE PAVEMENT
N.T.S.



4 / - AFL 6W-4" DUCTBANK
N.T.S.



5 / - AFL 4W-4" DUCTBANK IN (N) ASPHALT & NON PAVED EARTH
N.T.S.



6 / - AFL 2W-4" DUCTBANK IN (N) ASPHALT & NON PAVED EARTH
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

DUCTBANK DETAILS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E6.10

D:\Dropbox (Lean Photometrics)\Active Projects\L19018DIA Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E610 Details 16R.dwg 12/9/2019 6:43 PM LEAN

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.




DETAILS NOTES:

1. PULL EXISTING CABLE TO NEAREST HANDHOLE OR BASE CAN AND CONNECT NEW CONNECTORS AS REQUIRED TO ENSURE CIRCUIT CONTINUITY.
2. EXISTING SINGLE/DOUBLE SIDED SIGN MODULES SHALL VARY FROM 4' UP TO 14'.

1 - EXISTING AIRFIELD SIGN TO REMOVE (FOUNDATION TO REMAIN)

N.T.S.




2 - NEW GUIDANCE SIGN (4 MODULES OR LESS) ON EXTENDED FOUNDATION

N.T.S.

NEW SIGN KEY NOTES:

1. IF THE NEW SIGN POWER AND MOUNTING LEGS DO NOT MATCH THE EXISTING, PROVIDE NEW STAINLESS STEEL HILTI BOLTS AND EXPANSION ANCHORS FOR NEW MOUNTING PLATES. REFER TO DETAILS ON E301. ASSUME EVERY NEW SIGN ON EXISTING FOUNDATION REQUIRES NEW BOLTS. INSTALL NEW SIGN PER MANUFACTURER MOUNTING PLATE TEMPLATE, RECOMMENDATIONS, AND INSTRUCTIONS.
2. INSTALL NEW MOUNTING PLATE FOR POWER LEG ON EXISTING 2" CONDUIT FROM EXISTING L-867 BASE CAN. SEE DETAIL 4, DRAWING E6.23.
3. TETHER. MINIMUM 1 PER MODULE AND AT LEAST 2 TETHERS PER SIGN. TETHER LENGTH SHALL BE 1'.
4. PROVIDE 3/4"X10' COPPER CLAD GROUND ROD, DRILL A HOLE THRU PAD IF REQUIRED. INSTALL DIRECTLY UNDER SIGN TO ELIMINATE TRIP HAZARD.
5. FIELD VERIFY DISTANCE OF EXISTING L-867 BASE CAN FROM SIGN TO CONFIRM REQUIRED LENGTH OF NEW L-823 EXTENSION CORD REQUIRED. PERFORM THIS PRIOR TO SHOP DRAWING SUBMISSION. PROVIDE INFORMATION AS PART OF SHOP DRAWING.
6. PROVIDE NEW L-830 ISOLATION TRANSFORMER TO MATCH TOTAL SIGN VA LOAD PER MANUFACTURER'S RECOMMENDATION. PROVIDE NEW CORDSET EXTENSION CORD AT REQUIRED LENGTH.
7. PROVIDE GUIDANCE SIGN IDENTIFICATION MARKER ON EACH END OF THE SIGN (TOTAL OF TWO MARKERS PER SIGN).
8. IF JOINT IS WITHIN 6" OF MOUNTING LEG BOLT, SAWCUT EXISTING CONCRETE PAD BACK (AND REMOVE SPOILS) TO OBTAIN A MOUNTING BOLT LOCATION OUTSIDE OF THE 6" RESTRICTION.
9. REFER TO DETAIL 3 THIS SHEET.



3 - MAINTENANCE PAD - NATIVE MATERIAL

N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


SIGN DETAILS 1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E6.21


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E611 Sign Details 16R.dwg 12/9/2019 6:43 PM LEAN




1/- ID PLATE INSTALLATION
N.T.S.



2/- SIDE VIEW
N.T.S.



3/- PLAN VIEW
N.T.S.




4/- (N) AIRFIELD LIGHTING GUIDANCE SIGN (4 MODULES OR LESS) ON (N) FOUNDATION 7
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

DETAILS NOTES:

1. TETHER. MINIMUM 1 PER MODULE AND AT LEAST 2 TETHERS PER SIGN.
2. REUSE L-830 ISOLATION TRANSFORMER FOR RELOCATED SIGN OR NEW TRANSFORMER FOR NEW SIGN FOR EACH SIGN TO MATCH THE TOTAL SIGN VA LOAD PER MANUFACTURER'S RECOMMENDATION. PROVIDE NEW L-823 EXTENSION CORDSETS OF REQUIRED LENGTH.
3. REFLECTIVE TAPE TO THE ENTIRE BACK SIDE OF A SINGLE SIDED SIGN OR TO THE TWO EDGES OF DOUBLE SIDED SIGN.
4. REINSTALL (E) L-858 SIGN OR INSTALL (N) SIGN ON (N) FOUNDATION.
5. POWER LEG SHALL BE ADJACENT TO THE TRANSFORMER HOUSING.
6. 3/4" W X 2" H X 1/8" D BRASS ID. ATTACH BRASS ID THROUGH DRILLING HOLE INTO THE CONCRETE COLLAR AND SECURING IT WITH P-606 EPOXY.
7. SIGN FOUNDATION AND SIGN SHALL BE LEVEL RELATIVE FROM THE VIEW OF THE PILOT ON THE TAXIWAY. EXISTING GRADE DEVIATION SHALL BE ACCOUNTED FOR BEFORE FINAL CONCRETE IS SET. AT NO POINT SHALL ANY SURFACE DEVIATE MORE THAN 3-INCHES UNLESS IT IS MOUNTED ON A FRANGIBLE COUPLING. ANY NEW SURFACE DEVIATION OF MORE THAN 3-INCH RELATIVE TO ADJACENT SURFACE SHALL BE CORRECTED BY CONTRACTOR AT NO ADDITIONAL COST TO THE AIRPORT.
8. CONTRACTOR SHALL PROVIDE STAMPED SHOP DRAWING OF THE REBAR DESIGN FOR REVIEW AND APPROVAL. SHOWN IS THE MINIMUM SIZE REBAR FOR REFERENCE AND BIDDING PURPOSE ONLY. REFER TO SPECS FOR LOAD DESIGN CRITERIA.



5/- NEW 2-MOD MANDATORY SIGN & 1-MOD EXIT SIGN - PLAN VIEW
N.T.S.

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN DETAILS 2


PROJECT NO. 8494.002

DRAWING **E6.22**


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E611 Sign Details 16R.dwg 12/9/2019 6:43 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.




1 - ANCHOR BOLT DETAIL NEW CONCRETE PAD
N.T.S.



4 - ANCHOR BOLT DETAIL - NEW OR EXISTING CONCRETE SIGN FOUNDATION
N.T.S.



3 - BASECAN DETAIL NEW AIRFIELD GUIDANCE SIGN
N.T.S.



4 - POWER LEG DETAIL NEW CONCRETE PAD
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN DETAILS 3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING **E6.23**


D:\Dropbox (Lean Photometrics)\Active Projects\L1907801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E611 Sign Details 16R.dwg 12/9/2019 6:43 PM LEAN

DETAIL NOTES:

1. FOUNDATION DETAILS ARE GIVEN ONLY AS A GUIDE. THE APPROPRIATE DEPTH AND REINFORCEMENT OF THE PAD WILL DEPEND ON LOCAL SITE CONDITIONS.
2. HIGH VOLTAGE FIELD CABLES AND LOW VOLTAGE COMMUNICATION CABLES MUST HAVE SEPARATE CONDUIT RUNS.
3. INSTALL AND WIRE PAPI PER MANUFACTURER RECOMMENDATION.




1 — TYPICAL PAPI INSTALLATION
N.T.S.



2 — SECTION C-C
N.T.S.

4 — FOOT FLANGE DETAIL
N.T.S.



6 — DETAIL C
N.T.S.

3 — PAPI 3 LEG FOUNDATION DETAIL
N.T.S.

5 — DETAIL B
N.T.S.

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAPI DETAIL 1

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E6.31**


D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E6.33.dwg 12/9/2019 6:43 PM LEAN

NOTES:


1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS INCLUDING BUT NOT LIMITED TO NEW LIGHTING ASSEMBLIES, BASE CAN, FOUNDATION, TRANSFORMER, & GROUNDING.
3. PRIOR TO WORK ON PAPI, CONTRACTOR SHALL SURVEY (E) LOCATION OF PAPI (BOTH ENDS) & FILL OUT TABLE 1 ON THIS SHEET. PROVIDE AS SHOP DRAWING & INSTALL (N) PAPI IN SAME LOCATION.

LEGEND:

- (N) PAPI
- (N) BASE CAN
- (N) GROUND ROD



1 **RWY 16L(17L) PAPI PLAN - INSTALLATION**
N.T.S.



2 **RWY 34R(35R) PAPI PLAN - INSTALLATION**
N.T.S.

PAPI CRITERIA SCHEDULE

R/W	X1, X2	R/W CL ELEV. (FT)	LIGHT CENTER ELEVATION (FT)	AIMING ANGLE				EFFECTIVE VISUAL THRESHOLD CROSSING HEIGHT (TCH)	THRESHOLD R/W CENTERLINE ELEVATION (FT)	D1	D2	D3	D4
				LHA#1	LHA#2	LHA#3	LHA#4						
16R	(i)	(i)	(i)	3°38.6'	3°18.6'	2°48.6'	2°28.6'	77.0'	(i)	(i)	(i)	(i)	(i)
34L	(i)	(i)	(i)	4°7.4'	3°47.4'	3°17.4'	2°57.4'	72.0'	(i)	(i)	(i)	(i)	(i)

(i) – CONTRACTOR SHALL SURVEY (E) DISTANCES & PROVIDE TO THE ENGINEER A TABLE WITH SURVEYED LOCATIONS AS A SHOP DRAWING.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PAPI DETAIL 2

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E6.32

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E6.33.dwg 12/9/2019 8:43 PM LEAN

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. ALL EQUIPMENT AND MATERIAL SHALL BE NEW UNLESS INDICATED AS EXISTING ON THE DRAWINGS.



1 / - **PAPI ELEVATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PAPI DETAIL 3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E6.33

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\07 Drawings\Working Drawings\Sheets\E6.33.dwg 12/9/2019 8:43 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 - **CIRCUIT MAP R1A: EXISTING CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1A

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.01**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Est.dwg 12/9/2019 6:44 PM LEAN



1 - CIRCUIT MAP R1A: PROPOSED CONFIGURATION
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1A

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.02**

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:44 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 - CIRCUIT MAP R1B: EXISTING CONFIGURATION
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1B

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.03**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Exst.dwg 12/9/2019 6:44 PM LEAN



FOR BIDDING PURPOSES ONLY

LEAN ENGINEERING
18500 VON KARMAN AVE., SUITE 200, Irvine, CA 92612
PHONE: 949-502-4887
WWW.LEANCORP.COM

RUNWAY 16R-34L RECONSTRUCTION

PROPOSED CIRCUIT MAP - CIRCUIT R1B

PROJECT NO. 8496.002

DRAWING **E7.04**

Reno-Tahoe International Airport


WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

DORON LEAN — ELECTRICAL ENGINEER — STATE OF NEVADA — EXP. 12/31/2019 — ELECTRICAL — NO. 022749 — 12/09/19

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	01/13/20

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map – New.dwg 1/10/2020 12:17 PM LEAN



1 - **CIRCUIT MAP R1B: PROPOSED CONFIGURATION**
N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1B

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E7.04

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - New.dwg 12/9/2019 6:45 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 - CIRCUIT MAP RS: EXISTING CONFIGURATION
SCALE: NTS'

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT RS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.05

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - Exst.dwg 12/9/2019 6:45 PM LEAN



1 / - CIRCUIT MAP RS: PROPOSED CONFIGURATION
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT RS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.06**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.06 Cct Map - New.dwg 12/9/2019 6:45 PM LEAN



1 - **CIRCUIT MAP R1CLA: EXISTING CONFIGURATION**
N.T.S.

LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

EXISTING CIRCUIT MAP - CIRCUIT R1CLA

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002


DRAWING **E7.07**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Est.dwg 12/9/2019 6:45 PM LEAN

FOR BIDDING PURPOSES ONLY

SEE BELOW FOR CONTINUATION

SEE ABOVE FOR CONTINUATION


RWY 16R-34L
TWY A
TWY B
TWY D
TWY F
TWY G
TWY H
TWY J
RWY 16R-34L
TWY A
TWY B
TWY D
TWY J
TWY A
TWY A
TWY B
TWY A
TWY B
TWY L
RWY 7-25
TWY N
TWY P
RWY 16R-34L
MH-RW6-04
MH-BE5-02
HH-BE5-03
HH-BW8-02
MH-BW8-03
TWY M
MH-LS2-02
HH-LS2-15
HH-LS2-13
HH-LS2-11
WEST VAULT
TWY L
RWY 7-25
TWY B
TWY A
TWY B
TWY A
TWY P
TWY G
TWY B
TWY A
TWY A

LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - CIRCUIT MAP R1CL: PROPOSED CONFIGURATION
N.T.S.

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

STATE OF NEVADA — DOROTHY LEAN — No. 027149 — PROFESSIONAL ENGINEER — 12/11/2019

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1CLA

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.08

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 1/10/2020 12:17 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - **CIRCUIT MAP R1CLA: PROPOSED CONFIGURATION**
N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1CLA

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.08**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - New.dwg 12/9/2019 6:46 PM LEAN



1 / - CIRCUIT MAP R1CLB: EXISTING CONFIGURATION
N.T.S.

CIRCUIT TO BE REMOVED
(CCR TO BECOME SPARE)

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1CLB

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.09**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - Existing 12/9/2019 6:46 PM LEAN



FOR BIDDING PURPOSES ONLY

LEAN ENGINEERING
18500 VON KARMAN AVE., SUITE 200, Irvine, CA 92612
PHONE: 949-502-4887
WWW.LEANCORP.COM

RUNWAY 16R-34L RECONSTRUCTION

PROPOSED CIRCUIT MAP - CIRCUIT R1CLB

PROJECT NO. 8496.002

DRAWING **E7.10**

Reno–Tahoe International Airport


WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

DORON LEAN — ELECTRICAL ENGINEER — EXP. 6/30/2019 — ELECTRICAL — STATE OF NEVADA — No. 022149 — 12/09/19

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

NO.	DESCRIPTION	DATE
1	ADDENDUM #2	01/13/20

D:\Dropbox (Lean Photometrics)\Active Projects\L1901801A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map – New.dwg 1/10/2020 12:18 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - **CIRCUIT MAP R1CLB: PROPOSED CONFIGURATION**
N.T.S.

SUPERSEDED
FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1CLB

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.10

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:46 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - CIRCUIT MAP R1CLNN: EXISTING CONFIGURATION
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1CLNN

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.11**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Reconst\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Existing 12/9/2019 6:47 PM LEAN



1 / - CIRCUIT MAP R1CLN: PROPOSED CONFIGURATION
N.T.S.

UPDATE (E) CIRCUIT NAME
"R1CLNN" TO "R1CLN"

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1CLNN

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.12**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - New.dwg 12/9/2019 6:47 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 - **CIRCUIT MAP R1CLSS: EXISTING CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1CLSS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.13**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - Est.dwg 12/9/2019 6:47 PM LEAN



1 - CIRCUIT MAP R1CLS: PROPOSED CONFIGURATION
N.T.S.

UPDATE (E) CIRCUIT NAME
"R1CLSS" TO "R1CLS"

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT R1CLS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.14**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:48 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - **CIRCUIT MAP TWHS: EXISTING CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT TWHS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.15

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Est.dwg 12/9/2019 6:48 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 / - **CIRCUIT MAP TWHS: PROPOSED CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT TWHS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.16**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.00 Ckt Map - New.dwg 12/9/2019 6:48 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - **CIRCUIT MAP TAN: EXISTING CONFIGURATION (1 OF 2)**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT TAN (1 OF 2)

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.17

D:\Dropbox (Lean Photometrics)\Active Projects\L19018024 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.00 Ckt Map - East.dwg 12/9/2019 6:49 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - CIRCUIT MAP TAN: PROPOSED CONFIGURATION (1 OF 2)
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT TAN (1 OF 2)

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.18

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.00 Ckt Map - New.dwg 12/9/2019 8:49 PM LEAN



LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - **CIRCUIT MAP TAN: EXISTING CONFIGURATION (2 OF 2)**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

EXISTING CIRCUIT MAP - CIRCUIT TAN (2 OF 2)

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.19

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RWA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Exst.dwg 12/9/2019 8:49 PM LEAN

LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - **CIRCUIT MAP TAN: PROPOSED CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PROPOSED CIRCUIT MAP - CIRCUIT TAN (2 OF 2)

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.20**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:49 PM LEAN

LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 - **CIRCUIT MAP TAS: EXISTING CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT TAS

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.21

D:\Dropbox (Lean Photometrics)\Active Projects\19018004 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.00 Ckt Map - Exist.dwg 12/9/2019 8:50 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 / - **CIRCUIT MAP TAS: PROPOSED CONFIGURATION (2 OF 2)**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT TAS

PROJECT NO. 8494.002

DRAWING **E7.22**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - New.dwg 12/9/2019 4:50 PM LEAN



SEE BELOW FOR CONTINUATION

FOR BIDDING PURPOSES ONLY

LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - CIRCUIT MAP TB: EXISTING CONFIGURATION
N.T.S.

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT TB

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.23**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map – Existing 12/9/2019 6:50 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 - **CIRCUIT MAP TB: PROPOSED CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT TB

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM


PROJECT NO. 8494.002

DRAWING E7.24

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:50 PM LEAN



1 - **CIRCUIT MAP 34L PAPI: EXISTING CONFIGURATION**
N.T.S.



2 - **CIRCUIT MAP 16R PAPI: EXISTING CONFIGURATION**
N.T.S.

LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2-#10 AWG TO EACH LIGHT FIXTURE).

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUITS 16R & 34L PAPI

PROJECT NO. 8494.002


DRAWING **E7.25**

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

D:\Dropbox (Lean Photometrics)\Active Projects\L19018014 Wood Rogers RTIA Rwy 16R-34L Recon\VD\Drawings\Working Drawings\Sheets\E700 Ckt Map - Existing 12/9/2019 6:51 PM LEAN



1 - **CIRCUIT MAP 34L PAPI: PROPOSED CONFIGURATION**
N.T.S.



2 - **CIRCUIT MAP 16R PAPI: PROPOSED CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RENO TAHOE

RUNWAY 16R-34L RECONSTRUCTION


PROPOSED CIRCUIT MAP - CIRCUIT 16L & 34R PAPI

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO.
8494.002

DRAWING
E7.26

D:\Dropbox (Lean Photometrics)\Active Projects\L9018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Ckt Map - New.dwg 12/9/2019 6:51 PM LEAN



SEE BELOW FOR CONTINUATION

FOR BIDDING PURPOSES ONLY

SEE ABOVE FOR CONTINUATION

LEGEND

- (E) SINGLE CONDUCTOR TO BE DEMOLISHED
- (E) DUAL CONDUCTORS TO BE DEMOLISHED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN
- (E) SECONDARY CABLES TO BE DEMOLISHED, (2–#10 AWG TO EACH LIGHT FIXTURE).

1 / - **CIRCUIT MAP R1GL: EXISTING CONFIGURATION**
N.T.S.

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION


EXISTING CIRCUIT MAP - CIRCUIT R1GL

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E7.27**

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RNA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E700 Cct Map - Exist.dwg 12/9/2019 6:55 PM LEAN



LEGEND

- (N) SINGLE CONDUCTOR TO BE INSTALLED
- (N) DUAL CONDUCTORS TO BE INSTALLED
- (E) SINGLE CONDUCTOR TO REMAIN
- (E) DUAL CONDUCTORS TO REMAIN

1 / - **CIRCUIT MAP R1GL: PROPOSED CONFIGURATION**
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

PROPOSED CIRCUIT MAP - CIRCUIT R1GL

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E7.28

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E7.00 Cct Map - New.dwg 12/9/2019 6:52 PM LEAN

EXISTING WEST LIGHTING VAULT EQUIPMENT SCHEDULE

SYM	DESCRIPTION	REMARKS	(N) CCR DESCRIPTION
1	20 KW 5-STEP REGULATOR (R/W 16R – 34L NORTH) (R1B)	BECOMES R1CL CIRCUIT	(E) CCR
2	20 KW 5-STEP REGULATOR (R/W 16R – 34L SOUTH) (R1A)	RELOCATE 20KW CCR TO BECOME SPARE	(N) 15KW 5-STEP REGULATOR
3	30 KW 5-STEP REGULATOR (R/W 16R-34L CLN LIGHTS NORTH) (R1CLB)	BECOMES SPARE	(E) CCR
4	30 KW 5-STEP REGULATOR (R/W 16R-34L CLN LIGHTS SOUTH) (R1CLA)	BECOMES SPARE	(E) CCR
5	30 KW 5-STEP REGULATOR (R/W 16R – 34L, T/W 'A' & 'B' SIGNS) (RS)	RELOCATE 30KW CCR TO BECOME SPARE	(N) 15KW 3-STEP REGULATOR. CONFIGURE TO 5.5A FIXED STEP 3
6	EXISTING REGULATOR	(E) TO REMAIN	(E) CCR
7	SPACE FOR FUTURE CCR		N.A.
8	FIELD CIRCUIT CABINET	(E) TO REMAIN	N.A.
9	SPACE FOR FUTURE CCR	RELOCATE (E) 20KW CCR FOR CKT "R1A" TO THIS LOCATION. LABEL CCR AS SPARE.	RELOCATED CCR
10	SPACE FOR FUTURE CCR	RELOCATE (E) 30KW CCR FOR CKT "RS" TO THIS LOCATION. LABEL CCR AS SPARE.	RELOCATED CCR


KEY NOTES:

1. CCR SHALL BECOME SPARE. RELABEL CCR & 5KV CABLES BACK TO FIELD CIRCUIT CABINET AS SPARE.
2. CCR SHALL BE RECONFIGURED TO BECOME (N) CKT R1CL. RELABEL CCR & 5KV CABLE BACK TO FIELD CKT CABINET.
3. INSTALL (N) 15KW 5-STEP REGULATOR WITH INTERNAL ACE.
4. INSTALL (N) 3 PHASE SWITCH WITH (2) 60 AMP FUSES, PHASE (A,C). MANUFACTURER EATON/CUTLER HAMMER FUSIBLE STYLE BUS PLUGS. MODEL #P3F362JN. REUSE (E) CABLE BETWEEN CCR & BUS PLUG.
5. INSTALL (N) 3 PHASE SWITCH WITH (2) 60 AMP FUSES, PHASE (B,C). MANUFACTURER EATON/CUTLER HAMMER FUSIBLE STYLE BUS PLUGS. MODEL #P3F362JN. REUSE (E) CABLE BETWEEN CCR & BUS PLUG.


LEGENDS:

BOLD DENOTES WORK TO BE DONE.

FADED DENOTES EXISTING TO REMAIN.



2 / - CCR SECTION - INTERIOR WALL
N.T.S.



1 / - (E) WEST VAULT MODIFICATION PLAN
N.T.S.

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno-Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

WEST VAULT MODIFICATION

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E8.01**

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E801 Vault Layout 16R.dwg 1/17/2020 11:14 AM LEAN

EXISTING WEST LIGHTING VAULT EQUIPMENT SCHEDULE

SYM	DESCRIPTION	REMARKS	(N) CCR DESCRIPTION
1	20 KW 5-STEP REGULATOR (R/W 16R – 34L NORTH) (R1B)	BECOMES R1CL CIRCUIT	(E) CCR
2	20 KW 5-STEP REGULATOR (R/W 16R – 34L SOUTH) (R1A)	RELOCATE 20KW CCR TO BECOME SPARE	(N) 15KW 5-STEP REGULATOR
3	30 KW 5-STEP REGULATOR (R/W 16R-34L CLN LIGHTS NORTH) (R1CLB)	BECOMES SPARE	(E) CCR
4	30 KW 5-STEP REGULATOR (R/W 16R-34L CLN LIGHTS SOUTH) (R1CLA)	BECOMES SPARE	(E) CCR
5	30 KW 5-STEP REGULATOR (R/W 16R – 34L, T/W 'A' & 'B' SIGNS) (RS)	RELOCATE 30KW CCR TO BECOME SPARE	(N) 15KW 5-STEP REGULATOR
6	EXISTING REGULATOR	(E) TO REMAIN	(E) CCR
7	SPACE FOR FUTURE CCR		N.A.
8	FIELD CIRCUIT CABINET	(E) TO REMAIN	N.A.
9	SPACE FOR FUTURE CCR	RELOCATE (E) 20KW CCR FOR CKT "R1A" TO THIS LOCATION. LABEL CCR AS SPARE.	RELOCATED CCR
10	SPACE FOR FUTURE CCR	RELOCATE (E) 30KW CCR FOR CKT "RS" TO THIS LOCATION. LABEL CCR AS SPARE.	RELOCATED CCR

KEY NOTES:


1. CCR SHALL BECOME SPARE. RELABEL CCR & 5KV CABLES BACK TO FIELD CIRCUIT CABINET AS SPARE.
2. CCR SHALL BE RECONFIGURED TO BECOME (N) CKT R1CL. RELABEL CCR & 5KV CABLE BACK TO FIELD CKT CABINET.
3. INSTALL (N) 15KW 5-STEP REGULATOR WITH INTERNAL ACE.
4. INSTALL (N) 3 PHASE SWITCH WITH (2) 60 AMP FUSES, PHASE (A,C). MANUFACTURER EATON/CUTLER HAMMER FUSIBLE STYLE BUS PLUGS. MODEL #P3F362JN. REUSE (E) CABLE BETWEEN CCR & BUS PLUG.
5. INSTALL (N) 3 PHASE SWITCH WITH (2) 60 AMP FUSES, PHASE (B,C). MANUFACTURER EATON/CUTLER HAMMER FUSIBLE STYLE BUS PLUGS. MODEL #P3F362JN. REUSE (E) CABLE BETWEEN CCR & BUS PLUG.

LEGENDS:

BOLD DENOTES WORK TO BE DONE.

FADED DENOTES EXISTING TO REMAIN.





2 / - CCR SECTION - INTERIOR WALL
N.T.S.

1 / - (E) WEST VAULT MODIFICATION PLAN
N.T.S.

NEW SHEET

SUPERSEDED

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
2	ADDENDUM #2	01/13/20

DATE: DECEMBER 11, 2019
SCALE: AS SHOWN
DRAWN BY: JA
DESIGNED BY: JA
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

WEST VAULT MODIFICATION

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949-502-8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING E8.01

D:\Dropbox (Lean Photometrics)\Active Projects\19018014 Wood Rogers RIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E801 Vault Layout 16R.dwg 1/10/2020 12:18 PM LEAN

SIGN SCHEDULE FOR MAGVAR SIGN & PANEL MODIFICATION (1 OF 5)

NO.	DRAWING NUMBER	SIGN ID	NO. OF MODULES	BASE BID	BID ALT #	MFR	WORK DESCRIPTION	SIDE A MESSAGE ELEMENT (NORTH/EAST)				SIDE B MESSAGE ELEMENT (SOUTH/WEST)				COMMENTS
								1	2	3	4	1	2	3	4	
1	E3.1	100	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					A	17R–35L			
												L	M			
2	E3.1	100	4		1		NEW SIGN ON NEW FOUNDATION.					**A**	**17R–35L**			
												L	**M**			
3	E3.2	101	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	A	35L–17R							
								L	M							
4	E3.2	101	4		1		NEW SIGN ON NEW FOUNDATION.	**A**	**35L–17R**							
								L	**M**							
5	E3.2	102	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	A	← B			17R–35L	A			
								L	D			M	L			
6	E3.2	102	4		1		NEW SIGN ON NEW FOUNDATION.	**A**	**← B**			**17R–35L**	**A**			
								L	**D**			**M**	**L**			
7	E3.2	103	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					D	17R–35L			
												L	M			
8	E3.2	103	4		1		NEW SIGN ON NEW FOUNDATION.					**D**	**17R–35L**			
												L	**M**			
9	E3.2	104	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	**35L–17R**	D							
								M	L							
10	E3.2	104	4		1		NEW SIGN ON NEW FOUNDATION.	**35L–17R**	**D**							
								M	**L**							
11	E3.2	105	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	D	← B →			17R–35L	D			
								L	D			M	L			
12	E3.2	105	4		1		NEW SIGN ON NEW FOUNDATION.	**D**	**← B →**			**17R–35L**	**D**			
								L	**D**			**M**	**L**			
13	E3.2	107	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	⊖				F	35L–17R			
								M				L	M			
14	E3.2	107	4		1		NEW SIGN ON NEW FOUNDATION.	**⊖**				**F**	**35L–17R**			
								M				**L**	**M**			
15	E3.2	BN2	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	← D →				17R →				
								D				D				
16	E3.4	110	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	J	35L–17R							
								L	M							
17	E3.4	110	4		1		NEW SIGN ON NEW FOUNDATION.	**J**	**35L–17R**							
								L	**M**							
18	E3.4	111	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	← B →	J			J	17R–35L			
								D	L			L	M			
19	E3.4	111	4		1		NEW SIGN ON NEW FOUNDATION.	**← B →**	**J**			**J**	**17R–35L**			
								D	**L**			**L**	**M**			
20	E3.4	113	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	J	← B →			17R–35L	J			
								L	D			M	L			
21	E3.4	113	4		1		NEW SIGN ON NEW FOUNDATION.	**J**	**← B →**			**17R–35L**	**J**			
								L	**D**			**M**	**L**			

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. THIS TABLE PROVIDES A LIST OF SIGNS ASSOCIATED WITH MAGVAR SIGN & PANEL MODIFICATION. NOT ALL SIGNS ON THE PROJECT ARE ON THIS TABLE.
3. BOLD DENOTES NEW PANEL TO BE INSTALLED:

   35R–17L = NEW PANEL TO BE INSTALLED

   35R–17L = EXISTING PANEL TO REMAIN
4. THE L–858 DESIGNATIONS OF SIGNS TO BE INSTALLED ARE:
   L = LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND)

   D = LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGNS (BLACK LEGEND ON YELLOW BACKGROUND)

   M = LIGHTED MANDATORY SIGNS (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND)
5. IF BID ALT #1 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
6. IF BID ALT #8 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
7. REFER TO DESCRIPTION OF PANEL REPLACEMENT ON SHEET E9.05 FOR DETAILS ON NEW PANELS TO BE INSTALLED.

NEW SHEET

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021219 01/17/2020

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN SCHEDULE 1

PROJECT NO. 8494.002

DRAWING **E9.01**

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E901 Sign Schedule 1.dwg 1/17/2020 11:14 AM LEAN

SIGN SCHEDULE FOR MAGVAR SIGN & PANEL MODIFICATION (2 OF 5)

NO.	DRAWING NUMBER	SIGN ID	NO. OF MODULES	BASE BID	BID ALT #	MFR	WORK DESCRIPTION	SIDE A MESSAGE ELEMENT (NORTH/EAST)				SIDE B MESSAGE ELEMENT (SOUTH/WEST)				COMMENTS
								1	2	3	4	1	2	3	4	
22	E3.6	117	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	L	35L–17R							
								L	M							
23	E3.6	117	4		1		NEW SIGN ON NEW FOUNDATION.	L	35L–17R							
								L	M							
24	E3.6	118	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					L	17R–35L			
												L	M			
25	E3.6	118	4		1		NEW SIGN ON NEW FOUNDATION.					L	17R–35L			
												L	M			
26	E3.6	119	3	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	35L–17R								
								M								
27	E3.6	119	3		1		NEW SIGN ON NEW FOUNDATION.	35L–17R								
								M								
28	E3.6	120	3	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	B →				17R–35L				
								D				M				
29	E3.6	120	3		1		NEW SIGN ON NEW FOUNDATION.	B →				17R–35L				
								D				M				
30	E3.6	121	3	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	35L–17R								
								M								
31	E3.6	121	3		1		NEW SIGN ON NEW FOUNDATION.	35L–17R								
								M								
32	E3.6	305	3	YES			NEW SIGN ON EXISTING FOUNDATION.	C	26–8							
								L	M							
33	E3.6	306	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					8–26				
												M				
34	E3.6	306	2		1		NEW SIGN ON NEW FOUNDATION.					8–26				
												M				
35	E3.6	307	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	26–8								
								M								
36	E3.6	307	2		1		NEW SIGN ON NEW FOUNDATION.	26–8								
								M								
37	E3.6	308	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	26–8								
								M								
38	E3.6	308	2		1		NEW SIGN ON NEW FOUNDATION.	26–8								
								M								
39	E3.6	310	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					8–26				
												M				
40	E3.6	310	2		1		NEW SIGN ON NEW FOUNDATION.					8–26				
												M				
41	E3.6	218	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					N	17L–35R			
												L	M			

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. THIS TABLE PROVIDES A LIST OF SIGNS ASSOCIATED WITH MAGVAR SIGN & PANEL MODIFICATION. NOT ALL SIGNS ON THE PROJECT ARE ON THIS TABLE.
3. BOLD DENOTES NEW PANEL TO BE INSTALLED:

   35R–17L = NEW PANEL TO BE INSTALLED

   35R–17L = EXISTING PANEL TO REMAIN
4. THE L–858 DESIGNATIONS OF SIGNS TO BE INSTALLED ARE:
   L = LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND)

   D = LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGNS (BLACK LEGEND ON YELLOW BACKGROUND)

   M = LIGHTED MANDATORY SIGNS (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND)
5. IF BID ALT #1 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
6. IF BID ALT #8 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
7. REFER TO DESCRIPTION OF PANEL REPLACEMENT ON SHEET E9.05 FOR DETAILS ON NEW PANELS TO BE INSTALLED.

NEW SHEET

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN SCHEDULE 2

PROJECT NO. 8494.002

DRAWING **E9.02**

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E901 Sign Schedule 16R.dwg 1/17/2020 11:14 AM LEAN

SIGN SCHEDULE FOR MAGVAR SIGN & PANEL MODIFICATION (3 OF 5)

NO.	DRAWING NUMBER	SIGN ID	NO. OF MODULES	BASE BID	BID ALT #	MFR	WORK DESCRIPTION	SIDE A MESSAGE ELEMENT (NORTH/EAST)				SIDE B MESSAGE ELEMENT (SOUTH/WEST)				COMMENTS
								1	2	3	4	1	2	3	4	
42	E3.7	122	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	← B →	N			N	17R–35L			
								D	L			L	M			
43	E3.7	122	4		1		NEW SIGN ON NEW FOUNDATION.	**← B →**	**N**			**N**	**17R–35L**			
								D	**L**			**L**	**M**			
44	E3.7	124	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	N	← B →			17R–35L	N			
								L	D			M	L			
45	E3.7	124	4		1		NEW SIGN ON NEW FOUNDATION.	**N**	**← B →**			**17R–35L**	**N**			
								L	**D**			**M**	**L**			
46	E3.8	125	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.					P	17R–35L			
												L	M			
47	E3.8	125	4		1		NEW SIGN ON NEW FOUNDATION.					**P**	**17R–35L**			
												L	**M**			
48	E3.8	126	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	P	35L–17R							
								L	M							
49	E3.8	126	4		1		NEW SIGN ON NEW FOUNDATION.	**P**	**35L–17R**							
								L	**M**							
50	E3.9	127	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	B →				Q	17R–35L			
								D				L	M			
51	E3.9	127	4		1		NEW SIGN ON NEW FOUNDATION.	**B →**				**Q**	**17R–35L**			
								D				**L**	**M**			
52	E3.9	128	4	YES		ADB	NEW 1+1+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	Q	← B			17R–35L	Q			
								L	D			M	L			
53	E3.9	128	4		1		NEW SIGN ON NEW FOUNDATION.	**Q**	**← B**			**17R–35L**	**Q**			
								L	**D**			**M**	**L**			
54	E3.9	130	3	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 6.					A	17R			
												L	M			
55	E3.9	130	3		8		NEW SIGN ON NEW FOUNDATION.					**A**	**17R**			
												L	**M**			
56	E3.9	128	3	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					35L–17R				UNLIT SIGN
												M				
57	E3.11	301	3	YES			NEW SIGN ON EXISTING FOUNDATION.					**A**	**8–26**			
												L	**M**			
58	E3.11	302	3	YES			NEW SIGN ON EXISTING FOUNDATION.	A	26–8							
								L	M							
59	E3.11	303	3	YES			NEW SIGN ON EXISTING FOUNDATION.	26–8	B			B	← L →			
								M	L			L	D			
60	E3.11	304	3	YES			NEW SIGN ON EXISTING FOUNDATION.					B	8–26			
												L	M			
61	E3.13	AS19	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	←35R				B				
								D				L				
62	E3.13	AS19	2		1		NEW SIGN ON NEW FOUNDATION.	**←35R**				**B**				
								D				**L**				
63	E3.14	AS18	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	**↑35L**								
								D								

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. THIS TABLE PROVIDES A LIST OF SIGNS ASSOCIATED WITH MAGVAR SIGN & PANEL MODIFICATION. NOT ALL SIGNS ON THE PROJECT ARE ON THIS TABLE.
3. BOLD DENOTES NEW PANEL TO BE INSTALLED:

   35R–17L = NEW PANEL TO BE INSTALLED

   35R–17L = EXISTING PANEL TO REMAIN
4. THE L–858 DESIGNATIONS OF SIGNS TO BE INSTALLED ARE:
   L = LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND)

   D = LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGNS (BLACK LEGEND ON YELLOW BACKGROUND)

   M = LIGHTED MANDATORY SIGNS (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND)
5. IF BID ALT #1 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
6. IF BID ALT #8 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
7. REFER TO DESCRIPTION OF PANEL REPLACEMENT ON SHEET E9.05 FOR DETAILS ON NEW PANELS TO BE INSTALLED.

NEW SHEET

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021240 01/17/2020

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN SCHEDULE 3

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

PROJECT NO. 8494.002

DRAWING **E9.03**

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A - Wood Rogers RTIA Rwy 16R–34L Recon\01 Drawings\Working Drawings\Sheets\E901 Sign Schedule 16R.dwg 1/17/2020 11:14 AM LEAN

SIGN SCHEDULE FOR MAGVAR SIGN & PANEL MODIFICATION (4 OF 5)

NO.	DRAWING NUMBER	SIGN ID	NO. OF MODULES	BASE BID	BID ALT #	MFR	WORK DESCRIPTION	SIDE A MESSAGE ELEMENT (NORTH/EAST) 1	2	3	4	SIDE B MESSAGE ELEMENT (SOUTH/WEST) 1	2	3	4	COMMENTS
64	E3.15	200	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	35R–17L **M**	C L			C L	C → D			
65	E3.15	201	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					A L	17L–35R **M**			
66	E3.16	202	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	C L	35R–17L **M**							
67	E3.16	203	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					D L	17L–35R **M**			
68	E3.16	204	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	D L	35R–17L **M**			← C D	D L	C → D		
69	E3.16	204A	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	35R–17L **M**	D L			← C D	D L	C → D		
70	E3.16	205	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	F L	17L–35R **M**							
71	E3.18	208	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					J L	17L–35R **M**			
72	E3.18	208A	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	J L	35R–17L **M**							
73	E3.18	UNKNOWN	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	35R–17L **M**	J L							
74	E3.20	212	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					L L	17L–35R **M**			
75	E3.20	213	4	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	L L	35R–17L **M**							
76	E3.20	214	3	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					17L–35R **M**				NORTH SIDE OF RW 8–26
77	E3.20	215	3	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.					17L–35R **M**				SOUTH SIDE OF RW 8–26
78	E3.20	216	3	YES		ADB	NEW 2+1 PANELS (3–MODULE MODIFICATION) ON EXISTING SIGN.	35R–17L **M**				C → D				
79	E3.20	306	2	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.					8–26 **M**				WEST SIDE OF RW 17L–35R
80	E3.20	311A	2	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	26–8 **M**								WEST SIDE OF RW 17L–35R
91	E3.20	312	2	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.					8–26 **M**				EAST SIDE OF RW 17L–35R
92	E3.20	313A	2	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	26–8 **M**								EAST SIDE OF RW 17L–35R
93	E3.20	311	3	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	26–8 **M**	C L			C L	← L → D			
94	E3.20	311	3		1		NEW SIGN ON NEW FOUNDATION.	26–8 **M**	C L			C L	← L → D			

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. THIS TABLE PROVIDES A LIST OF SIGNS ASSOCIATED WITH MAGVAR SIGN & PANEL MODIFICATION. NOT ALL SIGNS ON THE PROJECT ARE ON THIS TABLE.
3. BOLD DENOTES NEW PANEL TO BE INSTALLED:

   35R–17L = NEW PANEL TO BE INSTALLED

   35R–17L = EXISTING PANEL TO REMAIN
4. THE L–858 DESIGNATIONS OF SIGNS TO BE INSTALLED ARE:
   L = LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND)

   D = LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGNS (BLACK LEGEND ON YELLOW BACKGROUND)

   M = LIGHTED MANDATORY SIGNS (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND)
5. IF BID ALT #1 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
6. IF BID ALT #8 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
7. REFER TO DESCRIPTION OF PANEL REPLACEMENT ON SHEET E9.05 FOR DETAILS ON NEW PANELS TO BE INSTALLED.

NEW SHEET

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN SCHEDULE 4

PROJECT NO. 8494.002

DRAWING **E9.04**

D:\Dropbox (Lean Photometrics)\Active Projects\L1909801A - Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E901 Sign Schedule 16R.dwg 1/17/2020 11:15 AM LEAN

SIGN SCHEDULE FOR MAGVAR SIGN & PANEL MODIFICATION (5 OF 5)

NO.	DRAWING NUMBER	SIGN ID	NO. OF MODULES	BASE BID	BID ALT #	MFR	WORK DESCRIPTION	SIDE A MESSAGE ELEMENT (NORTH/EAST)				SIDE B MESSAGE ELEMENT (SOUTH/WEST)				COMMENTS
								1	2	3	4	1	2	3	4	
95	E3.22	219	3	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	P				P	35R			
								L				L	M			
96	E3.22	220	3	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.	C	35R			C				
								L	M			L				
97	E3.23	317	2	YES		ADB	NEW 1 PANELS (1–MODULE MODIFICATION) ON EXISTING SIGN.	L	26			L				
								L	M			L				
98	E3.26	318	3	YES		ADB	NEW 2 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN.					C	8–26			
												L	M			
99	E3.26	316	2	YES		ADB	NEW 1+1 PANELS (2–MODULE MODIFICATION) ON EXISTING SIGN. REFER TO NOTE 5.	C	26–8							
								L	M							
100	E3.26	316	2		1		NEW SIGN ON NEW FOUNDATION.	C	26–8							
								L	M							
101	E3.29	300	2	YES		ADB	NEW 1 PANELS (1–MODULE MODIFICATION) ON EXISTING SIGN.	L	8			L				
								L	M			L				

DESCRIPTION OF PANEL REPLACEMENT:



REPLACEMENT OF 2+1 PANELS: "16R–3" + "4L"



REPLACEMENT OF 1+1+1 PANELS: "16" + "R–3" + "4L"

NOTES:

1. REFER TO DRAWINGS E0.01 AND E0.02 FOR GENERAL NOTES, ABBREVIATIONS, AND LEGEND.
2. THIS TABLE PROVIDES A LIST OF SIGNS ASSOCIATED WITH MAGVAR SIGN & PANEL MODIFICATION. NOT ALL SIGNS ON THE PROJECT ARE ON THIS TABLE.
3. BOLD DENOTES NEW PANEL TO BE INSTALLED:

   35R–17L = NEW PANEL TO BE INSTALLED

   35R–17L = EXISTING PANEL TO REMAIN
4. THE L–858 DESIGNATIONS OF SIGNS TO BE INSTALLED ARE:
   L = LIGHTED TAXIWAY AND RUNWAY LOCATION SIGN (YELLOW LEGEND AND BORDER ON BLACK BACKGROUND)

   D = LIGHTED DIRECTION, DESTINATION & BOUNDARY SIGNS (BLACK LEGEND ON YELLOW BACKGROUND)

   M = LIGHTED MANDATORY SIGNS (BLACK OUTLINE ON OUTSIDE EDGE OF WHITE LEGEND ON RED BACKGROUND)
5. IF BID ALT #1 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
6. IF BID ALT #8 IS AWARDED, THE PANEL REPLACEMENT FOR THIS SIGN IN BASE BID WILL BE REMOVED FROM CONTRACT.
7. REFER TO DESCRIPTION OF PANEL REPLACEMENT ON SHEET E9.05 FOR DETAILS ON NEW PANELS TO BE INSTALLED.

NEW SHEET

LEAN ENGINEERING
18850 VON KARMAN AVE., SUITE 200. Irvine, CA 92612
PHONE: 949–502–8687
WWW.LEANCORP.COM

FOR BIDDING PURPOSES ONLY

NO.	DESCRIPTION	DATE
3	ADDENDUM #3	01/17/20

DATE: DECEMBER 11, 2019
SCALE: NTS
DRAWN BY: LEAN
DESIGNED BY: LEAN
CHECKED BY: DL

PROFESSIONAL ENGINEER STATE OF NEVADA DORON LEAN No. 021749 12/11/2019

WOOD RODGERS
BUILDING RELATIONSHIPS. ONE PROJECT AT A TIME
1361 Corporate Blvd
Reno, NV 89502
Tel 775.823.4068
Fax 775.823.4066

Reno–Tahoe International Airport

RUNWAY 16R-34L RECONSTRUCTION

SIGN SCHEDULE 5

PROJECT NO. 8494.002

DRAWING E9.05

D:\Dropbox (Lean Photometrics)\Active Projects\L19018001A Wood Rogers RTIA Rwy 16R-34L Recon\01 Drawings\Working Drawings\Sheets\E901 Sign Schedule 16R.dwg 1/17/2020 11:15 AM LEAN